

**GCSE**

**Chemistry A**

Unit **J248H/03**: Higher Tier – Paper 3

General Certificate of Secondary Education

**Mark Scheme for June 2018**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

**Subject-specific Marking Instructions****INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry:

	Assessment Objective
<b>AO1</b>	<b>Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.</b>
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
<b>AO2</b>	<b>Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.</b>
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
<b>AO3</b>	<b>Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.</b>
<b>AO3.1</b>	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
<b>AO3.2</b>	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
<b>AO3.3</b>	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

**SECTION A**

For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question			Answer	Marks	AO element	Guidance
1			C ✓	1	1.2	
2			C ✓	1	1.1	
3			A ✓	1	1.1	
4			C ✓	1	1.1	
5			D ✓	1	2.1	
6			C ✓	1	1.1	
7			A ✓	1	1.1	
8			A ✓	1	1.2	
9			B ✓	1	1.1	
10			C ✓	1	1.1	
11			C ✓	1	1.2	
12			C ✓	1	1.1	
13			D ✓	1	1.1	
14			C ✓	1	1.1	
15			C ✓	1	1.1	

## SECTION B

Question			Answer	Marks	AO element	Guidance
16	(a)	(i)	Particles close together / particles compact / particles already touching / particles tightly packed / AW ✓	1	1.1	<p><b>ALLOW</b> idea of particles with no spaces between them</p> <p><b>ALLOW</b> any type of particles</p> <p>Mark can be awarded from a diagram</p> <p><b>IGNORE</b> particles are in fixed positions</p> <p><b>IGNORE</b> particles are in a regular arrangement / particles are in a lattice</p> <p><b>IGNORE</b> intermolecular forces</p>
	(a)	(ii)	<p><b>Any three from:</b></p> <p>Particles in a solid are in fixed positions ✓</p> <p>Particles in a solid vibrate ✓</p> <p>Particles in a liquid can move (past each other) ✓</p> <p>as forces between particles in a liquid are less than in a solid ✓</p>	3	3 x 1.1	<p><b>ALLOW</b> any type of particles</p> <p><b>ALLOW</b> particles in a solid cannot move (past each other)</p> <p><b>IGNORE</b> solid cannot flow, but <b>ALLOW</b> particles in a solid cannot flow</p> <p><b>IGNORE</b> particles move around on the spot</p> <p><b>IGNORE</b> liquid can flow, but <b>ALLOW</b> particles in a liquid can flow</p> <p><b>ALLOW</b> liquid particles have enough energy to overcome attractions (between particles)</p> <p><b>DO NOT ALLOW</b> no forces between particles</p> <p><b>IGNORE</b> intermolecular forces</p>






Question			Answer	Marks	AO element	Guidance
	(a)	(iii)	<b>Any two from:</b> Particles are moving quickly (in all directions) ✓ Particles are far apart ✓ Particles spread out ✓ Weak forces between the particles ✓	2	2 x 1.1	<b>ALLOW</b> any type of particles <b>ALLOW</b> particles can move freely or randomly <b>ALLOW</b> M2 from a diagram showing no particles touching  <b>IGNORE</b> intermolecular forces <b>IGNORE</b> no forces between particles
	(b)		$\text{Mg} + 2\text{H}_2\text{O} \rightarrow \text{Mg}(\text{OH})_2 + \text{H}_2$ Correct formulae ✓ Balancing ✓	2	1.1 2.2	Balancing mark is conditional on correct formulae <b>ALLOW</b> = or $\rightleftharpoons$ instead of $\rightarrow$ <b>DO NOT ALLOW</b> and or & instead of + <b>ALLOW</b> any correct multiples including fractions e.g. $2\text{Mg} + 4\text{H}_2\text{O} \rightarrow 2\text{Mg}(\text{OH})_2 + 2\text{H}_2$ <b>ALLOW</b> one mark for correct equation with minor errors in case, subscript or superscript e.g. $\text{MG} + 2\text{H}^2\text{O} \rightarrow 2\text{Mg}(\text{OH})_2 + \text{H}_2$ <b>IGNORE</b> state symbols
	(c)		148.3 ✓	1	2.2	<b>ALLOW</b> 148


Question		Answer	Marks	AO element	Guidance												
17	(a)	<p><b>ANY FOUR FROM:</b> Titration ✓</p> <p>Put acid in burette ✓ Pipette (a known volume of) sodium hydroxide into flask ✓</p> <p>Use a (named) indicator / use of a pH meter ✓ Add acid to sodium hydroxide until colour of indicator changes ✓ Repeat (to get an accurate value) ✓ Repeat again with no indicator ✓ Evaporate (off the water) / crystallise ✓</p>	4	4 x 3.3a	<p><b>ALLOW</b> other methods involving adding acid to sodium hydroxide solution using the principles outlined on the LHS eg <b>ALLOW</b> mix or react acid with alkali</p> <p><b>ALLOW</b> alkali in burette <b>ALLOW</b> acid in flask</p> <p><b>DO NOT ALLOW</b> marks in incorrect context</p>												
	(b)	$\text{NaOH} + \text{HCl} \rightarrow \text{NaCl} + \text{H}_2\text{O}$ ✓	1	2.2	<p><b>ALLOW</b> = or ⇌ instead of → <b>DO NOT ALLOW</b> and or &amp; instead of +</p> <p><b>ALLOW</b> any correct multiples including fractions</p> <p><b>IGNORE</b> any state symbols</p>												
	(c)	<table><tr><th>Acid used</th><th>Other starting material</th><th>Salt made</th></tr><tr><td>sulfuric acid</td><td>copper oxide</td><td><b>copper sulfate</b> ✓</td></tr><tr><td><b>nitric acid</b> ✓</td><td>zinc carbonate</td><td>zinc nitrate</td></tr><tr><td>hydrochloric acid</td><td><b>magnesium oxide/ magnesium hydroxide / magnesium carbonate / magnesium</b> ✓</td><td>magnesium chloride</td></tr></table>	Acid used	Other starting material	Salt made	sulfuric acid	copper oxide	<b>copper sulfate</b> ✓	<b>nitric acid</b> ✓	zinc carbonate	zinc nitrate	hydrochloric acid	<b>magnesium oxide/ magnesium hydroxide / magnesium carbonate / magnesium</b> ✓	magnesium chloride	3	3 x 2.2	<p><b>ALLOW</b> correct formulae</p>
Acid used	Other starting material	Salt made															
sulfuric acid	copper oxide	<b>copper sulfate</b> ✓															
<b>nitric acid</b> ✓	zinc carbonate	zinc nitrate															
hydrochloric acid	<b>magnesium oxide/ magnesium hydroxide / magnesium carbonate / magnesium</b> ✓	magnesium chloride															
	(d)	Neutralisation ✓	1	2.2													

Question			Answer	Marks	AO element	Guidance
18	(a)		Idea that ethanol and /or petrol are flammable ✓ So need to use a water bath or heating mantle ✓	2	2 x 3.3b	Marking points are independent <b>ALLOW</b> use an electric heater
	(b)		State of propane is <b>gas</b> ✓ State of hexane is <b>liquid</b> ✓	2	2 x 2.1	
	(c)		$\text{C}_3\text{H}_8 + 5\text{O}_2 \rightarrow 3\text{CO}_2 + 4\text{H}_2\text{O}$ Correct formulae ✓ Balancing ✓	2	2 x 2.1	Balancing mark is conditional on correct formulae <b>ALLOW</b> = or $\rightleftharpoons$ instead of $\rightarrow$ <b>DO NOT ALLOW</b> and or & instead of + <b>ALLOW</b> any correct multiples including fractions e.g. $2\text{C}_3\text{H}_8 + 10\text{O}_2 \rightarrow 6\text{CO}_2 + 8\text{H}_2\text{O}$ <b>ALLOW</b> one mark for correct equation with minor errors in case, subscript or superscript e.g. $\text{C}_3\text{H}_8 + 5\text{O}_2 \rightarrow 3\text{CO}_2 + 4\text{H}_2\text{O}$ <b>IGNORE</b> state symbols

Question			Answer	Marks	AO element	Guidance																																			
19	(a)		Number of protons (in the nucleus of an atom) ✓	1	1.1	<b>ALLOW</b> number of electrons <b>in an atom</b> <b>ALLOW</b> answer in terms of <i>Cl</i> , ie it has 17 protons																																			
	(b)		Isotopes have the same number of protons but different numbers of neutrons / same atomic number but different mass numbers / <b>atoms of the same element</b> with the different number of neutrons or different mass numbers ✓	1	1.1	<b>IGNORE</b> same number of electrons <b>ALLOW</b> answer in terms of <i>Cl</i> , ie one <i>Cl</i> atom has 18 neutrons and one <i>Cl</i> atom has 20 neutrons <b>OR</b> one <i>Cl</i> atom has a mass number of 35 and one <i>Cl</i> atom has a mass number of 37  <b>IGNORE</b> different relative atomic masses																																			
	(c)		<table border="1"> <thead> <tr> <th>Atom or ion</th><th>Atomic number</th><th>Mass number</th><th>Number of protons</th><th>Number of neutrons</th><th>Number of electrons</th><th>Electronic structure</th></tr> </thead> <tbody> <tr> <td>S</td><td>16</td><td>32</td><td><b>16</b></td><td>16</td><td>16</td><td><b>2.8.6 ✓</b></td></tr> <tr> <td>B</td><td>5</td><td>11</td><td>5</td><td><b>6</b></td><td><b>5 ✓</b></td><td>2.3</td></tr> <tr> <td>F<sup>-</sup></td><td>9</td><td>19</td><td><b>9</b></td><td><b>10 ✓</b></td><td>10</td><td>2.8</td></tr> <tr> <td>Li<sup>+</sup></td><td>3</td><td>7</td><td>3</td><td>4</td><td><b>2</b></td><td><b>2 ✓</b></td></tr> </tbody> </table>	Atom or ion	Atomic number	Mass number	Number of protons	Number of neutrons	Number of electrons	Electronic structure	S	16	32	<b>16</b>	16	16	<b>2.8.6 ✓</b>	B	5	11	5	<b>6</b>	<b>5 ✓</b>	2.3	F <sup>-</sup>	9	19	<b>9</b>	<b>10 ✓</b>	10	2.8	Li <sup>+</sup>	3	7	3	4	<b>2</b>	<b>2 ✓</b>	4	1 x 1.1 3 x 2.1	Mark for <b>each correct line</b> of table
Atom or ion	Atomic number	Mass number	Number of protons	Number of neutrons	Number of electrons	Electronic structure																																			
S	16	32	<b>16</b>	16	16	<b>2.8.6 ✓</b>																																			
B	5	11	5	<b>6</b>	<b>5 ✓</b>	2.3																																			
F <sup>-</sup>	9	19	<b>9</b>	<b>10 ✓</b>	10	2.8																																			
Li <sup>+</sup>	3	7	3	4	<b>2</b>	<b>2 ✓</b>																																			

Question			Answer	Marks	AO element	Guidance
	(d)	(i)	 <p>OR</p>  <p>sodium ion, Na<sup>+</sup></p>  <p>oxide ion, O<sup>2-</sup></p> <p>Sodium ion drawn correctly ✓ Oxide ion drawn correctly ✓ Correct charges on both ions ✓</p>	3	3 x 2.1	<p><b>ALLOW</b> electrons as all dots, all crosses, or a mix of dots and crosses</p> <p><b>ALLOW</b> diagrams without inner electron shell, but inner shell must be correct if shown</p> <p><b>DO NOT ALLOW</b> S for Na or O<sub>2</sub> for O (for drawing of ions marks)</p> <p><b>ALLOW</b> answers showing the transfer of electrons providing the same electrons are not shown twice</p> <p><b>DO NOT ALLOW</b> diagram showing <b>sharing</b> of electrons = 0 marks</p>
		(ii)	Na <sub>2</sub> O ✓	1	2.1	<p><b>DO NOT ALLOW</b> Na<sup>2</sup>O / Na<sub>2</sub>O</p> <p><b>ALLOW</b> correct formula for Na<sub>2</sub>O in an equation (even if unbalanced)</p>

Question			Answer	Marks	AO element	Guidance
20	(a)		Filter to remove the sand ✓ (as) sand is insoluble in water / sodium chloride is soluble ✓  Distil the filtered mixture ✓  (Solid) sodium chloride stays in flask and pure water condenses ✓	4	3.3a 3.1b  3.3a  3.1b	<b>ALLOW</b> MAX 3 marks if method is in wrong order, eg distillation before filtration  <b>ALLOW</b> fractional distillation <b>ALLOW</b> boil and condense for ‘distil’ <b>DO NOT ALLOW</b> evaporation / crystallisation  <b>ALLOW</b> idea that (solid) sodium chloride stays in flask once pure water has evaporated
	(b)		No (no mark)  <b>Any two from:</b> Idea that sample 4 has range <b>higher</b> than 110°C ✓  Pure sample of <b>B</b> cannot have melting point above 110°C ✓  Idea that pure samples do not melt over a range (of temperatures) / ORA / Pure samples have a specific melting point / ORA ✓  Impurities lower the melting point ✓  <b>AND</b> Sample 1 is likely to be most pure ✓	3	2 x 3.2a          1 x 3.2b	<b>MAX 2</b> if answer refers to boiling points  <b>IGNORE</b> just ‘the melting point of sample 4 is 110 - 112°C’

Question	Answer	Marks	AO element	Guidance
21 (a)	 <p>Reactants and products labelled in words or formulae, with <b>products shown below reactants</b> ✓</p> <p>Energy change labelled ✓</p> <p>Activation energy labelled ✓</p>	3		<p>2.2</p> <p>1.2 <b>DO NOT ALLOW</b> double headed arrow or line without arrow</p> <p>1.2 <b>DO NOT ALLOW</b> double headed arrow or line without arrow</p> <p><b>ALLOW</b> 1 mark MAX for correctly labelled activation energy on an <b>endothermic</b> reaction profile</p>

Question		Answer	Marks	AO element	Guidance
	(b)	<p>Student B (no mark)</p> <p><b>FIRST CHECK THE ANSWER ON ANSWER LINE</b>  <b>If answer = 411 (kJ/mol) award 3 marks</b></p> <p>Energy needed to make new bonds = 3434(kJ) ✓</p> <p>Energy needed to break bonds = 3434 – 802 = 2632(kJ) ✓</p> <p>C-H bond energy = <math>\frac{2632 - (2 \times 494)}{4} = 411 \text{ (kJ/mol)}</math> ✓</p>	3		<p><b>ALLOW</b> correct calculation of 411 (kJ/mol) without mention of Student B</p> <p><b>NB There must be evidence of correct working out to score 3 marks</b>  <b>411 on its own scores 0</b></p> <p>2.1 <b>ALLOW</b> alternative calculation eg</p> <p>2.1 Energy needed to make new bonds = 3434(kJ)  432 x 4 = 1728 (kJ)  411 x 4 = 1644 (kJ)</p> <p>3.2b 2 x O=O bond energy = 2 x 494 = 988 (kJ)</p> <p>Energy needed to break bonds  either 988 + 1728 = 2716 (kJ)  or 988 + 1644 = 2632 (kJ)</p> <p>3434 – 2716 = 718 (kJ)  3434 – 2632 = 802 (kJ)  ie proving that C-H bond energy = 411 (kJ/mol)</p>



Question			Answer	Marks	AO element	Guidance
22			<p>No of moles of CuO = 0.02 moles          No of moles of H<sub>2</sub> = 0.1 moles          No of moles of Cu = 0.02 moles          No of moles of H<sub>2</sub>O = 0.02 moles          All four correctly calculated ✓✓  <b>BUT</b>          two or three correctly calculated ✓</p> <p>Limiting reactant is copper oxide ✓          (because) it is (the starting material that is) present in the smaller quantity ✓</p>	4	4 x 2.1	<p><b>ALLOW</b> ECF from incorrectly calculated number of moles  <b>ALLOW</b> idea of less moles of copper oxide than hydrogen / lower amount of reactant moles / idea that all copper oxide is used up but there is hydrogen left  <b>IGNORE</b> just restatement of the number of moles of CuO and H<sub>2</sub></p>

Question			Answer	Marks	AO element	Guidance
23			<p><b>Any three from:</b></p> <p>Mendeleev's table has no noble gases or Group 8 or Group 0 / ORA ✓</p> <p>Mendeleev's table has no transition elements / ORA ✓</p> <p>Mendeleev's table has gaps (left for elements to be discovered) / no gaps in modern-day table / AW ✓</p> <p>(Mendeleev's table ordered by atomic mass whereas) modern-day table ordered by atomic number ✓</p> <p>Mendeleev's table doesn't have atomic number (whereas modern-day table does) ✓</p> <p>Mendeleev swapped iodine and tellurium to reflect chemical properties ✓</p>	3	3 x 1.1	<p><b>ALLOW</b> Mendeleev's table only has 7 groups / ORA</p> <p><b>ALLOW</b> reference to specific elements missing from Mendeleev's table eg gallium / germanium</p>

Question			Answer	Marks	AO element	Guidance									
24	(a)		<table><tr><th>Experiment</th><th>What happens at cathode (-)</th><th>What happens at anode (+)</th></tr><tr><td>1</td><td><b>copper deposited / formed ✓</b></td><td>oxygen made</td></tr><tr><td>2</td><td>copper deposited</td><td><b>(copper) anode dissolves ✓</b></td></tr></table>	Experiment	What happens at cathode (-)	What happens at anode (+)	1	<b>copper deposited / formed ✓</b>	oxygen made	2	copper deposited	<b>(copper) anode dissolves ✓</b>	2	2 x 1.2	<p><b>ALLOW</b> copper atoms form (at cathode) <b>IGNORE</b> copper purified (at cathode)</p> <p><b>ALLOW</b> (anode) loses mass / copper loses electrons / copper <b>ions</b> made / copper is lost (at anode) <b>DO NOT ALLOW</b> copper <b>ions</b> lose electrons</p>
Experiment	What happens at cathode (-)	What happens at anode (+)													
1	<b>copper deposited / formed ✓</b>	oxygen made													
2	copper deposited	<b>(copper) anode dissolves ✓</b>													
	(b)		Non-inert electrodes are changed during electrolysis ✓	1	1.2	<p><b>ALLOW</b> idea that non-inert electrodes can react (with the solution or the electrode products)</p>									
	(c)		$\text{Cu}^{2+} + 2\text{e}^{-} \rightarrow \text{Cu}$  formulae ✓ balancing ✓	2	2 x 2.2	<p>balancing mark is conditional on correct formulae <b>ALLOW</b> = or ⇌ instead of arrow</p> <p><b>DO NOT ALLOW</b> and or &amp; instead of +</p> <p><b>ALLOW</b> <math>\text{Cu}^{2+} \rightarrow \text{Cu} - 2\text{e}^{-}</math></p> <p><b>ALLOW</b> any correct multiples including fractions e.g. <math>2\text{Cu}^{2+} + 4\text{e}^{-} \rightarrow 2\text{Cu}</math></p> <p><b>ALLOW</b> one mark for correct equation with minor errors in case, subscript or superscript e.g. <math>\text{Cu}^{2+} + 2\text{e}^{-} \rightarrow \text{CU}</math></p> <p><b>IGNORE</b> state symbols</p>									

Question			Answer	Marks	AO element	Guidance
	(d)		Idea that hydrogen is less reactive than sodium / ORA ✓  So is discharged before sodium / ORA ✓	2	2 x 1.2	<b>ALLOW</b> idea that hydrogen gains electrons more easily (than sodium) / idea that hydrogen is reduced more easily (than sodium) <b>IGNORE</b> hydrogen is made

Question	Answer	Marks	AO element	Guidance
25 *	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p><b>Level 3 (5–6 marks)</b>  <b>Analyses the information to identify the type of bonding present in all three substances AND provides a correct explanation for all of them</b>  <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p><b>Level 2 (3–4 marks)</b>  <b>Analyses the information to identify the type of bonding present in two of the substances AND provides a correct explanation for both of them</b>  <b>OR</b>  <b>Analyses the information to identify the type of bonding present in all three substances AND provides a partial explanation for at least two of them</b>  <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p><b>Level 1 (1–2 marks)</b>  <b>Analyses the information to identify the type of bonding present in one of the substances AND provides a correct explanation</b>  <b>OR</b>  <b>Analyses the information to identify the type of bonding present in two of the substances AND provides a partial explanation for one of them</b>  <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p><b>0 marks</b>  <i>No response or no response worthy of credit.</i></p>	6	2 x 3.2b 2 x 3.1a 2 x 2.1	<p><b>AO3.2b Analyses information to draw conclusions about the three substances</b></p> <ul style="list-style-type: none"> <li>substance <b>A</b> is covalently bonded</li> <li>substance <b>A</b> is simple molecular</li> <li>substance <b>B</b> is a covalently bonded</li> <li>substance <b>B</b> is a giant covalent structure</li> <li>substance <b>C</b> is an ionic compound</li> </ul> <p><b>AO3.1a Analyses information to interpret the type of bonding present in all three substances</b></p> <ul style="list-style-type: none"> <li>substance <b>A</b> has a low melting point &amp; boiling point and does not conduct electricity, so is likely to be water or other covalent structure</li> <li>substance <b>B</b> has high melting point &amp; boiling point and is a poor conductor, so is likely to be diamond or other giant covalent structure</li> <li>substance <b>C</b> has a high melting point &amp; boiling point and does not conduct electricity as a solid, but does when molten or dissolved in water, so is likely to be sodium chloride or another ionic compound</li> </ul> <p><b>AO2.1 Applies knowledge and understanding about the information for the three substances to explain the properties</b></p> <ul style="list-style-type: none"> <li>substance <b>A</b> has a low melting point and boiling point because there are weak intermolecular forces</li> <li>substance <b>A</b> does not conduct electricity because there are no free electrons or ions</li> <li>substance <b>B</b> has high melting point and boiling point because there are many strong covalent bonds</li> <li>substance <b>B</b> is a poor conductor because there are no free electrons or ions</li> <li>substance <b>C</b> has a high melting point and boiling point because there are strong electrostatic forces of attraction between (oppositely charged) ions</li> <li>substance <b>C</b> does not conduct as a solid because the ions cannot move but does when molten or dissolved in water because the ions can move</li> </ul>

Question			Answer	Marks	AO element	Guidance
26	(a)		Number of entities in 1 mole ✓	1	1.1	<p><b>ALLOW</b> number of atoms in 12g of carbon-12  <b>IGNORE</b> number of atoms in 1 mole of an element</p> <p>If 'number of atoms' or 'number of molecules' in one mole of <b>a substance</b> is stated, then it must be linked to a correct substance  eg number of molecules in a mole of oxygen (but not number of atoms in a mole of oxygen)</p>
	(b)		<p><b>FIRST CHECK THE ANSWER ON ANSWER LINE</b>  <b>If answer = <math>2.41 \times 10^{24}</math> award 3 marks</b></p> <p>72 g of water = <math>72/18 = 4</math> moles ✓</p> <p>number of molecules of water = <math>4 \times 6.02 \times 10^{23}</math>  or <math>2.408 \times 10^{24}</math> ✓</p> <p>answer to 3 sig figs = <math>2.41 \times 10^{24}</math> ✓</p>	3	3 x 2.1	<p><b>ALLOW</b> ECF from incorrect number of moles</p> <p><b>ALLOW</b> ECF if significant figures correct from incorrect calculation of number of moles of water</p> <p><b>BUT</b> <math>72 \times 6.02 \times 10^{23}</math> (= <math>4.33 \times 10^{25}</math>) scores 0</p>

Question		Answer	Marks	AO element	Guidance
	(c)	<p><b>FIRST CHECK THE ANSWER ON ANSWER LINE</b>  <b>If mass of magnesium oxide needed = 4.0(g)</b>  <b>AND</b>  <b>mass of nitric acid needed = 12.6(g) award 4 marks</b></p> <p>RFM of <math>\text{Mg}(\text{NO}_3)_2 = 148 / 148.3</math> and <math>\text{MgO} = 40 / 40.3</math>  and <math>\text{HNO}_3 = 63</math> ✓</p> <p>number of moles of <math>\text{Mg}(\text{NO}_3)_2 = 14.8 \div 148 = 0.1</math> moles ✓</p> <p>mass of magnesium oxide needed = <math>0.1 \times 40 = 4.0\text{g}</math> ✓</p> <p>mass of nitric acid needed = <math>0.2 \times 63 = 12.6\text{g}</math> ✓</p>	4	4 x 2.1	<p>Units <b>NOT</b> needed</p> <p><b>ALLOW</b> 126 for <math>2\text{HNO}_3</math></p> <p><b>ALLOW</b> <math>14.8 \div 148.3</math>  <b>ALLOW</b> ECF from incorrect RFM values</p> <p><b>ALLOW</b> 4g  <b>ALLOW</b> 4.02g / 4.021g, ie <math>\frac{14.8 \times 40.3}{148.3}</math></p> <p><b>ALLOW</b> 4.03g  <b>ALLOW</b> ECF from incorrect number of moles</p> <p><b>ALLOW</b> 12.575g / 12.57g / 12.58g  <b>ALLOW</b> ECF from incorrect number of moles</p>

**OCR (Oxford Cambridge and RSA Examinations)**  
**The Triangle Building**  
**Shaftesbury Road**  
**Cambridge**  
**CB2 8EA**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
**is a Company Limited by Guarantee**  
**Registered in England**  
**Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA**  
**Registered Company Number: 3484466**  
**OCR is an exempt Charity**

**OCR (Oxford Cambridge and RSA Examinations)**  
**Head office**  
**Telephone: 01223 552552**  
**Facsimile: 01223 552553**

© OCR 2018

