Please check the examination details bel	low before ente	ring your candidate information
Candidate surname		Other names
Centre Number Candidate No Pearson Edexcel Level		el 2 GCSE (9–1)
Tuesday 13 June 20	23	
Morning (Time: 1 hour 45 minutes)	Paper reference	1CH0/2F
Chemistry PAPER 2		♦
		Foundation Tier
You must have: Calculator, ruler		Total Marks

Instructions

- Use black ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



N:1/1/1/1/1/





Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 Figure 1 shows the structure of a molecule of each of four compounds, A, B, C and D.

compound A	compound B	compound C	compound D
нОн	O=C=0	H S H	H H—C—H H

Figure 1

(a) The formula of a molecule of compound **A** is H₂O.

Give the formula of a molecule of compound **D**.

(1)

(b) The names of two of the compounds in Figure 1 are shown below.

Draw one straight line from each name to the structure of a molecule of that compound.


(2)


name of compound


carbon dioxide •




structure of molecule










(c) Figure 2 shows information about the number of electrons in the outer shell of each of the different atoms in a molecule of compound **C**.

symbol of element	number of electrons in outer shell of the atom
Н	1
S	6

Figure 2

Use the information in Figure 2 to complete the dot and cross diagram for a molecule of compound ${\bf C}$.

(2)



(d) The atomic number of phosphorus, P, is 15.

One atom of phosphorus has a relative atomic mass of 31.

Give the number of protons, neutrons and electrons in this atom of phosphorus.

(3)

number of protons =

number of neutrons =

number of electrons =

(Total for Question 1 = 8 marks)

2 A student investigated the temperature change that took place when different salts were dissolved in water.

The student used the following method.

- **step 1** pour 50 cm³ of water into a polystyrene cup and record the temperature of the water
- **step 2** find the mass of an empty boiling tube
- step 3 add 2 spatula measures of a salt to the boiling tube and find its new mass
- **step 4** add the salt to the water
- **step 5** stir the mixture and record the temperature after 2 minutes.

Figure 3 shows the apparatus used.




Figure 3

(a) For steps 2 and 3, the student obtained the mass measurements shown in Figure 4 for the first salt.

mass of empty boiling tube in g	22.52
mass of boiling tube + 2 spatula measures of a salt in g	24.16

Figure 4

Use the mass measurements in Figure 4 to calculate the mass of salt, in grams, added to the water.

(1)

mass of salt = g

(b) The student repeated the method for three different salts, **A**, **B** and **C**.

The same mass of each salt was used.

Figure 5 shows the temperature readings obtained for the three different salts.

salt	starting temperature of the water in °C	temperature of the mixture after 2 minutes in °C	temperature change in °C
Α	20.5	25.6	+5.1
В	20.5	19.8	-0.7
С	20.5	29.2	

Figure 5

(i) Calculate the temperature change for salt **C**.

Include a sign to show if the temperature change is an increase or a decrease.

(2)

(ii) Explain which salt produces the biggest exothermic change.

(2)

(c) Explain why a polystyrene cup is a better container to use for this investigation than a glass beaker.

(2)

(Total for Question 2 = 7 marks)



- **3** Chemical tests are used to identify unknown substances.
 - (a) A flame test can be used to identify metal ions in a substance.
 - (i) Complete step 2 of how to carry out a flame test.

(2)

step 1 dip a flame test wire in dilute hydrochloric acid and then hold the wire in a roaring Bunsen flame until the flame is colourless

step 2

step 3 hold the wire with the substance in a roaring Bunsen burner flame.

(ii) Many metal ions produce a coloured flame in a flame test.

Draw one straight line from each metal ion to its flame colour in a flame test.

(3)

metal ion flame colour blue-green copper ion lilac potassium ion orange-red sodium ion red

yellow



6



(b) Some metal ions can be identified using sodium hydroxide solution.

Drops of sodium hydroxide solution were added to a solution containing iron(III) ions, Fe³⁺.

What would be seen?

(1)

- A blue solution
- **B** green liquid
- C red-brown precipitate
- D yellow gas
- (c) In the test for carbonate ions, dilute hydrochloric acid is added to the solid carbonate in a test tube.

A gas is given off.

(i) Give the name of this gas.

(1)

(ii) Figure 6 shows the apparatus that a student set up to test for this gas.




Figure 6

This apparatus will not work.

State what change is needed so that bubbles of the gas can pass through the limewater.



(d) A compound that contained ammonium ions was dissolved in water.

A solution was formed.

Sodium hydroxide solution was added, and the mixture was heated.

A gas was given off.

This gas was tested with a piece of damp red litmus paper.

The litmus paper turned blue.

Name the gas that was given off.

(1)

(Total for Question 3 = 9 marks)

BLANK PAGE





4 A scientist produced the information in Figure 7 about the Earth's atmosphere and the Earth's average surface temperature.

Earth's atmosphere 3 billio	n years ago	Earth's atmosphere today		
gas	%	gas	%	
carbon dioxide	95	nitrogen	78.00	
water vapour	4	oxygen	21.00	
all other gases	1	carbon dioxide	0.04	
		all other gases including water vapour	0.96	
average surface temperature 3 billion years ago		average surface temperature today		
above 400°C		20°C		

Figure 7

(a) Complete the bar chart showing the composition of the Earth's atmosphere 3 billion years ago by adding a bar to show the percentage of carbon dioxide.





	h	as decreased	has increased	has stayed the same	
	Over t	the past 3 billion ye	ears the average surface t	emperature of the Earth	
(ii)		arth's atmosphere vapour than today	3 billion years ago contain's atmosphere.	ned much more	
	Explai	n what happened	to the water vapour.		(2)
Sci	entists	think that the dec	rease in percentage of ca	rbon dioxide was partly due	
			rease in percentage of ca e growth of primitive plan	rbon dioxide was partly due ts.	
	this ga: Carbo	s being used in the		ts.	
to	this gas Carbo produ Give t	s being used in the n dioxide was used ced oxygen. he name of the pro	e growth of primitive plan	ts. ve plants and	
to	this gas Carbo produ Give t	s being used in the n dioxide was used ced oxygen.	e growth of primitive plan	ts. ve plants and	(1)
to (i)	this gas Carbo produ Give t produ	s being used in the n dioxide was used ced oxygen. he name of the pro ces oxygen.	e growth of primitive plan	ts. ve plants and in carbon dioxide and	
to (i)	Carbo produ Give t produ Which	s being used in the n dioxide was used ced oxygen. The name of the process oxygen. The of the following to the following to the second cests oxygen.	e growth of primitive pland in the growth of primiting plants that takes	its. ve plants and in carbon dioxide and as is oxygen?	(1)
to (i)	Carbo produ Give t produ Which	n dioxide was used in the ced oxygen. he name of the proces oxygen. of the following to put a lighted spl	e growth of primitive pland in the growth of primitive pland of primit	ve plants and in carbon dioxide and as is oxygen? rns with a pop	
to (i)	Carbo produ Give t produ Which	n dioxide was used in the ced oxygen. he name of the proces oxygen. of the following to put a lighted spling put a glowing spread to the ces oxygen.	e growth of primitive pland in the growth of primitive pland in the growth of primitive pland it but the gas and gas an	its. ve plants and in carbon dioxide and as is oxygen? rns with a pop lights	



- (d) Many people are concerned by the increasing amount of carbon dioxide in the atmosphere.
 - (i) The amount of carbon dioxide in the atmosphere is measured in parts per million (ppm).

Figure 8 shows the amount of carbon dioxide in the atmosphere in June 2001 and in June 2021.

	amount of carbon dioxide in ppm
June 2001	371.17
June 2021	416.56

Figure 8

Calculate the increase in the amount of carbon dioxide, in ppm, from June 2001 to June 2021.

Give vour						
-IVA VALIE	ancilior t	o tha	naaract	Whole	numbar	
$\neg \neg \lor \neg \lor \lor$		\cup	\square	VVIII 11 11 11 11 11 11 11 11 11 11 11 11	111111111111111111111111111111111111111	

(2)

(ii) State **one** possible effect that could be caused by the increasing amount of carbon dioxide in the atmosphere.

(1)

(Total for Question 4 = 9 marks)

increase in amount of carbon dioxide =ppm

BLANK PAGE



Ethanol can be made by fermentation of a solution of glucose, a carbohydrate.

A student used the apparatus shown in Figure 9 for the fermentation reaction.




Figure 9

(a) Complete the missing label on Figure 9.

(1)

(b) The student dissolved 45 g of glucose in water to make 150 cm³ of glucose solution.

Calculate the concentration of this solution in g dm⁻³.

(2)

concentration of glucose solution = g dm⁻³


(c) State what should be added to the glucose solution to cause the fermentation reaction.




(d) After a few days, a dilute solution of ethanol is formed.


Which piece of apparatus should be used to produce a concentrated solution of ethanol from the dilute solution of ethanol by fractional distillation?

(1)



dilute solution of ethanol





(e) The complete fermentation of 180 g of glucose produces 92 g of ethanol.

Calculate the maximum mass of ethanol, in g, produced from the complete fermentation of 45 g of glucose.

(2)

maximum mass of ethanol = _____g



(f) The structure of a molecule of ethanol is shown in Figure 10.






Figure 10


Ethanol is an example of an alcohol.

What is the functional group of an alcohol?

(1)









(g) Ethanol can be oxidised to form ethanoic acid.

State what is seen when a piece of universal indicator paper is placed in some dilute ethanoic acid.

(1)

(Total for Question 5 = 9 marks)

6	Chlorine is an element in group 7 of the periodic table.	
	(a) What name is given to group 7 of the periodic table?	
	A alkali metals	(1)
	B halogens	
	□ C noble gases	
	D transition metals	
	(b) Chlorine reacts with sodium to form sodium chloride.	
	(i) Write the word equation for this reaction.	(2)
		(2)
	→	
	(ii) Chlorine, Cl ₂ , is made of simple molecules.	
	Describe what is meant by the term molecule .	(2)
		(=/
	(iii) Sodium, like all metals, conducts electricity.	
	Explain how sodium conducts electricity.	(2)
		(=/
	(iv) Sodium chloride contains sodium ions, Na ⁺ , and chloride ions, Cl [−] .	
	Use this information to state the formula of sodium chloride.	(4)
		(1)




(v) Sodium chloride is made of a giant structure of ions.


Which diagram shows the arrangement of particles in sodium chloride?









C



× E



Т Г



(vi) Sodium chloride solution conducts electricity.




Figure 11

State what can be put into the circuit in Figure 11 to show that a current is flowing.

(c) Figure 12 shows a flow diagram of how hydrochloric acid can be made.




Figure 12

(i) Balance the equation for the reaction between hydrogen and chlorine to form hydrogen chloride.

(1)

$$H_2 + Cl_2 \rightarrow \dots HCl$$

(ii) State how hydrogen chloride can be converted into hydrochloric acid.

(1)

(Total for Question 6 = 12 marks)

- 7 In the complete combustion of alkanes, the alkane reacts with oxygen to produce carbon dioxide and water only.
 - (a) Pentane, C₅H₁₂, is an alkane.

The equation for the complete combustion of pentane, C₅H₁₂, can be shown as

$$C_5H_{12} + 8O_2 \rightarrow \textbf{w}CO_2 + 6H_2O$$

(i) What is the value of \mathbf{w} needed to balance the equation for the reaction?

(1)

- **■ B** 5
- □ 12
- (ii) What happens to pentane in this reaction?

- A pentane is cracked
- **B** pentane is distilled
- C pentane is oxidised
- D pentane is reduced

- (b) Figure 13 shows some information about four alkanes.
 - (i) Complete Figure 13 to show the structure of one molecule of propane and the formula of butane.

(2)

alkane	formula	structure of one molecule
propane	C₃H ₈	
butane		H H H H
pentane	C₅H ₁₂	H H H H
hexane	C ₆ H ₁₄	H H H H H

Figure 13

(ii) Using the information in Figure 13, give the empirical formula of hexane.



(6)

*(iii) A student is asked to compare the amount of energy released during the combustion of two alkanes, hexane and octane.

The student is given the apparatus shown in Figure 14.




Figure 14

Using the apparatus shown, devise a plan for the student to compare the masses of hexane and octane required to raise the temperature of water by 30 °C, describing how any variables in the experiment can be controlled to make a fair comparison.



	······································
(Total for Question 7 = 1	1 marks)



8 A student used the apparatus shown in Figure 15 to investigate the reaction between marble chips and dilute hydrochloric acid.




Figure 15


The student recorded the volume of gas every minute as shown in Figure 16.

time in minutes		0	1	2	3	4	5	6
volume	of gas in cm ³	0	52	78	91	97	100	100

Figure 16

(a) On the grid, plot the results shown in Figure 16.

Draw a curve of best fit.



(b) Rate of reaction can be calculated using

$$rate of reaction = \frac{volume of gas produced in 1 minute}{1 minute}$$

Figure 17 shows the rates of reaction calculated from the results of this experiment.

The rate of reaction for the time interval 2 to 3 minutes is missing.

time interval	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5
	minute	minutes	minutes	minutes	minutes
rate of reaction in cm³ min ⁻¹	52	26		6	3

Figure 17

(i) Calculate the rate of reaction for the time interval 2 to 3 minutes.

(1)

(ii) State and explain what happens to the rate of reaction as the acid reacts with the marble chips in this experiment.

(3)

(c) The student repeated the experiment using the same volume of acid and the same mass of marble chips but used smaller marble chips.

All other conditions remained the same.

The student found that the reaction with the smaller marble chips was faster to start with but produced the same volume of gas.

Using this information, draw a line on the grid to show the results for the reaction with the smaller marble chips.

Label this line 'C'.

(2)



(Total for Question 8 = 11 marks)

(d) Which of the following changes would make the reaction faster?

(1)

A use a larger boiling tube

B use a larger volume of the dilute acid

C use a more concentrated acid

D use a smaller boiling tube

(e) State what could be used to measure time in the investigation.

9 Figure 18 shows some information about some group 1 metals.

group 1 metal	atomic number	relative atomic mass		
lithium	3	7		
sodium	11	23		
potassium	19	39		
rubidium	37	85		
caesium	55	133		

Figure 18

(a) Explain, in terms of their electronic configurations, why these metals are placed in group 1 of the periodic table.

(2)

(b) Which row shows two correct properties of group 1 metals?

		properties of group 1 metals					
×	A	compounds are white in colour	high density				
×	В	low melting points	compounds are blue in colour				
×	C	soft enough to be cut by a knife	low melting points				
×	D	high density	conduct electricity				



(c) The word equation for the reaction of potassium with bromine is

potassium + bromine \rightarrow potassium bromide

Add the missing state symbol and balance the equation for this reaction.

(2)

.....K(.....K(s) + $Br_2(g) \rightarrowKBr(s)$

(d) A sample of potassium contains three isotopes, potassium-39, potassium-40 and potassium-41.

Explain the meaning of the term isotopes.

(2)

*(e) The reactivity of the group 1 metals increases from lithium to caesium.


Often, teachers demonstrate the reactions of lithium, sodium and potassium with water.

These reactions can be used to predict the behaviour and reactions of rubidium and caesium with water.

Describe the reactions of each of the group 1 metals with water including the predicted behaviour and reactions of rubidium and caesium.

You may use word equations in your answer.

(6)



(Total for Question 9 = 13 marks)



10 (a) Atoms, molecules, nanoparticles and protons are types of particle.

List these four types of particle in order of size from smallest to largest.

(2)



(b) Nanoparticles have a large surface area to volume ratio.

Figure 19 shows a cube-shaped nanoparticle with sides of 90 nm.




Figure 19

(i) What is 90 nm in metres?

(1)

- **A** 9.0×10^{-5}
- **B** 9.0×10^{-6}
- \bigcirc **C** 9.0 × 10⁻⁸
- \square **D** 9.0 × 10⁻¹¹

(ii) Calculate the simplest surface area to volume ratio for the nanoparticle in Figure 19.

Show your working.

(3)



surface area to volume ratio = 1:



(c) Figure 20 shows the structure of a molecule of tetrafluoroethene.

Figure 20

(i) Tetrafluoroethene can form the polymer poly(tetrafluoroethene).

Draw a diagram to show the structure of the repeating unit of this polymer.

(2)

(ii) Poly(tetrafluoroethene) is also known as Teflon™.

State one use of poly(tetrafluoroethene) and explain how one of its properties makes it suitable for that use.

(3)

use

explanation

(Total for Question 10 = 11 marks)

TOTAL FOR PAPER = 100 MARKS



The periodic table of the elements

0	4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86
_		19 F fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85
9		16 • 0 • 0 • 0 • 8	32 S sulfur 16	79 Se selenium 34	128 Te tellunium 52	[209] Po polonium 84
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83
4		12 C carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin 50	207 Pb lead 82
က		11 boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 T thallium 81
	!			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79
				59 nickel 28	106 Pd palladium 46	195 Pt platinum 78
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77
	1 H hydrogen 1			56 iron 26	Ru ruthenium 44	190 Os osmium 76
				55 Mn manganese 25	Tc technetium 43	186 Re rhenium 75
		mass ool umber		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74
	Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73
		relativ atc atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72
	'			45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57
7		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56
-		7 Li lithium 3	23 Na sodium 11	39 K potassium	85 Rb rubidium 37	133 Cs caesium 55

^{*} The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.