
GCSE
COMBINED SCIENCE: TRILOGY
8464/C/2H

Chemistry Paper 2H

Mark scheme

June 2019

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- 2.4 Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

| Student | Response | Marks awarded |
|---------|----------|---------------|
| 1 | green, 5 | 0 |
| 2 | red*, 5 | 1 |
| 3 | red*, 8 | 0 |

Example 2: Name two planets in the solar system.

[2 marks]

| Student | Response | Marks awarded |
|---------|--------------------------|---------------|
| 1 | Neptune, Mars, Moon | 1 |
| 2 | Neptune, Sun, Mars, Moon | 0 |

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do **not** accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

找名校导师，用小草线上辅导（微信小程序同名）

| | | | | | |
|-------------|--|---|---|---------------------------|---|
| 01.4 | (conversion of cm^3 to dm^3) ($250 \text{ cm}^3 = \frac{250}{1000}$ or $0.25 \text{ (dm}^3\text{)}$) | an answer of 0.031 (g) scores 4 marks | 1 | AO2 5.3.2.5 10.2.13 | E |
| | (conversion of mg to g) ($125 \text{ mg} = \frac{125}{1000}$ or 0.125 (g)) | | 1 | | |
| | (0.25×0.125) = 0.03125 | allow correct calculation from incorrect attempt(s) at conversion | 1 | | |
| | =0.031 (g) | allow an answer correctly rounded to 2 significant figures from an incorrect calculation that uses the values in the question | 1 | | |

| | | | | | |
|-------------|--|---|---|----------------------------|---|
| 01.5 | $\frac{44}{500} \times 100$ = 8.8 (%) | an answer of 8.8 (%) or 9 (%) scores 2 marks | 1 | AO2 5.10.1.2 10.2.13 | E |
| | | allow 9 (%) | 1 | | |

| | | | |
|--------------|--|--|-----------|
| Total | | | 13 |
|--------------|--|--|-----------|

| Question | Answers | Extra information | Mark | AO / Spec. Ref. | ID |
|-------------|--|--------------------------------|------|-----------------|----|
| 02.1 | high temperatures (in the engine) | | 1 | AO1 5.9.3.1 | E |
| | enable oxygen and nitrogen (from air) to react | allow combine / bond for react | 1 | | |

| | | | | |
|------|--|-----|-----------------------------------|---|
| 02.2 | Level 3: A judgement, strongly linked and logically supported by a sufficient range of correct reasons, is given. | 5–6 | | E |
| | Level 2: Some logically linked reasons are given. There may also be a simple judgement. | 3–4 | | |
| | Level 1: Relevant points are made. They are not logically linked. | 1–2 | | |
| | No relevant content | 0 | | |
| | Indicative content Examples of relevant points might include: <ul style="list-style-type: none"> car C produces the most CO₂ during manufacture car A produces the most CO₂ per km when driving car C produces the most CO₂ from manufacture and 40,000km when driving car B produces the most CO₂ from manufacture and 100,000km when driving Examples of linked statements might include: <ul style="list-style-type: none"> car A produces least CO₂ during manufacture, but most CO₂ per km car C produces most CO₂ during manufacture, but least CO₂ per km car A produces least CO₂ during manufacture, but car C produces the least CO₂ per km Examples of judgements might include: <ul style="list-style-type: none"> overall car A has the smallest carbon footprint as it has the smallest CO₂ production during manufacture, the smallest mass of CO₂ after 40,000km of driving and the smallest mass of CO₂ produced after 100,000km of driving. car A eventually (after 157,895km) will have the largest carbon footprint because the mass of carbon dioxide produced per km is highest. | | AO3 5.9.2.2 5.9.2.45.10.2.1 | |

| | | | |
|--------------|--|--|----------|
| Total | | | 8 |
|--------------|--|--|----------|

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|--------------|--|--|--------------------------------|--------------------------------------|
| 03.1 | a mixture designed as a useful product | | 1 | AO1 5.8.1.2 |
| 03.2 | dyes distributed differently between the stationary and mobile phase (so dyes) move up the paper at different speeds / rates | allow dyes have different solubilities allow dyes have different forces of attraction for stationary phase allow dyes have different forces of attraction for mobile phase allow dyes have different forces of attraction to the paper allow dyes have different forces of attraction to the solvent ignore density allow (so dyes) move different distances up the paper ignore references to time | 1 1 | AO1 5.8.1.3 |
| 03.3 | (because chromatogram has) different dots / colours in a (vertical) column | allow above the (original) spot | 1 1 | AO2 5.8.1.3 |
| 03.4 | run known dyes and food colouring (as a chromatogram) compare distances moved or compare R_f values (so) can identify those that move the same distance as known dyes or (so) can identify those that have the same R_f values as known dyes | allow (so) can identify those that move different distances as unknown dyes or allow (so) can identify those that have different R_f values as unknown dyes | 1 1 1 | AO2 AO2 AO2 5.8.1.3 |
| Total | | | 8 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|-------------|--|---|------|---------------------------|
| 04.1 | growing plants (on low-grade ore) | allow named plant | 1 | AO1 5.10.1.4 |
| | plants are burnt (to produce ash) | | 1 | |
| | (ash dissolved in acid to produce) solution of a copper compound | allow named copper compound | 1 | |
| | electrolysis (of solution of a copper compound) or displacement (by adding scrap iron to a solution of a copper compound) | allow addition of scrap iron (to a solution of a copper compound) | 1 | |
| 04.2 | $M_r \text{ CuSO}_4 = 159.5$ | an answer of 0.002 or 2×10^{-3} (mol) scores 3 marks | 1 | AO2 5.3.2.1 5.3.2.5 |
| | $\frac{0.319}{159.5}$ | allow correct use of incorrectly calculated value for M_r | 1 | |
| | = 0.002 (mol) | allow 2×10^{-3} (mol) | 1 | |
| 04.3 | both reaction profiles start at the same energy level and end at the same energy level. | | 1 | AO3 5.6.1.4 |

| | | | | |
|--------------------|---|--|-------------------|--|
| <p>04.4</p> | <p>the amount of carbon dioxide used to produce the ethanol</p> <p>is the same as the amount of carbon dioxide given off when the ethanol is burned</p> | <p>alternative approach</p> <p>there is sufficient carbon dioxide (in the atmosphere) (1)</p> <p>because carbon dioxide is constantly produced from burning fossil fuels (1)</p> <p>if no other mark awarded allow for 1 mark burning ethanol produces carbon dioxide</p> | <p>1</p> <p>1</p> | <p>AO3</p> <p>5.9.2.2</p> <p>5.9.3.1</p> |
|--------------------|---|--|-------------------|--|

| | | | | |
|--------------|--|--|-----------|-----------------|
| 04.5 | meets needs of current generation | | 1 | AO1 5.10.1.1 |
| | without compromising needs of future generations | allow so there are enough resources for future generations ignore references to harming / damaging planet / environment | 1 | |
| Total | | | 12 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|----------|---|---|------|---------------------------|
| 05.1 | $\text{Mg} + 2\text{H}^+ \rightarrow \text{Mg}^{2+} + \text{H}_2$ | | 1 | AO2 5.6.1.2 5.1.1.1 |
| 05.2 | electron transfer | | 1 | AO2 5.11 |
| 05.3 | all points correctly plotted | allow a tolerance of $\pm \frac{1}{2}$ a small square allow 1 mark for at least 4 points correctly plotted | 2 | AO2 5.6.1.1 |
| | line of best fit | | 1 | |
| 05.4 | (rate) decreases | allow (rate is) fastest at the beginning | 1 | AO3 5.6.1.1 |
| | (rate decrease) more slowly as time increases (in rate) | | 1 | AO3 5.6.1.1 |
| | (rate) becomes zero at time read from graph | allow reaction stops at time read from graph | 1 | AO3 5.6.1.1 |
| 05.5 | (rate decreases because) fewer particles (of acid / magnesium) as reaction progresses | Incorrect reference to energy scores max. 1 allow (rate decreases because) concentration of acid decreases as reaction progresses | 1 | AO2 5.6.1.3 |
| | (so) less frequent collisions | allow collisions less likely ignore less / fewer collisions | 1 | AO1 5.6.1.3 |
| | reaction stops due to limiting factor / reagent | allow reaction stops because a reactant is used up | 1 | AO2 5.6.1.3 5.3.2.4 |
| Total | | | 11 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|-------------|--|---|------|--------------------------------------|
| 06.1 | glowing splint | | 1 | AO1 5.8.2.2 |
| | relights | | 1 | |
| 06.2 | equilibrium shifts to right-hand side | allow towards the products allow in favour of the forward reaction | 1 | AO3 |
| | (because) concentration of SO ₃ decreases | this marking point is dependent on first marking point being awarded allow pressure decreases allow to increase the concentration of SO ₃ allow to re-establish equilibrium | 1 | AO2 5.6.2.5 5.6.2.7 |
| | | | | |
| | | | | |
| 06.3 | | an answer of 15(.0 g) scores 4 marks | | AO2 5.3.1.2 5.3.2.1 5.3.2.2 |
| | (M _r CaO =) 56 | in all approaches allow a correct calculation using an incorrectly calculated M _r | 1 | |
| | (M _r CaSO ₃ =) 120 | | 1 | |
| | $\frac{7}{56} \times 120$ | | 1 | |
| | = 15(.0 g) | | 1 | |
| | | alternative approach A | | |
| | | (M _r CaO =) 56 (1) | | |
| | | $\frac{7}{56} = 0.125$ (moles) (1) | | |
| | | (mass CaSO ₃ =) 0.125 × 120 (1) | | |
| | | = 15(.0 g) (1) | | |

| | | | | |
|--------------|--|--|----------|--|
| | | <p>alternative approach B</p> <p>(M_r CaO =) 56 (1)</p> <p>$\frac{56}{7} = 8$ (factor) (1)</p> <p>(M_r CaSO₃ =) 120 (1)</p> <p>$\frac{120}{8} = 15(.0 \text{ g})$ (1)</p> <p>alternative approach C</p> <p>(M_r CaO =) 56 (1)</p> <p>(M_r CaSO₃ =) 120 (1)</p> <p>$\frac{120}{56} = 2.14235714$ (factor) (1)</p> <p>$2.14235714 \times 7 = 15(.0 \text{ g})$ (1)</p> | | |
| Total | | | 8 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|-------------|--|---|------|--------------------------------------|
| 07.1 | heat or vaporise (oil) | maximum of 3 marks if incorrect reference made to cracking ignore fractional distillation ignore fracking | 1 | AO1 5.7.1.2 |
| | temperature gradient in column | allow column is cooler at the top or allow column is hotter at the bottom | 1 | |
| | (vapour) condenses (into fractions) | | 1 | |
| | depending on boiling point of fraction | allow at different levels | 1 | |
| 07.2 | different amounts of oxygen available | allow complete combustion and incomplete / partial combustion | 1 | AO2 5.9.3.1 |
| 07.3 | $2 \text{C}_4\text{H}_{10} + 9 \text{O}_2 \rightarrow 8 \text{CO} + 10 \text{H}_2\text{O}$ | allow correct multiples / halves | 1 | AO2 5.7.1.3 5.9.3.1 5.1.1.1 |

| | | | | |
|--------------|--|---|-----------|------------------|
| 07.4 | short wavelength radiation which enters the atmosphere | because uv / ultra violet radiation which enters the atmosphere | 1 | AO1.1 5.9.2.1 |
| | is absorbed by materials and re-emitted | | 1 | |
| | as a longer wavelength radiation | as ir / infrared radiation | 1 | |
| | (the longer wavelength radiation is trapped by) a greenhouse gas / carbon dioxide / methane which stops radiation escaping (from the atmosphere) | allow so temperature increases | 1 | |
| Total | | | 10 | |