

Please write clearly in	ı block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

# A-level **BIOLOGY**

Paper 1

Time allowed: 2 hours

### **Materials**

For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

### Instructions


- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

### Information

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 91.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
TOTAL		







Answer <b>all</b> questions in the spaces provided.				
0 1.1	Describe the structure and function of the nucleus.	[4 marks]		
	Question 1 continues on the next page			



0 1.2	Name the main polymer that forms the following cell walls.  [1	mark]
	Plant cell wall  Fungal cell wall	
	Scientists investigated the effect of the number of fungal species in soil on the diversity of plant species.	
	Table 1 shows their raw data for soil containing 14 fungal species.	

Table 1

Plant species	Total shoot biomass / g m <sup>-2</sup>
Poa compressa	2
Achillea millefolium	4
Aster cordifolius	5
Aster novae-angliae	7
Chrysanthemum leucanthemum	15
Daucus carota	36
Fragaria virginiana	51

0 1.3	Suggest <b>one</b> reason the scientists used biomass instead of the number of individuals of each plant species when collecting data to measure diversity.
	[1 mark]



0 1.4

The scientists used this equation to calculate the plant species index of diversity.

$$d = 1 - \sum \left(\frac{n}{N}\right)^2$$

where n = shoot biomass of each plant species and N = total shoot biomass of all plant species

Use this equation to calculate the index of diversity for the data in Table 1.

[2 marks]

Index of diversity

Question 1 continues on the next page



10

**Figure 1** shows the plant species index of diversity the scientists calculated when the soil contained 0, 1, 2, 4 and 8 fungal species.

## Figure 1

# Figure 1 not reproduced here due to third-party copyright restrictions

0 1 . 5	Sometimes farmers stop growing crops on an area of land to allow the natural ecosystem to recover. The plant species index of diversity of these areas previously used to grow crops is different from nearby land that has never been used to grow crops.
	Suggest and explain how the plant species index of diversity would be different in these areas previously used to grow crops.
	Use <b>Figure 1</b> and your knowledge of the effect of farming on biodiversity in your answer.

·		
-		
-		
-		



[2 marks]

	Question 2 continues on the next page
	[1 mark]
	Name another disaccharide formed from two glucose molecules.
	Trehalose is a disaccharide formed from two glucose molecules.
0 2 . 2	Scientists suggested that factors, other than antibiotic use, led to the increase in antibiotic-resistant <i>C. difficile</i> infections. One suggested factor is people eating more trehalose in their diet.
	[3 marks]
	Explain how the use of antibiotics has led to antibiotic-resistant strains of bacteria becoming a common cause of infection acquired when in hospital.  [3 marks]
	Antibiotic-resistant strains of <i>C. difficile</i> have become a common cause of infection acquired when in hospital.
0   2  . 1	Clostridium difficile is a bacterial species that causes disease in humans.




Scientists investigated the effect of trehalose on the growth rate of *C. difficile*. They grew populations of non-resistant and antibiotic-resistant *C. difficile* on separate agar plates with:

- no carbohydrate added
- trehalose added.

They measured the growth rate of the C. difficile.

Figure 2 shows the scientists' results.



0 2.3	Describe how the scientists could use aseptic techniques to transfer 0.3 cm <sup>3</sup> of <i>C. difficile</i> in liquid culture from a bottle onto an agar plate.	[3 marks]



找名校导师
, 用小草线上辅导
( 微信小程序同名 )

Use <b>Figure 2</b> to evaluate whether more trehalose in the diet could be a facincreased number of antibiotic-resistant <i>C. difficile</i> infections.	ctor in the
Turn over for the next question	
	increased number of antibiotic-resistant <i>C. difficile</i> infections.



0 3.1	Give <b>two</b> features of <b>all</b> prokaryotic cells that are <b>not</b> fe	eatures of eukaryotic cells. [1 mark]
	1	
	2	
	Many multicellular organisms produce antimicrobial potenthem against prokaryotes.  Figure 3 shows how one type of AP acts on the cell-suprokaryotes.	
	Figure 3	
	nicrobial peptide	
		The APs attach to the outside of the cell-surface membrane of the prokaryote
mem	surface ubrane of aryote	∾ Several APs come
		together and enter the membrane making a channel in the cell-surface membrane of the prokaryote
0 3.2	This AP has a secondary structure in a helical shape.	
	Tick ( $\checkmark$ ) the box to show which type of bond maintains polypeptide.	the helical structure of the
	L-Alesbass.	[1 mark]
	Disulfide	
	Hydrogen	
	Ionic	
	Peptide	




The amino acids on one side of each AP helix have hydrophobic properties.

The amino acids on the opposite side of each helix have hydrophilic properties.

Figure 4 shows this.

Figure 4




Suggest how these properties of the APs allow them to become positioned membrane (as shown in <b>Figure 3</b> ) and make a channel through which ion			

Question 3 continues on the next page



**Figure 5** shows further information about a channel formed in the cell-surface membrane by the APs.

Figure 5



0 3 . 4 Use **Figure 5** to calculate the cross-sectional area of the channel through which ions can pass.

Assume the cross-sectional area is circular.

Use  $\pi$  = 3.14 in your calculation. Give your answer in nm<sup>2</sup> **and** to 1 decimal place.


[2 marks]

Answer	nm²
Aliswei	11111



0 3.5	The APs damage prokaryotic cells but do not damage the eukaryotic cells in organisms that produce them.  Prokaryotic cell membranes do not contain cholesterol.	າ the
	Assess why the APs do not damage the eukaryotic cells of the organisms the produce them.	ıat
		[2 marks]
0 3.6	Scientists observed these APs on prokaryotes using a transmission electror microscope. They stained the APs using a monoclonal antibody with gold a to it.	
	Suggest how these techniques allowed observation of APs on prokaryotes.	[3 marks]







	-
	_
	-
	Ξ
	C
	٦
	ä
	ᅶ
	r i
	×
	C
	Ξ
	⊼
	ᅺ
	_
	_
	_
	_
	5
	c
	_
	-
	Ξ
	c
	=
	-
	_
	_
	⋜
	<
	<
	<
	?
	٠.
	S
	≤
	ci
	ň
	y!
	U
•	C
	_
	_
	۰
	c
	7
	٠.
	ς
	ć
	٠
	_
	⋍
	7

uk
找名校导师 ,
, 用小草线上辅导
(微信小程序同名)

0 4.1	Describe viral replication. [3 r	marks]
0 4 . 2	Complete <b>Table 2</b> by putting a tick (✓) where the feature is part of a cell cycle involving mitosis or a cell cycle involving binary fission. [2	marks]

Table 2

Feature	Cell cycle involving:	
reature	mitosis	binary fission
Replication of linear		
DNA		
Replication of circular		
DNA		
Produces 2 daughter		
cells		
Produces 4 daughter		
cells		
Happens in prokaryotic		
cells		
Happens in eukaryotic cells		


Question 4 continues on the next page



**Figure 6** represents a cell undergoing meiosis. It shows the chromosomes in the parent cell and in the two cells formed after the first meiotic division.

The second division of meiosis proceeds normally except that non-disjunction occurs in the chromosome labelled  ${\bf N}$ .

Figure 6



0 4.3 Complete **Figure 6** to show the chromosomes inside the daughter cells formed after the second meiotic division.

[2 marks]



ring reis

Doctors studied babies born with a mutation caused by chromosome non-disjunction during gamete formation in their mother.

They determined each mother's age at the time of childbirth and whether the non-disjunction happened in the first meiotic division (MM1 error) or in the second meiotic division (MM2 error).

Figure 7 shows the doctors' results.

Figure 7

Figure 7 not reproduced here due to third-party copyright restrictions

0 4 . 4 A student concluded that there were more mothers of age >37 with MM2 errors than with MM1 errors.

Using Figure 7 and suitable calculations show why this conclusion is **not** valid.

[2 marks]

9




[2 marks]

0 5	Two enzymes, <b>P</b> and <b>Q</b> , are proteins with quaternary structure which catalyse the same reaction, but they have different amino acid sequences.	
0 5.1	Define the <b>quaternary structure</b> of a protein. [1 mark]	
0 5.2	Explain how two enzymes with different amino acid sequences can catalyse the same reaction.	

Scientists investigated the effect of pH 8.4 and pH 7.5 on the activity of enzymes  ${\bf P}$  and  ${\bf Q}$ .

Figure 8 shows their results.

Figure 8





0 5 . 3	Describe what the scientists should place in the control tubes in this investigation.  [3 marks]	Do not v outside box
0 5.4	Give <b>three</b> conclusions you can make from <b>Figure 8</b> .  [3 marks]	
	2	
		9




0 6

Mangrove trees grow near the sea. Sea water surrounds the lower parts of the trees at high tide.

Scientists investigated the rate of transpiration in a mangrove tree.

Figure 9 shows the scientists' results.



Key	
×	→ Rate of transpiration
×	-× Height of tide

0	6	. 1	Explain the rate of transpiration between 5 am and midday shown in <b>Figure 9</b> .	
		<u> </u>	[4 marks	s]



Use Figure 9 to calculate the percentage increase in the rate of transpiration from

ᆫ
-
`
Ē
9
41
11
H
发一错小
#
#
4
_
٠.
河间
丽
ح
ک
НÍ
4
压净回位
۳
I)
_

10

	1 pm to 2 pm. [2 marks]
	Percentage increase in rate of transpiration %
0 6.3	The higher rate of transpiration at high tide shows that the mangrove tree is absorbing water from the sea water surrounding its roots.
	Describe an experiment that you could do to investigate whether the mangrove root cells have a lower water potential than sea water.
	You are given:  • a piece of fresh mangrove root
	<ul> <li>sea water</li> <li>access to laboratory equipment.</li> <li>[4 marks]</li> </ul>



Turn over ▶

0 6 .

2

0 7 . 1

Complete **Table 3** to give **three** differences between DNA molecules and tRNA molecules.

[3 marks]


Table 3

DNA molecules	tRNA molecules		

Scientists investigated ribosomal RNA in liver cells.

**Figure 10** shows the method they used to isolate the ribosomes from the liver cells. The detergent dissolves lipids.

Figure 10





	K
	<b>发右交评师,用小早线工错评。</b>
J	(成)后小茬/书问名
	沙山九

0 7.2	The scientists broke open the cells to produce a suspension of cell contents.
	Describe how the scientists would remove large organelles from this suspension of
	cell contents.  [2 marks]
0 7 . 3	Explain the position of the bands of ribosomes in tubes <b>A</b> and <b>B</b> in <b>Figure 10</b> . [3 marks]
	A
	В
	Turn over for the next question



Figure 11 shows images of gills from two fish as seen through an optical microscope.

Find
ind Personal Tutor from ww
nal Tuto
tor fr
om w
≶
.wisesprout.co.uk
rout.c
o.uk
找名校导师
-
,用小草线上辐
\草线上辅导
1年
、微信,
微信小程序同名
小程序同名)

	Image <b>C</b> shows gills from a fish with healthy gills.	
	Image <b>D</b> shows gills from a fish with damaged gills.	
	Figure 11	
0 8.1	To observe the fish gills with the optical microscope, the scientists used <b>two</b> stains. The first stain binds to DNA; the second stain binds to the red blood Explain why a second stain would be needed to stain the red blood cells. Suggest which molecule the stain could bind to in the red blood cells.  Explanation	cells.



0 8

0 8 . 2

Using **Figure 11**, the scientists calculated the surface area to volume ratios for each gill filament in these two fish. Some of their results are shown in **Table 4**.

Complete **Table 4**. State your calculated volume and surface area:volume ratio to 2 significant figures.

[2 marks]

### Table 4

Fish gill	Surface area / µm²	Volume / μm³	Surface area:volume ratio	
Healthy	7.4 × 10 <sup>3</sup>	2.3 × 10 <sup>4</sup>		
Damaged	1.1 × 10 <sup>4</sup>		0.13:1	

0 8 . 3	The damage to the gills causes uncontrolled cell division in the cells around the
	capillaries in the gill filaments.

Other than surface area:volume ratio, describe **one** way this uncontrolled cell division changes the gills, as shown in **Figure 11**.

Explain how this difference would affect gas exchange.

[3 mark	S
---------	---

Difference			
Explanation			


Question 8 continues on the next page





Figure 12 shows the general pattern of blood circulation in fish.

Figure 12



Use **Figure 12** to complete **Table 5** to show **two** differences between the circulation of blood in fish and the circulation of blood in a mammal.

[2 marks]

Table 5

Difference	Circulation of blood in fish	Circulation of blood in mammal
1		
2		

9



	0 9.1	Describe the transport of carbohydrate in plants.	5 marks]
Question 9 continues on the next page		Question 9 continues on the next page	





Do not write outside the box


0 9.2	Compare and contrast the structure of starch and the structure of cellulose.	[6 marks]



	Find Personal Tutor from www.wisesprout.co.uk
15	找名校导师,用小草线上3
	Ϊ

0 9.3	Describe the complete digestion of starch by a mammal.	[4 marks]	Do not write outside the box
			_
			ind Personal Iu
			rind Personal Lutor from www.wisesprout.co.uk
			nsesprout.co.uk
			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
			<b>15</b> 次年
	END OF QUESTIONS		抽⇒(城后少姓から右)







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



·	
, <del></del>	
·····	
Co	Copyright information
Fo is	for confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
be	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have een unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
Co	Copyright © 2022 AQA and its licensors. All rights reserved.



