

Please write clearly in	ı block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature		
	I declare this is my own work.	

A-level **BIOLOGY**

Paper 2

Thursday 11 June 2020

Morning

Time allowed: 2 hours

Materials

For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 91.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		




Answer all questions in the spaces provided.

0 1 The iris in the human eye is a muscular structure. The iris changes the size of the pupil.

Figure 1 shows the muscles in the iris.





<u>0 1 . 1</u> Suggest and explain how the interaction between the muscles labelled in **Figure 1** could cause the pupil to constrict (narrow).

[2 marks]



	Answer Question 1 continues on the next page	%
		[2 marks]
	Show your working.	
	The area of a circle is πr^2 . Use $\pi = 3.14$ in your calculation.	
	The circular fovea in a human eye has a diameter of 3×10^3 µm Calculate the area of the fovea as a percentage of the area of the retina.	
0 1 . 3	The retina of the human eye has an area of approximately 1.094 × 10 ³ mm ²	
	Do not refer to colour vision in your answer.	[3 marks]
	Explain how the fovea enables an eagle to see its prey in detail.	
	image of its prey onto the fovea.	
0 1 . 2	The fovea of the eye of an eagle has a high density of cones. An eagle focu	ses the

Turn over ▶



	Do not write
	outside the
	box
s1	
•	
	nd
	Ď
	Sae
) Ön
_	<u>a</u>
	Į d
	हैं
	rom
	3
	× ×
	×.
_	₩
	ises
	Ď
_	ou ou
	t.c
	co.uk
	늣
	拔
	找名校导师,
_	<u> </u>
	400
	-
	· ·
	田小
	<u> </u>
	#X.
	,卓线上辅 上辅导
	III:
	$\overline{}$
	沒
	荝
	机程序问名
	<u> </u>
	πk
	<u></u>
	40
	10

<u>0 1 . </u>	The retina of all owi has a high density of fou cells.	
	Explain how this enables an owl to hunt its prey at night.	
	Do not refer to rhodopsin in your answer.	[3 marks]



0 2	Testosterone is a steroid hormone that belongs to a group of male sex hormone called androgens.	ones
0 2.1	Steroid hormones are hydrophobic. Explain why steroid hormones can rapidly enter a cell by passing through its	
	cell-surface membrane.	[2 marks]
0 2 . 2	In the cytoplasm, testosterone binds to a specific androgen receptor (AR).	
	An AR is a protein. Suggest and explain why testosterone binds to a specific AR.	[2 marks]
	Question 2 continues on the next page	





0 2 . 3	The binding of testosterone to an AR changes the shape of the AR. now enters the nucleus and stimulates gene expression.	This AR molecule
	Suggest how the AR could stimulate gene expression.	[2 marks]

The gene that codes for the AR has a variable number of CAG repeats. Some studies have shown an association between the number of CAG repeats and the risk of developing prostate cancer.


Table 1 shows the results of a statistical test from one study.


Table 1

Number of CAG repeats in the <i>AR</i> gene	Probability (P) value
≤ 16	0.02
≤ 17	0.30
≤ 18	0.07
≤ 19	0.09
≥ 20	0.06

0 2 . 4	What can you conclude from the data in Table 1 ?	[3 marks]







A calorimeter can be used to determine the chemical energy store of biomass. A known mass of biomass is fully combusted in a calorimeter. The heat energy released from this combustion increases the temperature of the water in the calorimeter. The increase in the temperature of a known volume of water is recorded.

0 3 . 1	Other than the thermometer, explain how two features of the calorimeter shown in Figure 2 would enable a valid measurement of the total heat energy released.
	[2 marks]
	1
	2

Question 3 continues on the next page



戈 伯 久
Í.
小早%
用小早%工错许
対記し
小陆光回伯
立加加
_

0 3.2	A 2 g sample of biomass was fully combusted in a calorimeter.	
	The volume of water in the calorimeter was 100 cm ³	
	The increase in temperature recorded was 15.7 °C	
	4.18 J of energy are needed to increase the temperature of 1 cm ³ of water by	y 1 °C
	Use this information to calculate the heat energy released in kJ per g of bion	nass.
	Show your working.	[2 marke]
		[2 marks]
	Answer	kJg ⁻¹
	Plants and algae produce fuels called biofuels. Scientists have used <i>Chlore</i> produce biofuel. <i>Chlorella</i> is a genus of single-celled photosynthetic alga. <i>Chlorella</i> can be grown in open ponds and fermenters.	<i>lla</i> to
0 3.3	In natural ecosystems, most of the light falling on producers is not used in photosynthesis.	
	Suggest two reasons why.	[2 marke]
	1	[2 marks]
	2	



	_	
	≐	
	☴	
	_	
	π	
	Œ	
	~	
	č	
	ĭ	
	ā	
	_	
	Ξ	
	_	
	5	
	_	
	0	
	⋍	
	=	
	<	
	5	
	>	
	≶	
	<	
	≤	
	C.	
	œ	
-	č	
	=	
	C	
	\subseteq	
	☶	
	S	
	ç	
	⊆	

	1×4=
١	-
١	9
	十十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十

0 3.4	The light absorbed by chlorophyll is used in the light-dependent reaction.
	Name the two products of the light-dependent reaction that are required for the light-independent reaction. [2 marks]
	1
	2
0 3.5	Chlorella cells can divide rapidly. A culture of 2000 Chlorella cells was set up in a fermenter. The cells divided every 90 minutes.
	You can assume that there were no limiting factors and that no cells died during the 24 hours.
	Calculate the number of cells in the culture after 24 hours.
	Give your answer in standard form.
	Show your working. [2 marks]

Turn over for the next question

Answer ____



Do not write outside the

0 4 Figure 3 shows the banding pattern of a single sarcomere. Figure 3 Sarcomere 0 4 . Explain the banding pattern shown in Figure 3. [3 marks]



Creatinine is produced in muscle tissues. Creatinine diffuses into the blood. The kidneys then excrete creatinine.

A calibration curve can be used to determine the concentration of creatinine in urine. One method of producing a calibration curve needs:

- creatinine solution of known concentration
- distilled water
- creatinine-detecting solution
- a colorimeter.

Creatinine-detecting solution reacts with creatinine to produce an orange colour.

0 4 . 2	Use the information provided to describe how you could produce a calibrate for creatinine.	on curve
	Do not include details on the use of glassware in your answer.	[4 marks]



Turn over ▶

[2 marks]	0 4.3	Describe how you would determine the concentration of creatinine in a urine sample using your calibration curve.	outside the box
9		[2 marks]	
9			
9			
9			
9			-
9			9
			9
			W W.
			קט סיים ביים ביים ביים ביים ביים ביים ביים
			2
			ž Ti
			3& H 1X 4 78
			コ・キ=& 上 ms 寸 (Mx in ひ n ま) パロコ)
			- ±
			П



,		

Do not include details on the breakdown of acetylcholine in your answer.	
	[5 ma





0 6.1	Mutation is one cause of genetic variation in organisms. Give two other causes of genetic variation. [2 marks]
	1
	2
	In a species of flowering plant, the T allele for tallness is dominant to the t allele for dwarfness. In the same species, two alleles C^R (red) and C^W (white) code for the colour of flowers. When homozygous red-flowered plants were crossed with homozygous white-flowered plants, all the offspring had pink flowers.
0 6.2	Name the relationship between the two alleles that code for flower colour. [1 mark]



0 6 . 3	A dwarf, pink-flowered plant was crossed with a heterozygous tall, white-flowered plant.				
	Complete the genetic diagra phenotypes expected in the		le ger	notypes and the r	atio of
					[3 marks]
	Phenotypes of parents:	Dwarf, pink-flowered	×	Tall, white-flowe	ered
	Genotypes of parents:				
	Genotynes of offspring				
	Genotypes of offspring:				
	Phenotypes of offspring:				
	Ratio of phenotypes:				
0 6.4	A population of this species	of plant contained 9% of	red-f	lowered plants.	
	Use the Hardy–Weinberg eq in this population.	uation to calculate the po	ercen	tage of pink-flowe	ered plants
	Show your working.				[2 marks]

Answer



8




A scientist investigated the effects of different fertilisers on the growth of spinach plants. The scientist:

- set up a large sample of identical pots of soil
- added different masses of different fertilisers to selected pots
- · did not add fertiliser to the control pots
- planted the same number of young spinach plants in each pot
- after 20 days, determined the biomass of spinach plants in each pot.

The results the scientist obtained after 20 days are shown in Figure 4.





Key

▲ Potassium nitrate

■ Ammonium sulfate

----- Control - no fertiliser added

0 7 . 1

Calculate how many times greater the mean growth rate per day was using 37.5 g potassium nitrate than using 37.5 g ammonium sulfate.

Assume the mean biomass of the spinach plants at the start of the investigation was 0.5 g per pot.

[1 mark]



0 7.2	Using all the information, evaluate the effect on plant growth of adding the different fertilisers to the soil.
	[5 marks]
0 7.3	The scientist determined the dry mass of the spinach plants. First, he heated each sample at 80 °C for 2 hours.
	Suggest what the scientist should do to ensure that he has removed all the water from
	the sample. [2 marks]





0 8	Alport syndrome (AS) is an inherited disorder that affection and women. Affected individuals have proteinuria their urine).	
0 8.1	Suggest how AS could cause proteinuria.	[2 marks]
0 8.2	AS results from a sex-linked mutation. In a male with AS, where would the sex-linked mutation	be located?
	Tick (✓) one box.	[1 mark]
	The homologous section of a Y chromosome	
	The homologous section of an X chromosome	
	The non-homologous section of a Y chromosome	
	The non-homologous section of an X chromosome	



Scientists investigated the use of transplanted stem cells to treat AS in mice.

The scientists set up four experimental groups.

Group **A** – 40 wild type* mice

Group **B** – 40 AS mice

Group **C** – 40 AS mice that received stem cells from AS mice

Group \mathbf{D} – 40 AS mice that received stem cells from wild type mice

*Wild type mice are mice not affected by AS.

After 20 weeks, the scientists measured the quantity of protein in the urine using a scale from 0 (lowest quantity) to +++++ (highest quantity).

The results the scientists obtained are shown in Table 2.

Table 2

Group	Maximum quantity of protein in urine at 20 weeks	Percentage of mice with this quantity of protein
Α	0	100
В	++++	97.5
С	++++	100
D	++	68

0 8 . 3	Using all the information, evaluate the use of stem cells to treat AS in human	ns. [4 marks]
		[4 IIIai KS
	Answer space for this question continues on the next page	






		Do not write outside the
		box
0 8 . 4	The scientists carried out further work to investigate how the transplanted stem cells developed after transplantation.	Tind Te
	 The scientists transplanted stem cells from wild type male mice into AS female mice. 	yrsonal I
	 After 20 weeks, they found that the quantity of protein in the urine of these female mice had significantly decreased. 	utor t
	 They examined cells from glomeruli in the female mice. Some of these cells contained a Y chromosome. 	Find Personal Lutor from www.wisesprout.co.uk
	Suggest how the transplanted stem cells reduce proteinuria.	v.wise
	[2 marks]	sprou
		t.co.u
		^
		发 允
		发出交争语,用3
		. 进
		,早残工辅导
		
		9 9



Do not write outside the







0 9	A scientist produced transgenic zebrafish.
	She obtained a gene from silverside fish. The gene codes for a growth hormone (GH).
	She inserted copies of this <i>GH</i> gene into plasmids. She then microinjected these recombinant plasmids into fertilised egg cells of zebrafish.
0 9.1	Describe how enzymes could be used to insert the <i>GH</i> gene into a plasmid. [2 marks]
0 9.2	Microinjection of DNA into fertilised egg cells is a frequent method of producing transgenic fish. However, the insertion of the transferred gene into nuclear DNA may be delayed. Consequently, the offspring of transgenic fish may not possess the desired characteristic.
	Suggest and explain how delayed insertion of the <i>GH</i> gene could produce offspring of transgenic fish without the desired characteristic. [2 marks]



The scientist investigated whether the transferred *GH* gene increased the growth of transgenic zebrafish. She microinjected 2000 fertilised egg cells with the *GH* plasmid and left 2000 fertilised egg cells untreated. After 12 months, she determined the mean mass of the transgenic and non-transgenic fish.

The results the scientist obtained are shown in Table 3.

Table 3

A value of $\pm 2 \times SD$ from the mean includes over 95% of the data.

Type of zebrafish	Mean mass of zebrafish / g (± 2 × SD)
Transgenic	1.79 (± 0.37)
Non-transgenic	0.68 (± 0.13)

0 9.3	Using Table 3 , what can you conclude about the effectiveness of the <i>GH</i> gene on the growth of zebrafish?
	[2 marks]
0 9.4	Explain how two features of the design of this investigation helped to ensure the validity of any conclusions obtained.
	Do not include calculating the mean or SD in your answer.
	[2 marks]
	1
	2

Turn over ▶



1 0	Read the following passage.	
	North American black bears can hibernate for up to 7 months without food or water. The bears survive using the fat stores in their bodies. The bears build up the fat stores during the summer. During hibernation, the heart rate of black bears decreases from a summer mean of 55 beats per minute to 14 beats per minute. Their metabolic rate falls by 75%.	5
	In many mammals, 'uncoupling proteins' help to maintain a constant body temperature during hibernation. Uncoupling proteins are found in the inner mitochondrial membrane and act as proton channels during chemiosmosis. However, these proton channels do not generate ATP.	
	In the mountains of North America, when winter changes into spring, the coat colour of snowshoe hares changes from white to brown. Climatic changes have caused the snow to melt earlier. This has reduced the survival rate of snowshoe hares in these habitats. The change in coat colour occurs when new fur replaces old fur. This is called moulting. Recent research has shown that snowshoe hares within a population moult at different times. Moulting at different times could be a major factor in ensuring the survival of snowshoe hare populations.	10
	Use the information in the passage and your own knowledge to answer the folloquestions.	owing
1 0 . 1	Black bears can hibernate for up to 7 months without food or water (lines 1–2).	
	Suggest and explain how.	marks]



<u>\</u>
找名校导师
松
聖
<u> </u>
用小草线上辅导
单
我
##
無
410 —
寳
微信小
溢
小程序同名
回
1 /3
_

1 0 . 2	During hibernation, the heart rate and the metabolic rate of black bears decrease (lines 3–5).	
	Use your knowledge of the nervous control of heart rate to describe how these are linked.	_
	[4 mark	sj
		_
		_
		_
		_ _
		_
		_ _
102	In many managed (unacypling proteins) halp to maintain a constant hady	
1 0 . 3	In many mammals, 'uncoupling proteins' help to maintain a constant body temperature during hibernation (lines 6–7).	
	Suggest and explain how. [2 mark	s]
		_ _
		_
		_
		-
	Question 10 continues on the next page	






4	
-	•

1 0.4	Climatic change has reduced the survival rate of snowshoe hares in mountain habitat (lines 11–13).	S
	Suggest and explain how. [2 marks]
		_
		_
1 0.5	Snowshoe hares within a population moult at different times (line 15).	
	Explain how this could ensure the survival of snowshoe hare populations in these mountain habitats. [4 marks]]
		_
		_
		_
		_
		_
		_

END OF QUESTIONS







Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.



