

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

A-level MATHEMATICS

Paper 2

Time allowed: 2 hours

Materials

- You must have the AQA Formulae for A-level Mathematics booklet.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
TOTAL	



Section A





Answer **all** questions in the spaces provided.

- 1 Four possible sketches of $y = ax^2 + bx + c$ are shown below.

Given $b^2 - 4ac = 0$ and a , b and c are non-zero constants, which sketch is the only one that could possibly be correct?

Tick (✓) **one** box.

[1 mark]


☐

☐

☐

☐


2 A curve has equation $y = f(x)$

The curve has a point of inflection at $x = 7$

It is given that $f'(7) = a$ and $f''(7) = b$, where a and b are real numbers.

Identify which one of the statements below must be true.

Circle your answer.

[1 mark]

$f'(7) \neq 0$

$f'(7) = 0$

$f''(7) \neq 0$

$f''(7) = 0$

3 A sequence is defined by

$$u_1 = a \text{ and } u_{n+1} = -1 \times u_n$$

Find $\sum_{n=1}^{95} u_n$

Circle your answer.

[1 mark]

$-a$

0

a

$95a$


Turn over for the next question

Turn over ►



4 **Figure 1** shows the graph of $y = |2x|$

Figure 1



4 (a) On **Figure 1** add a sketch of the graph of

$$y = |3x - 6|$$

[2 marks]

4 (b) Find the coordinates of the points of intersection of the two graphs.

Fully justify your answer.

[4 marks]



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

Turn over ►



0 5

5

Express

$$\frac{5(x-3)}{(2x-11)(4-3x)}$$

in the form

$$\frac{A}{(2x-11)} + \frac{B}{(4-3x)}$$

where A and B are integers.**[3 marks]**



Show that the solution of the equation

can be written as

$$x = \frac{\ln 81}{\ln 5 - \ln 3}$$

Fully justify your answer.

[4 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Turn over for the next question

Turn over ►



7 A circle has equation

$$x^2 + y^2 - 6x - 8y = p$$

7 (a) (i) State the coordinates of the centre of the circle.

[1 mark]

7 (a) (ii) Find the radius of the circle in terms of p .

[3 marks]

7 (b) The circle intersects the coordinate axes at exactly three points.

Find the **two** possible values of p .

[4 marks]



Find Personal Tutor from www.wisesprout.co.uk

找名师，用小草线上辅导（微信小程序同名）

Turn over ►



8 Kai is proving that $n^3 - n$ is a multiple of 3 for all positive integer values of n .

Kai begins a proof by exhaustion.

Step 1 $n^3 - n = n(n^2 - 1)$

Step 2 When $n = 3m$, where m is a non-negative integer $n^3 - n = 3m(9m^2 - 1)$
which is a multiple of 3

Step 3 When $n = 3m + 1$, $n^3 - n = (3m + 1)((3m + 1)^2 - 1)$

Step 4 $= (3m + 1)(9m^2)$
 $= 3(3m + 1)(3m^2)$
which is a multiple of 3

Step 5 Therefore $n^3 - n$ is a multiple of 3 for all positive integer values of n

8 (a) Explain the two mistakes that Kai has made after Step 3.

[2 marks]

8 (b) Correct Kai's argument from Step 4 onwards.

[4 marks]



Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

Turn over for the next question

Turn over ►



9

A robotic arm which is attached to a flat surface at the origin O , is used to draw a graphic design.


The arm is made from two rods OP and PQ , each of length d , which are joined at P .

A pen is attached to the arm at Q .

The coordinates of the pen are controlled by adjusting the angle OPQ and the angle θ between OP and the x -axis.

For this particular design the pen is made to move so that the two angles are always equal to each other with $0 \leq \theta \leq \frac{\pi}{2}$ as shown in **Figure 2**.

Figure 2



9 (a)

Show that the x -coordinate of the pen can be modelled by the equation

$$x = d \left(\cos \theta + \sin \left(2\theta - \frac{\pi}{2} \right) \right)$$

[2 marks]



9 (b) Hence, show that

$$x = d(1 + \cos \theta - 2 \cos^2 \theta)$$

[2 marks]

9 (c) It can be shown that

$$x = \frac{9d}{8} - d \left(\cos \theta - \frac{1}{4} \right)^2$$

State the greatest possible value of x and the corresponding value of $\cos \theta$

[2 marks]


Question 9 continues on the next page

Turn over ►



9 (d) Figure 3 below shows the arm when the x -coordinate is at its greatest possible value.

Figure 3



Find, in terms of d , the exact distance OQ .

[3 marks]



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

Turn over ►



10 The function h is defined by

$$h(x) = \frac{\sqrt{x}}{x-3}$$

where h has its maximum possible domain.

10 (a) Find the domain of h .

Give your answer using set notation.

[3 marks]

10 (b) Alice correctly calculates

$$h(1) = -0.5 \text{ and } h(4) = 2$$

She then argues that since there is a change of sign there must be a value of x in the interval $1 < x < 4$ that gives $h(x) = 0$

Explain the error in Alice's argument.

[2 marks]



Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

[6 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Turn over ►



Section B

Answer **all** questions in the spaces provided.

11

A particle's displacement, r metres, with respect to time, t seconds, is defined by the equation

$$r = 3e^{0.5t}$$

Find an expression for the velocity, $v \text{ m s}^{-1}$, of the particle at time t seconds.

Circle your answer.

[1 mark]

$$v = 1.5e^{0.5t}$$


$$v = 6e^{0.5t}$$

$$v = 1.5te^{0.5t}$$

$$v = 6te^{0.5t}$$

12

A particle has a speed of 6 m s^{-1} in a direction relative to unit vectors $\mathbf{i}$ and $\mathbf{j}$ as shown in the diagram below.



The velocity of this particle can be expressed as a vector $\begin{bmatrix} v_1 \\ v_2 \end{bmatrix} \text{ m s}^{-1}$

Find the correct expression for v_2

Circle your answer.

[1 mark]

$$v_2 = 6 \cos 30^\circ$$

$$v_2 = 6 \sin 30^\circ$$

$$v_2 = -6 \sin 30^\circ$$

$$v_2 = -6 \cos 30^\circ$$



13

A vehicle, of total mass 1200 kg, is travelling along a straight, horizontal road at a constant speed of 13 m s^{-1}

This vehicle begins to accelerate at a constant rate.

After 40 metres it reaches a speed of 17 m s^{-1}

Find the resultant force acting on the vehicle during the period of acceleration.


[3 marks]

Turn over for the next question

Turn over ►

14

A motorised scooter is travelling along a straight path with velocity $v \text{ m s}^{-1}$ over time t seconds as shown by the following graph.



Noosha says that, in the period $12 \leq t \leq 36$, the scooter travels approximately 130 metres.

Determine if Noosha is correct, showing clearly any calculations you have used.

[4 marks]




This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Turn over ►



15 A cyclist is towing a trailer behind her bicycle.

She is riding along a straight, horizontal path at a constant speed.



A tension of T newtons acts on the connecting rod between the bicycle and the trailer.

The cyclist is causing a constant driving force of 40 N to be applied whilst pedalling forwards on her bicycle.

The constant resistance force acting on the trailer is 12 N

15 (a) State the value of T giving a clear reason for your answer.

[2 marks]

15 (b) State one assumption you have made in reaching your answer to part (a).

[1 mark]



15 (c) Find the external resistance force acting on the cyclist and her bicycle.

[2 marks]

Turn over for the next question

Turn over ►




A straight uniform rod, AB , has length 6 m and mass 0.2 kg

A second particle of weight $3w$ newtons is fixed at B .

The rod is suspended by a string from a point x metres from B .

The rod rests in equilibrium with AB horizontal and the string hanging vertically as shown in the diagram below.



Show that

$$x = \frac{3w + 0.3g}{2w + 0.1g}$$

[4 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

Turn over ►



2 5

17 A ball is released from a great height so that it falls vertically downwards towards the surface of the Earth.

17 (a) Using a simple model, Andy predicts that the velocity of the ball, exactly 2 seconds after being released from rest, is $2g \text{ m s}^{-1}$

Show how Andy has obtained his prediction.

[2 marks]

17 (b) Using a refined model, Amy predicts that the ball's acceleration, $a \text{ m s}^{-2}$, at time t seconds after being released from rest is

$$a = g - 0.1v$$

where $v \text{ m s}^{-1}$ is the velocity of the ball at time t seconds.

Find an expression for v in terms of t .

[7 marks]



17 (c)Comment on the value of v for the two models as t becomes large.**[2 marks]****Turn over for the next question****Turn over ►**

P is projected at an acute angle θ° to the horizontal, with speed $u \text{ m s}^{-1}$

Q is projected at an acute angle $2\theta^\circ$ to the horizontal, with speed $2u \text{ m s}^{-1}$

Both particles land back on the ground at exactly the same point, Y.

Resistance forces to motion may be ignored.

18 (a) Show that

$$\cos 2\theta = \frac{1}{8}$$

[6 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

18 (b) P takes a total of 0.4 seconds to travel from X to Y .

Find the time taken by Q to travel from X to Y .

[4 marks]

18 (c) State one modelling assumption you have chosen to make in this question.

[1 mark]

Turn over ►



- 19** Two skaters, Jo and Amba, are separately skating across a smooth, horizontal surface of ice.

Both are moving in the same direction, so that their paths are straight and are parallel to each other.

Jo is moving with constant velocity $(2.8\mathbf{i} + 9.6\mathbf{j}) \text{ m s}^{-1}$

At time $t = 0$ seconds Amba is at position $(2\mathbf{i} - 7\mathbf{j})$ metres and is moving with a constant speed of 8 m s^{-1}

- 19 (a) (i)** Explain why Amba's velocity must be in the form $k(2.8\mathbf{i} + 9.6\mathbf{j}) \text{ m s}^{-1}$, where k is a constant.

[1 mark]

- 19 (a) (ii)** Verify that $k = 0.8$

[1 mark]

- 19 (b)** Find the position vector of Amba when $t = 4$

[3 marks]



Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

[5 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）



[illegible]

[illegible]

[illegible]

