

Please write clearly i	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	_/

GCSE BIOLOGY

H

Higher Tier Paper 1H

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
TOTAL		




Answer all questions in the spaces provided.

Do not write outside the box

0 1 A student prepared some animal cells to view using a microscope.

Figure 1 shows the student preparing the cells.

Figure 1



Name **two** pieces of laboratory equipment the student could have used to **prepare** cells to view using a microscope.

[2 marks]


1

2



Figure 2 shows the student's light microscope.





0 1.2	Name part A. [1 mark]
0 1 . 3	What is the function of part B ?
	[1 mark]
0 1.4	The student tried to look at the cells using the microscope. Suggest one reason why the student could not see any cells when looking through part A . [1 mark]

Question 1 continues on the next page




. 5	Red blood cells are specialised animal cells.	
	Compare the structure of a red blood cell with the structure of a plant cell.	[6 marks]
. 6	When placed into a beaker of water:	
	a red blood cell bursts	
	a plant cell does not burst.	
	Explain why the red blood cell bursts but the plant cell does not burst.	ro
		[2 marks]



A student investigated the effectiveness of three different antibiotics.

Figure 3 shows how the student set up an agar plate.





The student used aseptic techniques to make sure that only one type of bacterium was growing on the agar.

0 2 .	1	Describe two aseptic techniques the student should have use	d.
-------	---	--	----

[2 marks]


1 _				
2				

Question 2 continues on the next page



The student placed the agar plate in an incubator at 25 °C for 48 hours.

Figure 4 shows the agar plate after 48 hours.



0 2 . 2	Which antibiotic is the least effective?	
	Give a reason for your answer.	[1 mark]
	Least effective antibiotic	
	Reason	



0 2.3	Calculate the area where no bacteria were growing for antibiotic C .		outsi b
	Use $\pi = 3.14$		
	Give the unit.	[E marks]	
		[5 marks]	
	Area = Unit		
0 2 . 4	Suggest one way the student could improve the investigation.	[1 mark]	
			9
	Turn over for the next question		
	Tutti over for the flext question		



Body Mass Index (BMI) is a way of finding out if a person's body mass falls within a healthy range for their height.


Table 1 shows information about two people.

Table 1

Person	Body mass in kg	Height in m	BMI in kg/m²
A	63	1.65	23.1
В	92	1.71	х

Figure 5 shows five BMI categories for adults.

Figure 5





0 3.1	Which is the BMI category of person A in Table 1 ? Tick (✓) one box.	[1 mark]
	Clinically obese	
	Normal	
	Obese	
	Overweight	
	Underweight	
0 3.2	Calculate value X in Table 1 .	
	Use the equation:	
	$BMI = \frac{body mass}{height^2}$	
	Give your answer to 3 significant figures.	[3 marks]
	X =	kg/m²
	Question 3 continues on the next page	



Scientists think there is a link between BMI and life expectancy.

Table 2 shows information about predicted life expectancy of men after the age of 50.

Table 2

BMI Category	Predicted number of years living in good health after the age of 50	Predicted number of years living in bad health after the age of 50
Normal	19.06	4.98
Overweight	18.68	5.32
Obese	16.37	7.08
Clinically obese	13.07	10.10

0 3.3	Describe two patterns shown in Table 2 about the effects of BMI category.	[2 marks]
	1	
	2	



	The number of people who are obese in the UK is increasing.	
0 3.4	Explain the financial impact on the UK economy of an increasing number of who are obese.	people
0 3 . 5	A person who is obese is more at risk of arthritis.	
	Arthritis is a condition that damages joints. Suggest how arthritis could affect a person's lifestyle.	[1 mark]
0 3.6	A person who eats a diet high in saturated fat might become obese.	
	Name two health conditions that might develop if a person eats a diet high in saturated fat.	1
	Do not refer to arthritis in your answer.	[2 marks]
	1	
	2	

Turn over for the next question



0 4	All living organisms respire.	
0 4.1	What is the chemical equation for aerobic respiration? [1 m] Tick (✓) one box.	ark]
	$6O_2 + 6CO_2 \rightarrow 6H_2O + C_6H_{12}O_6$	
	$6 H_2 O + C_6 H_{12} O_6 \rightarrow 6 H_2 O + 6 C O_2$	
	$6 H_2 O + 6 C O_2 \rightarrow 6 O_2 + C_6 H_{12} O_6$	
	$6 O_2 + C_6 H_{12} O_6 \rightarrow 6 H_2 O + 6 C O_2$	
0 4.2	Name the sub-cellular structures where aerobic respiration takes place. [1 m	ark]
0 4.3	Energy is released in respiration.	
	Give two uses of the energy released in respiration. [2 ma	rks]
	2	



sesprout.co.uk
找名校导师,
用小草线上辅导(
(微信小程序同名


0 4.4	Describe two differences between aerobic and anaerobic respiration in humans.		
	Do not refer to oxygen in your answer.	[2 marks]	
	1		
	2		
0 4 . 5	What are the two products of anaerobic respiration in plant cells?	[2 marks]	
	Tick (✓) two boxes.		
	Carbon dioxide		
	Ethanol		
	Glucose		
	Lactic acid		
	Water		
	Question 4 continues on the next page		
	Question 4 continues on the next page		





A scientist investigated respiration and photosynthesis using some pondweed and a pond snail.

Figure 6 shows the apparatus used.



The apparatus was left in a well-lit room for 5 days.


The data logger recorded the concentration of carbon dioxide continuously.

After 5 days, the scientist completely covered the boiling tube with black paper.

The data logger continued to record the concentration of carbon dioxide.



Figure 7 shows the concentration of carbon dioxide inside the boiling tube over 15 days.



0 4 . 6	explain why the concentration of carbon dioxide in the tube stayed the same between day 0 and day 5.
	[2 marks]
0 4 . 7	Suggest why the concentration of carbon dioxide increased between day 5 and
	day 10. [1 mark]

Question 4 continues on the next page



	16		
0 4 . 8	On day 10, the pond snail died.	Do not wi outside ti box	ite he
	Explain why the death of the pond snail caused the concentration of carbon dioxide to increase after day 10.		
	[3 marks]		
			Find
		14	Find Personal Tutor from www.wisesprout.co.uk
			Tutor f
			rom ww
			w.wises
			prout.co
			K
			找化为
			找名校导师 ,)
			书小草线
			右離上
			用小草线上辅导(微信小程序同名)
			程/予同令
) П




0 5	Amylase is an enzyme that breaks down starch.	
0 5.1	Amylase is a polymer of smaller molecules. Name the type of smaller molecule.	[1 mark]
0 5.2	Name the three parts of the human digestive system that produce amylase.	[2 marks]
	2 3	
0 5.3	Explain how amylase breaks down starch. Answer in terms of the 'lock and key theory'.	[3 marks]
	Question 5 continues on the next page	





A student investigated the effect of temperature on the activity of amylase.

Figure 8 shows the apparatus used.



This is the method used.

- 1. Set up the apparatus as shown in Figure 8.
- 2. After 5 minutes, pour the starch solution into the amylase solution and mix.
- 3. Remove one drop of the starch-amylase mixture and place onto a spotting tile.
- 4. Immediately add two drops of iodine solution to the starch-amylase mixture on the spotting tile.
- 5. Record the colour of the iodine solution added to the starch-amylase mixture.
- 6. Repeat steps 3 to 5 every minute until the iodine solution stays yellow-brown.
- 7. Repeat steps 1 to 6 using water at different temperatures.



rout.co.uk
找名校导师
,用小草线上辅导(
(微信小程序回名

0 5.4	Name two control variables the student used in the investigation. [2 marks]
	1
0 5 . 5	Why did the student leave the starch solution and amylase solution for 5 minutes before mixing them? [1 mark]

Question 5 continues on the next page



Table 3 shows the results of the investigation.

Table 3

Temperature in °C	Time taken until iodine solution stays yellow-brown in minutes
5	did not become yellow-brown
20	5
35	2
50	7
65	14
80	did not become yellow-brown


0 5.6	What conclusion can be made about the effect of temperature on amylase activity between 20 °C and 65 °C?	
	[1 ma	ark]




	日小早发工铺许
	40
	包
	(成后小柱光回右
	九四九
	ָ <u></u>
\neg	

0 5 . 7	Explain the results at 5 °C and at 80 °C.	
	Use Table 3 . [5 marks]	
	[e mane]	
		
0 5 . 8	The student investigated the effect of temperature on amylase activity.	
	Describe how the student could extend the investigation to determine the effect of a different factor on amylase activity. [2 marks]	
	[z marks]	
	Turn over for the next question	








Α

В

C

D



[1 mark]

Tick (✓) one box.

A		В		С		D	
---	--	---	--	---	--	---	--

0 6. 2 Which cell structure in a leaf mesophyll cell is **not** found in a root hair cell? [1 mark]




	Plants lose water through their leaves.	
0 6.3	Name the cells in a leaf that control the rate of water loss.	mark]
0 6.4	Water is taken in by the roots, transported up the plant and lost from the leaves. Which scientific term describes this movement of water?	mark]
0 6 . 5	Which change would decrease the rate of water loss from a plant's leaves? Tick (✓) one box. [1]	mark]
	Increased humidity	
	Increased light intensity	
	Increased density of stomata	
	Increased temperature	
	Question 6 continues on the next page	



Do not write outside the box

0 6.6	Compare the structure and function of xylem tissue and phloem tissue.	[6 marks]










找名校导师,用小草线上辅导(微信小程序同名)

Figure 10 shows the total volume of water lost from a plant over 6 hours.








ı	7	
	•	

0 6 . 7	Determine the rate of water loss at 12:00		
	Use the tangent on Figure 10 .		
	Give your answer:		
	• in cm³ per minute		
	• in standard form.	[4 marka]	
		[4 marks]	
	Rate of water loss =	cm³ per minute	
0 6 . 8	The rate of water loss at midnight was much lower than at 12:00		
	Explain why.		
		[2 marks]	
	Turn over for the next question		



Figure 11 shows where three of the same type of tumour were found in a patient.

Figure 11



Malignant tumours are cancers.

0	7	. 1	Describe what happens to cells when a tumour forms.
			1

[1 mark]

0	7	. 2	What evidence is there in Figure 11 to suggest that the tumour in the lung
			is malignant?

[1 mark]





0 7.3	Some types of cancer can cause the numbers of blood components in a person's body to fall to a dangerously low level.
	A person with one of these types of cancer may experience symptoms such as: • tiredness
	• frequent infections
	bleeding that will not stop after the skin is cut.
	Explain how a very low number of blood components in the body can cause
	these symptoms. [6 marks]
	Question 7 continues on the next page



Some patients with a very low number of blood cells may be given a blood transfusion.


A blood transfusion is where a patient receives blood from a donor.

Different people have different blood groups.

Figure 12 shows:

- · the red blood cells found in people with different blood groups
- the antibodies that can be made by people with different blood groups.

Figure 12



Antibodies can bind to antigens that have complementary shapes.

When antibodies bind to the antigens on red blood cells, many red blood cells begin to clump together.

Each red blood cell is about 8 µm in diameter.

Many capillaries have an internal diameter of about 10 µm.



	In one type of blood transfusion, only red blood cells from a donor are transferred to the patient.
0 7.4	It is dangerous for a patient with blood group ${\bf A}$ to receive red blood cells from a donor with blood group ${\bf B}$.
	Explain why. [3 marks]
0 7 . 5	Explain why blood group O red blood cells can be given to patients with any blood group. [2 marks]
	Question 7 continues on the next page



Table 4 shows some of the risks associated with blood transfusions.

Table 4		
Risk	Probability of risk occurring	
Allergic reaction	0.9 %	
Hepatitis B infection	1 in (3 × 10 ⁵)	
Hepatitis C infection	6.7 × 10 ⁻⁷	

Kidney damage

Which risk has the lowest probability of	occurring?	[1 mark]
Tick (✓) one box.		[1 mark]
Allergic reaction		
Hepatitis B infection		
Hepatitis C infection		
Kidney damage		

1 in 70 000



0 7.


6

Do not write outside the box

0 7.7	A person has a tumour blocking the tube leading from the gall bladder to the small intestine.	
	Explain why this person would have difficulty digesting fat. [5]	marks]

END OF QUESTIONS







Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2021 AQA and its licensors. All rights reserved.



