

Please write clearly i	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

AS BIOLOGY

Paper 1

Tuesday 19 May 2020

Afternoon

Time allowed: 1 hour 30 minutes

Materials

For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 75.


For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
TOTAL		




Answer all questions in the spaces provided.

0 1 Figure 1 shows the structure of molecules found in organisms.

Figure 1





O 1 . 1 Complete **Table 1** by putting the correct letter, **A**, **B**, **C** or **D**, in the box next to each statement. Each letter may be used once, more than once, or not at all.

[4 marks]

Table 1

Letter	Statement
	is a monomer in an enzyme's active site
	is a monomer in cellulose
	is produced during photosynthesis and respiration
	forms a polymer that gives a positive result with a biuret test

		Do not write
0 1.2	Raffinose is a trisaccharide of three monosaccharides: galactose, glucose and fructose. The chemical formulae of these monosaccharides are:	outside the box
	 galactose = C₆H₁₂O₆ glucose = C₆H₁₂O₆ fructose = C₆H₁₂O₆ 	
	Give the number of carbon atoms, hydrogen atoms and oxygen atoms in a molecule of raffinose.	
	[1 mark]	
	Number of carbon atoms	_
	Number of hydrogen atoms	בי מ
	Number of oxygen atoms	rsonal
0 1.3	A biochemical test for reducing sugar produces a negative result with raffinose solution.	rind Fersonal Lutor from w
	Describe a biochemical test to show that raffinose solution contains a non-reducing sugar.	www.wisesprout.co.uk
	[3 marks]	orout.cc
		3.UK
		<u>ታ</u> አ
		发射索护者,形容
		, H
		早级工業寺(成后小年が四五
		8 1



c	

0 2.1	Explain the arrangement of phospholipids in a cell-surface membrane. [2 marks]
0 2.2	Describe how an ester bond is formed in a phospholipid molecule. [2 marks]
0 2 . 3	State and explain the property of water that helps to prevent temperature increase in a cell. [2 marks]
	Property
	Explanation




0 3 . 1	Describe how a phagocyte destroys a pathogen present in the blood.	[3 marks]
0 3 . 2	Give two types of cell, other than pathogens, that can stimulate an immune	response. [2 marks]
	1	
	2	
	Question 3 continues on the next page	






找名校导师,用小草线上辅导(微信小程序同名)

0 3. 3 Figure 2 shows the structure of an antibody.





Label Figure 2 with an X to show where an antigen-antibody complex forms.

[1 mark]

0 3 . 4 A disulfide bridge is labelled in Figure 2.

What is the role of the disulfide bridge in forming the quaternary structure of an antibody?

[1 mark]

-||.



0	4 . 1	Eukaryotic cells produce and release proteins.	
		Zukar yotio oono produce aha releace proteine.	
		Outline the role of organelles in the production, transport and release of proteins from eukaryotic cells.	
		Do not include details of transcription and translation in your answer. [4 marks]	

Question 4 continues on the next page



Figure 3 is a transmission electron micrograph of a plant cell.

Figure 3



0 4 . 2	Suggest why a nucleus is not visible in Figure 3 . [1 mark]
0 4.3	Name the organelles labelled S and T in Figure 3. [1 mark]
	Organelle S
	Organelle T
0 4.4	Give one advantage of viewing a biological specimen using a transmission electron microscope compared with using a scanning electron microscope.
	[1 mark]



9


0 4 . 5

The cells in **Figure 4** are part of a continuous layer of cells forming the upper surface of a leaf.

The shaded area of cell ${\bf U}$ is 150 μm^2

The total area of the upper surface of the leaf is 70.65 cm²

Figure 4



Calculate the number of cells in the upper surface of the leaf.

Give the answer in standard form.

Assume that all these cells are identical in size.

Show your working.

[2 marks]

Number of cells

Turn over ▶



0 5 . 1	Describe and explain the mechanism that causes lungs to fill with air. [3 mark
	A scientist observed sections of lung tissue using an optical microscope.
	Figure 5 shows one of these sections.
	K is an air-filled tube and L is a blood vessel.
	This figure has been removed due to third-party copyright restrictions.



0 5.2	Identify the structures labelled K and L . [1 mark]
	K L
0 5.3	 Two solutions often used to stain tissues are haematoxylin solution and iodine solution. Haematoxylin solution stains DNA a blue colour. Iodine solution stains starch a blue-black colour.
	The scientist used haematoxylin solution and not iodine solution to stain the lung tissue.
	Suggest why. [2 marks]

Question 5 continues on the next page



0 5 . 4

Scientists investigated the link between the lung disease asthma and three risk factors. They studied a large number of people. They recorded if the people had asthma and if they:

- · were obese
- burned wood indoors as a fuel
- · lived in a house with a cat or dog.

The scientists used a statistical test to calculate the probability of the link between asthma and each risk factor being due to chance.

Table 2 shows their results.

Table 2

Risk Factor	Probability (P value)
Obese	< 0.001
Burned wood indoors	= 0.06
Lived with a cat or dog	< 0.05

A student who looked at these results concluded that all three risk factors are linked with asthma. Evaluate this conclusion.

[3 marks]



rout.co.uk
找名校导师,
用小草线上辅导(
(微信小程序同名)

0 6.1	Describe how mRNA is produced from an exposed template strand of DNA.			
	Do not include DNA helicase or splicing in your answer.	[3 marks]		
0 6.2				
	Define the term exon.	[1 mark]		
	Question 6 continues on the next page			





Table 3 shows mRNA codons for some amino acids.

Table 3

Serine	Proline	Proline Glycine		Alanine		
UCU	CCU	GGA	ACU	GCA		
UCC	CCA	GGG	ACC	GCG		

0 6 . 3	Figure 6 shows the DNA template nucleotide base sequence that determines the
	sequence of four amino acids.

Figure 6

AGG CGT CCT GGA

Use information from **Table 3** and **Figure 6** to give the amino acid sequence determined by this sequence of nucleotides.

[1 mark]

0	6 . 4	A mutation in the nucleotide sequence shown in Figure 6 resulted in the following
		amino acid sequence.

Serine Glycine Proline

A student concluded that the mutation involved the addition of one nucleotide within
the sequence shown in Figure 6 . Does information in this question support the
student's conclusion? Give reasons for your answer.

[2 marks




	10	
0 7.1	Describe binary fission in bacteria.	[3 marks]
	Question 7 continues on the next page	





The cell growth rate of the bacterium *Bacillus subtilis* is proportional to its mass immediately after binary fission.

Figure 7 shows this relationship.



0 7 . 2 The mass of the bacterial cells was measured in femtograms (fg).

1 fg (femtogram) = 1×10^{-15} g

Place a tick (\checkmark) in the box next to the number that is equal to 680 fg

[1 mark]

0.000 000 000 006 8 g

 $6.8 \times 10^{-13} \,\mathrm{g}$

 $6.8 \times 10^{-15} \,\mathrm{g}$

6.8 × 10⁻¹⁷ g



	A scientist determined the growth rate of a <i>B. subtilis</i> cell by measuring its mass for 5 minutes.	oui
	In those 5 minutes, the cell's mass increased by 90 fg	
0 7.3	Use this information and Figure 7 to determine the mass of this cell immediately after binary fission.	
	Show your working. [2 marks]	
	Answer fg	
0 7.4	Suggest and explain how two environmental variables could be changed to increase the growth rate of these cells. [4 marks]	
	Suggestion 1	
	Explanation	
	Suggestion 2	
	Explanation	
		1
	l l	

Turn over ▶



0 8

A scientist investigated birth mass in a population of babies. She determined the birth mass (b) of babies and grouped this information into different ranges of birth mass.

Her results are shown in Table 4.

Table 4

Birth mass b / kg	Range of mass / kg	Frequency density
$0.0 < b \le 2.0$	2.0	5 000
2.0 < <i>b</i> ≤ 2.5	0.5	20 000
2.5 < <i>b</i> ≤ 3.0	0.5	90 000
$3.0 < b \le 3.5$	0.5	260 000
$3.5 < b \le 4.5$	1.0	200 000
$4.5 < b \le 5.5$	1.0	20 000

Frequency density is calculated using this equation


Frequency density =
$$\frac{\text{number of babies}}{\text{range of mass}}$$



0 8 . 1 Draw, on **Figure 8**, a **suitable** chart to show the distribution of birth mass for this population of babies.

[4 marks]

Figure 8



Birth mass / kg

0 8 Babies with birth mass less than 2.5 kg are classified as low birth mass.

Use information in **Table 4** and the equation to calculate the number of babies born with low birth mass in this population.

Show your working.

Frequency density

[2 marks]

Answer	

Question 8 continues on the next page

Turn over ▶




The scientist also measured the relationship between birth mass and babies surviving less than 4 weeks. She determined if the mothers of these babies smoked cigarettes during pregnancy. Her results are shown in **Figure 9**.

Figure 9



less than 4 weeks per 1000 live births



Key

- ---- Mothers who smoked cigarettes during pregnancy
- ----- Mothers who did not smoke cigarettes during pregnancy


0	8 .	3	State three	conclusions	that ca	n be	drawn	from	the	data	in	Figure	9.

[3	marks]
----	--------

1			
2			
3			



9







\rightarrow
バ
校早店,
40
=
ᅫ
-
_
用小草线上
ݖ
$\overline{}$
4mt
lmt
ile
सार
_
П
4世
=== +
100
Ш
71.0
$\overline{}$
$\overline{}$
金銭
(変)
(渡信
(微信/
(微信)
(微信小
(微信小程
(微信小程)
(微信小程月
(微信小程序
(微信小程序に
(微信小程序同
(微信小程序同名
(微信小程序同名
(微信小程序同名)
(微信小程序同名)

0 9	Channel proteins called aquaporins enable water to be transported across membranes. Aquaporins are produced in cells when genes coding for the proteins are expressed. One aquaporin gene is called <i>PIP1b</i> . The expression of <i>PIP1b</i> in tobacco plant cells produces an aquaporin located in their cell membranes.
	Scientists have produced genetically modified tobacco plants. The scientists inserted a gene from a different species into the DNA of tobacco plant cells. This gene causes an increase in the rate of transcription of the <i>PIP1b</i> gene.
	The scientists found that the stomatal density of leaves from tobacco plants with the inserted gene was greater than that of unmodified control plants.
	In a different investigation, scientists measured the movement of potassium ions and water molecules through cell-surface membranes and vacuole membranes. They found 6 potassium ions moved for every 150 water molecules across vacuole membranes. They found 3 potassium ions moved for every 1500 water molecules across cell-surface membranes.
	Use information from the passage and your own understanding to answer the questions.
0 9.1	Explain how the proteome of a cell from a genetically modified tobacco plant (lines 5–7) differs from that of a cell from an unmodified control tobacco plant. [2 marks]
0 9.2	Explain how an increase in the rate of transcription of the <i>PIP1b</i> gene (lines 6–7) will affect the permeability of tobacco plant cell membranes to water. [2 marks]




Find
ind Personal
Tutor from
www.v
visesp
rout.cc
L

找名校导师,用小草线上辅导(微信小程序同名)

10

0 9.3	Suggest and explain one advantage and one disadvantage of increased stomatal density on the growth of tobacco plant leaves (lines 8–9).	
	[4 marks]	
	Advantage	
	Disadvantage	
0 9 . 4	How much greater is the ratio of movement of potassium ions to movement of water molecules across a vacuole membrane than across a cell-surface membrane (lines 10–14)? Show your working.	
	[2 marks]	
	Answer	
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.



