

Please write clearly i	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	/

GCSE CHEMISTRY

F

Foundation Tier Paper 2

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
TOTAL	l		



			1
	:		
	•		
			Į
		(
		Ĺ	
	١		
		Ċ	١
	•	c	
	٠		
	•		
	•		
		5	
		Š	
	:	5	
	:		
	i	Ć	,
•		Č	
	١		
	•	Ċ	
		Ċ	
		ċ	
	•		

ıt.co.uk
找名校导师
, 用小草线上辅导 (
(微信小程序同名)

0 1	This question	ı is about water.				
	The student i	estigated pure v measured: point of pure wa				
	• the pH of p					
0 1.1	Complete the					
	Choose answ	vers from the bo	Х.			[2 marks]
	0	4	7	10	25	100
		as a boiling poin			°C.	
0 1.2	What could th	ne student use t	o measure the	pH of pure wa	ater?	[1 mark]



	A different student investigated sea water.
	Sea water contains dissolved solids.
	This is the method used.
	1. Measure a 50 cm ³ sample of the sea water.
	2. Heat the sample until all the water has evaporated.
	3. Measure the mass of solid that remains.
	4. Repeat steps 1 to 3 three more times.
0 1.3	Which two pieces of equipment were needed in this investigation? [2 marks]
	Tick (✓) two boxes.
	Balance
	Magauring outinder
	Measuring cylinder
	Ruler
	Thermometer
	Timer
	Question 1 continues on the next page
	Question i continues on the next page



0 1.4 Table 1 shows the results.

Table 1

Sea water sample	Mass of solid that remained in grams
1	1.73
2	1.70
3	1.75
4	1.78

	Calculate the mean mass of solid that remained.	[2 marks]
	Mean mass =	
0 1.5	A 50 cm ³ sample of sea water from a different source contained 1.50 g of dissolved solids.	
	Calculate the mass of dissolved solids in 1000 cm ³ of this sea water.	[2 marks]
	Mass =	g



找名校导师,用小草线上辅导(微信小程序同名)

	Sodium chloride is a dissolved solid in sea water.			
	Sodium chloride contains sodium ior	s and chloride ions.		
0 1.6	Complete the sentence.			
	Choose the answer from the box.			[1 mark]
	crimson	lilac	yellow	
	The student tested sea water for soc	lium ions using a flame test.		
	The colour of the flame was			
0 1 . 7	Complete the sentence.			
<u> </u>	Choose the answer from the box.			
	Choose the answer from the box.			[1 mark]
	brown	green	white	
	The student tested sea water for chlosilver nitrate solution.	oride ions by adding nitric acid	and	
	The colour of the precipitate formed	was		

Turn over for the next question




- 0 2 This question is about hydrocarbons in crude oil.
- 0 2 1 Table 2 shows information about three fractions obtained from crude oil.

Table 2

Fraction	Boiling point range in °C
Α	200–300
В	100–150
С	Below 30

Figure 1 shows the fractionating column used to separate fractions A, B and C.

Figure 1



The temperature of the fractionating column is:

- 30 °C at the top
- 400 °C at the bottom.

Complete Figure 1 to show where fractions A, B and C are collected.

[1 mark]



0 2.2 Table 3 shows information about three fractions obtained from crude oil.

Table 3

Fraction	Range of number of carbon atoms in each molecule
Petrol	5–12
Diesel oil	15–19
Heavy fuel oil	20–40

Complete the sentences.

Choose answers from the box.

[2 marks]

lower	the same	higher
Compared to petrol, the visco	osity of heavy fuel oil is	
Compared to petrol, the flam	mability of diesel oil is	

Question 2 continues on the next page



Table 4 shows the percentage of two fractions obtained from two different sources of crude oil.

Table 4

Source	Percentage (%) of fraction		
	Kerosene	Heavy fuel oil	
J	13	30	
K	4	44	

0 2 . 3 Complete Figure 2.


You should:

- complete the y-axis scale
- plot the percentage of the heavy fuel oil fraction obtained from source **K**.

Use Table 4.

[2 marks]

Figure 2



Percentage (%) of heavy fuel oil fraction




0 2.4	Kerosene is in higher demand than heavy fuel oil.
	Suggest why crude oil from source ${\bf J}$ is in higher demand than crude oil from source ${\bf K}$.
	Use Table 4. [1 mark]
	Large hydrocarbon molecules can be cracked to produce smaller hydrocarbon molecules including alkanes.
0 2 . 5	Which two of the following can be used to crack large hydrocarbon molecules?
	Tick (✓) two boxes. [2 marks]
	A catalyst
	A fertiliser
	Air
	Ozone
	Steam
0 2 . 6	Alkanes have the general formula C_nH_{2n+2}
	Complete the formula of the alkane molecule containing 11 carbon atoms. [1 mark]
	C ₁₁ H



Turn over ▶

0 2.7	C ₂ H ₆ is an alkane.	Do not write outside the box
	Which type of bond is found in a C ₂ H ₆ molecule?	
	Tick (✓) one box. [1 mark]	
	A double bond between two carbon atoms.	
	A double bond between two hydrogen atoms.	
	A single bond between two carbon atoms.	7
	A single bond between two hydrogen atoms.	eisonai lu
		rind reisonal lutol itom www.wisesprout.co.uk
0 2 . 8	Which two substances are produced when alkanes completely combust?	VW.Wise
	Tick (✓) two boxes. [2 marks]	sprout.co
	Carbon	
	Carbon dioxide	发白 仪 争唱
	Carbon monoxide	,五少年级3
	Hydrogen	15 14 14 14
	Water	12 12 12 12 12 12 12 12 12 12 12 12 12 1
		<u>ם</u>









box

0 3

This question is about the Earth's atmosphere.

Table 5 shows:

- the estimated percentages of gases in the Earth's early atmosphere
- the percentages of gases in the Earth's atmosphere today.

Table 5

Gas	Estimated percentage (%) in the Earth's early atmosphere	Percentage (%) in the Earth's atmosphere today
Nitrogen	1.8	X
Oxygen	0.2	20.95
Carbon dioxide	96.0	0.04
Other gases	2.0	0.92

0 3.1	Calculate value X in T	able 5.	[1 mark]
		X =	%
0 3.2	Which two other gase Tick (✓) two boxes.	es may have been in the Earth's early atmosphere?	[2 marks]
	Ammonia		
	Coal		
	Limestone		
	Methane		
	Poly(ethene)		



4
忆
找名校导师
X
狐
끏
Ξ.
₻
用小草线上辅导
<u></u>
世
113
\vdash
誰
加
512
7
微信儿
\subseteq
ΉÜ
承
小程序同名
πkh
_


	Algae and plants increased the percentage of oxygen in the Earth's atmosphere.		
	The same process in algae and plants decreased the percentage of carbon dioxide in the Earth's atmosphere.		
0 3.3	Which process in algae and plants increased the percentage of oxygen in the Earth's atmosphere? [1 mark]		
	Tick (✓) one box.		
	Fermentation		
	Photosynthesis		
	Rusting		
	Sedimentation		
0 3.4	Which two other processes decreased the percentage of carbon dioxide in the Earth's atmosphere? [2 marks] Tick (✓) two boxes. Burning fossil fuels Dissolving carbon dioxide in oceans Eruption of volcanoes Evolution of animals Formation of sedimentary rocks		





Figure 3 shows how the percentages of gases in the Earth's atmosphere may have changed since the atmosphere was formed.





Key

..... Carbon dioxide

Nitrogen

Percentage

the Earth's atmosphere

- Oxygen

3 When was the percentage of oxygen in the Earth's atmosphere 8%? Use Figure 3.

[1 mark]

millions of years ago

3 6 When did the percentage of nitrogen in the Earth's atmosphere become constant? Use Figure 3.

[1 mark]

millions of years ago



0 3 . 7	Crude oil was formed from an ancient biomass as the Earth's atmosphere evolved.	Do not write outside the box
	What did this ancient biomass mainly consist of?	
	[1 mark] Tick (✓) one box.	
	Limestone	
	Plankton	
	Sand	Find Pers
		Find Personal Tutor from www.wisesprout.co.uk
0 3 . 8	Most of the percentages of the gases in Figure 3 are estimated values.	m www
	Why have scientists used estimated values for the percentages of the gases in Figure 3 ?	/.wisesp
	[1 mark]	orout.cc
	Turn over for the next question	K



0 4	This question is about ethanol.		
0 4.1	The formula of ethanol is C_2H_5OH Complete the displayed structural formula of		
	H H		1 mark]
0 4.2	Which is one use of ethanol? Tick (✓) one box.	[1 mark]
	As a protective coating on aluminium		
	In hand gel to kill microbes		
	To test for the presence of hydrogen gas		




box

0 4 . 3 Ethanol is used as a solvent in some inks.

A student used paper chromatography to show that an ink contained two different dyes.

Figure 4 shows the apparatus at the end of the investigation.

Figure 4



Describe a method the student could have used for the investigation.	[4 marks]





0 4.4	Ethanol can be produced from sugar solution by fermentation.			
	What must b	[1 mark]		
	E5 and E10	are types of fuel used in cars.		
	These fuels	contain ethanol and petrol.		
	Table 6 sho	ws information about E5 and E	10.	
		Table 6		
	Fuel	Percentage (%) by mass of ethanol	Percentage (%) by mass of petrol	
	E5	5	95	
	E10	10	90	
0 4 . 5	Calculate the	e mass of ethanol in 4.4 kg of I	= 5.	
	Give your ar	nswer in grams.		
	Use Table 6	5 .		[2 marks]
				[3 marks]
			Mass =	g
				9



0 4 . 6	The ethanol in E5 and E10 is produced from sugar.	Do not write outside the box
	Sugar is produced from plants.	
	Explain why the production of E10 removes more carbon dioxide from the atmosphere than the production of E5.	
	Use Table 6 . [3 marks]	
		Find Personal Lutor from
		l lutor from
		n www.

7 Table 7 shows the energy content of ethanol and petrol.

Table 7

	Energy content in MJ (megajoules) per kg
Ethanol	30.0
Petrol	46.4

Suggest one disadvantage of using E10 instead of E5.


Complete the sentence.

[1 mark]

A disadvantage of using E10 is that	

14







0 5	Ammonia is produced in the Haber process.			
	The raw materials for the Haber process are nitrogen and hydrogen.			
0 5.1	Draw one line from each raw material to the source of that raw material.			[2 marks]
	Raw material		Source of raw material	
			Air	
			Clay	
	Nitrogen			1
			Limestone	
	Hydrogen			1
		l	Natural gas	
			Sand	
0 5 . 2	What are the states of nitrog	en and of hydroge	n when used in the Haber pi	
	Tick (✓) one box.			[1 mark]
	State of nitrogen	State of hydi	rogen	
	Gas	Gas		
	Gas	Liquid		
	Liquid	Gas		
	Liquid	Liquid		






找名
找名校导师
-
三八田
用小草线上辅导
14年
$\overline{}$
微信小
小程序同名
四位
$\overline{}$

0 5.3	The word equation for the production of ammonia is:
	nitrogen + hydrogen
	The atom economy of the reaction is 100%.
	How does the word equation show that the atom economy is 100%? [1 mark]
	Tick (✓) one box.
	The reaction is reversible.
	There are two reactants.
	There is one product.



0 5.4 Figure 5 represents the Haber process.

Figure 5



A mixture of nitrogen, hydrogen and ammonia enters X.

Complete the sentences.

Choose answers from the box.

[2 marks]

evaporated	filtered	liquefied	recycled
In X , the mixture is coo	led.		
The ammonia can be r	emoved from X bec	ause the ammonia is	
		_•	
The unreacted nitroger	and hydrogen are		
The dimedeled introger	rana nyarogon aro		





找名校导师,用小草线上辅导(微信小程序同名)

Table 8 shows the percentage yield of ammonia at different pressures.

Table 8

Pressure in atmospheres	Percentage (%) yield of ammonia
50	20
100	33
150	44
200	52
250	59
300	64




0 5.5 Plot the data from Table 8 on Figure 6.

Draw a line of best fit.

[3 marks]

Figure 6



What is the effect of increasing the pressure on the percentage yield of ammonia?Use **Table 8**.

[1 mark]

10




0 6

A student investigated the rate of reaction between sodium thiosulfate solution and hydrochloric acid.

Figure 7 shows the apparatus used.

Figure 7



When hydrochloric acid is added to sodium thiosulfate solution, the mixture gradually becomes cloudy.

A smaller percentage of light from the light source reaches the light sensor as the mixture becomes more cloudy.

This is the method used.

- 1. Measure 50 cm³ of sodium thiosulfate solution into the beaker.
- 2. Add 10 cm³ of hydrochloric acid to the sodium thiosulfate solution.
- 3. Immediately start a timer.
- 4. Record the percentage of light from the light source that reaches the light sensor every 20 seconds for 120 seconds.

0 6 . **1** Balance the equation for this reaction.

[1 mark]


$$Na_2S_2O_3 + 2HCl \rightarrow$$
 NaCl + $H_2O + SO_2 + S$



0 6.2	The mixture becomes cloudy because the sulfur produced is a solid.
	What is the state symbol for a solid? [1 mark]
	Tick (✓) one box.
	(aq)
	(g)
	(1)
	(s)
0 6.3	The student monitored the cloudiness of the reaction mixture using a light sensor.
	What other piece of equipment could be used to monitor the cloudiness of the reaction mixture?
	Tick (✓) one box.
	A balance
	A cross on a piece of paper
	A gas syringe
	A thermometer
	Question 6 continues on the next page









0 6.5	The student stopped taking measurements after 120 seconds because the percentage of light reaching the sensor stayed constant.		
	Why did the percentage of light reaching the sensor stay constant?		
	Tick (✓) one box.	J	
	No light was reaching the sensor.		
	One of the reactants was used up.		
	The reaction was too vigorous.		
0 6.6	The student repeated the experiment using sodium thiosulfate solution of a higher concentration.		
	How would the line of best fit for sodium thiosulfate solution of a higher concentration compare with the line of best fit on Figure 8 ?		
	Tick (✓) one box.		
	Initially the line of best fit would be less steep.		
	Initially the line of best fit would be the same steepness.		
	Initially the line of best fit would be steeper.		
	Question 6 continues on the next page		



	ή
	Ż
	4(
	į
	•
	Ε
	4
	出い。上
	11,
	计量出述
	计量让
	#
	4
,	_
	夏
	o)
	ے
	ş
	E
	<u> </u>
	ڡ
	ц
١	_

0 6.7	The student then investigated the effect of changing the temperature on the rate of reaction.		
	The student used sodium thiosulfate solution and hydrochloric acid which have kept in an ice bath.		
	Which are two effects of using reactants kept in an ice bath rather than at room temperature?	[2 marks]	
	Tick (✓) two boxes.		
	Fewer reactant particles have the activation energy.		
	The reactant particles collide more frequently.		
	The reactant particles have more energy.		
	The reactant particles move more slowly.		
	There are fewer reactant particles in the same volume.		



0 7	This question is about fertilisers	S.	
	Ammonium nitrate is a fertiliser	containing nitrogen.	
0 7.1	Complete the sentence.		
	Choose the answer from the bo	DX.	[1 mark]
	hydrochloric acid	nitric acid	sulfuric acid
	Ammonium nitrate is produced	by reacting ammonia with	
		<u>.</u>	
0 7.2	Ammonium nitrate fertiliser is s	old in 600 kg bags.	
	A farmer spreads 40 bags of an of 800 000 m^2 .	mmonium nitrate fertiliser o	n land with an area
	Calculate the mass of ammonit	սm nitrate fertiliser spread բ	per m² of land. [2 marks]
		_	
		Mass per m² =	kg/m²

Question 7 continues on the next page



A scientist works for a company which makes ammonium nitrate fertiliser.
The scientist investigates the effect of different fertilisers on crop growth.
The scientist concludes that the ammonium nitrate fertiliser improves crop growth more than other fertilisers.
Suggest one reason why this conclusion might not be valid. [1 mark]



找名校导师,用小草线上辅导(微信小程序同名)

	A different fertiliser containing nitrogen has the formula K ₂ NH ₄ PO ₄	Out
0 7.4	How many atoms of nitrogen are in the formula K ₂ NH ₄ PO ₄ ? [1 mark]	
0 7.5	Nitrogen and potassium in the fertiliser $K_2NH_4PO_4$ are important for good crop growth. Which other element in the fertiliser $K_2NH_4PO_4$ is important for good crop growth? [1 mark] Tick (\checkmark) one box.	
	Oxygen Phosphorus	
0 7.6	Some fertilisers are mixtures of different compounds in fixed proportions. What name is given to a mixture of different compounds in fixed proportions? [1 mark]	_
	Turn over for the next question	

Turn over ▶




- 0 8
- This question is about copper wire and copper compounds.

Copper is used to make electrical wires.

Figure 9 shows how copper electrical wire is insulated using an addition polymer called poly(butene).

Figure 9



0 8 . 1 The addition polymer poly(butene) has the displayed structural formula:

$$\begin{array}{c|cccc}
& CH_3 & CH_3 \\
& & | \\
C & & C \\
& & | \\
H & H & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& & | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
& | \\
&$$

Poly(butene) is produced from the monomer butene.

Complete ${\bf Figure~10}$ to show the displayed structural formula of butene.

[2 marks]

Figure 10

C

н н




	Copper can be obtained by recycling scrap copper wire.	
0 8.2	Suggest why poly(butene) insulation must be removed from scrap copper wire before the copper is recycled.	
	[1 mark]	
0 8.3	Describe how scrap copper wire can be recycled to make new copper water pipes. [2 marks]	
0 8.4	Suggest two reasons why recycling scrap copper is more sustainable than extracting copper from copper ores. [2 marks]	
	1	
	2	
Question 8 continues on the next page		



11

	Copper sulfate is a compound of copper. Copper sulfate solution contains copper(II) ions and sulfate ions.
0 8.5	A solution can be added to copper sulfate solution to show the presence of copper(II) ions.
	Name the solution added.
	Give the result of the test. [2 marks]
	Name of solution added
	Result
0 8.6	Describe one test to show the presence of sulfate ions in copper sulfate solution. Give the result of the test. [2 marks]
	Test
	Result





Turn over ▶



0 9

A student investigated the change in mass when hydrated cobalt chloride was heated.

The word equation for the reaction is:

hydrated cobalt chloride ≠ anhydrous cobalt chloride + water

This is the method used.

- 1. Add 2.0 g of hydrated cobalt chloride to an empty test tube.
- 2. Measure the mass of the test tube and contents.
- 3. Heat the test tube and contents gently for 30 seconds.
- 4. Allow the test tube and contents to cool.
- 5. Measure the mass of the test tube and contents.
- 6. Repeat steps 3 to 5 until the mass of the test tube and contents does not change.

Table 9 shows the results.

Table 9

Total heating time in seconds	Mass of test tube and contents in grams
0	26.5
30	26.2
60	25.9
90	25.6
120	25.6



0 9.1	Determine the mass of the empty test tube. [1 mark]
	Mass of empty test tube = g
0 9.2	Explain why the mass of the test tube and contents decreased. [2 marks]
0 9.3	Suggest why the test tube and contents were heated until the mass did not change. [1 mark]
	Question 9 continues on the next page








8

	Energy is taken in from the surroundings when hydrated cobalt chloride is heated.	
0 9.4	When 238 g of hydrated cobalt chloride is heated until the mass does not change, 88.1 kJ of energy is taken in.	
	The student heated 2.00 g of hydrated cobalt chloride until the mass did not change.	
	Calculate the energy taken in during this reaction.	
	Give your answer to 3 significant figures. [3 marks]	s]
		_
		_
		_
	Energy taken in (3 significant figures) = k	۲J
0 9.5	What type of reaction takes place when hydrated cobalt chloride is heated?	k]
		_ _



Do not write outside the box







- 1 0 This question is about life cycle assessments (LCAs).
- 1 0 . 1 Milk bottles can be made from glass or from a polymer.

Table 10 shows information about milk bottles of equal volume.

Table 10

	Glass	Polymer
Raw materials	Limestone Sand Sodium carbonate	Crude oil
Energy needed to process raw materials in kilojoules	6750	1710
Energy needed to manufacture bottle in kilojoules	750	90
Mass of bottle in grams	200	20
Mean number of times used during lifetime of bottle	25	1
One disposal method at end of useful life	Recycled to make different glass products	Recycled to make different polymer products

Evaluate the use of glass for milk bottles compared with the use of a polymer for milk bottles.


Use features of life cycle assessments (LCAs) in your answer.

Use Table 10 .	[6 marks]



		Do not write outside the box
		Find
		Hind Personal Tutor from www.wisesprout.co.uk
1 0.2	Milk is also sold in cardboard cartons.	m www.wisesp
	A carton is made using 40 cm ³ of cardboard.	orout.o
	The density of the cardboard is 0.40 g/cm ³ .	
	Calculate the mass of the carton.	25 公 次
	Use the equation:	影师 , 月
	$density = \frac{mass}{volume}$ [3 marks]	引小早笼上铺导(
		找名 校导师,用小卓线上辅导(微信小程序问名
	Mass = g	9
	END OF QUESTIONS	







Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.



