

# F

# Friday 27 May 2022 – Morning GCSE (9–1) Chemistry A (Gateway Science)

J248/01 Paper 1 (Foundation Tier)

Time allowed: 1 hour 45 minutes

#### You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Chemistry A (inside this document)

#### You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. Do not write in the barcodes									
riease write clearly in black link. Do not write in the barcodes.									
					Candidate number				
							1		ı
	arly in	arly in black	arly in black ink.	arly in black ink. <b>Do no</b>	arly in black ink. <b>Do not writ</b>	arly in black ink. <b>Do not write in the barcodes.</b> Candidate number	arly in black ink. <b>Do not write in the barcodes.</b> Candidate number		

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if the answer is wrong.

#### **INFORMATION**

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has 28 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.

© OCR 2022 [601/8663/X] DC (ST/JG) 309037/4

OCR is an exempt Charity

Turn over


# **SECTION A**


Answer all the questions.

You should spend a maximum of 30 minutes on this section.

Write your answer to each question in the box provided.

1	Wh	ich state symbol is used for liquids?	
	Α	(aq)	
	В	(g)	
	С	(I)	
	D	(s)	
	You	ur answer	[1]
2	Wh	ich particle model diagram shows a gas?	
	A	В	





Your answer [1]

3	Wh	/hich substance has <b>four</b> covalent bonds to each carbon atom?							
	Α	Carbon nand	otubes						
	В	Diamond							
	С	Graphene							
	D	Graphite							
	You	ur answer				[1]			
4	Wh	ich is correct a	about any two elements with the	same number of	electron shells?				
	Α	They are bot	h metals.						
	В	They are bot	h non-metals.						
	С	They are bot	h in the same group on the Peri	odic Table.					
<b>D</b> They are both in the same period on the Periodic Table.									
	Υοι	ur answer				[1]			
5	The pro		the results when four solutions a	are tested with un	iversal indicator and a pH				
		Solution	Colour when universal indicator is added	Reading on pH probe					
	Α		blue	12					
	В		green	7					
	С		purple	14					
	D		red	2					
		ich solution is	an acid?			[41			
	100	our answer [1]							

6	Whi	/hich pieces of apparatus are used for <b>filtration</b> ?					
	Α	Beaker, filter paper and condenser					
	В	Beaker, filter paper and funnel					
	С	Beaker, funnel and mass balance					
	D	Filter paper, funnel and condenser					
	You	r answer	[1]				
7	Whi	ch description is correct for melting ice?					
	Α	There is a chemical change and a change of state.					
	В	There is a chemical change and a reaction occurs.					
	С	There is a physical change and a change of state.					
	D	There is a physical change and a reaction occurs.					
	You	r answer	[1]				
8	The	symbol for a calcium ion is Ca <sup>2+</sup> . The symbol for an iodate ion is IO <sub>3</sub> <sup>-</sup> .					
	Wha	at is the formula for calcium iodate?					
	Α	CaIO <sub>3</sub>					
	В	CaIO <sub>32</sub>					
	С	$Ca(IO_3)_2$					
	D	$Ca_2IO_3$					
	You	r answer	[1]				

9	Dur	ring the electrolysis of molten sodium chloride, sodium and chlorine are formed.	
	Wh	at happens at the <b>positive</b> electrode (anode)?	
	Α	The chloride ion, $Cl^-$ , gains an electron.	
	В	The chloride ion, $Cl^-$ , loses an electron.	
	С	The sodium ion, Na <sup>+</sup> , gains an electron.	
	D	The sodium ion, Na <sup>+</sup> , loses an electron.	
	You	ır answer	[1]
10	Wh	at did Rutherford suggest about the model of the atom?	
	Α	Atoms contain a nucleus.	
	В	Atoms contain electrons.	
	С	The atom is a solid sphere like a billiard ball.	
	D	The nucleus is made up of protons and neutrons.	
	You	ır answer	[1]
11	Wh	at is the relative formula mass of potassium chloride, KC1?	
	Rel	ative atomic mass ( $A_r$ ): $Cl = 35.5$ K = 39.1	
	Α	36.0	
	В	67.4	
	С	74.6	
	D	79.0	
	You	ır answer	[1]

		were the atomic mas		
			ses not in order?	
	Α	He developed his tab	le without knowing a	bout atomic structure.
	В	He measured the ator	mic masses incorrec	tly.
	С	He left gaps for undis	covered elements.	
	D	He put the elements i	n order of increasing	reactivity.
	You	answer		[1]
13	Whi	ch particles are smalle	er than 1 × 10 <sup>-9</sup> m?	
	Α	Nanoparticles, moleci	ules and atoms	
	В	Nanoparticles, neutro	ns and electrons	
	С	Neutrons, atoms and	electrons	
	D	Neutrons, polymers a	nd protons	
	You	answer		[1]
14	The	element mercury is a	liquid at 25°C.	
	Whi	ch row about mercury	is correct?	
		Melting Point (°C)	Boiling Point (°C)	
	Α	above 25	above 25	
	В	below 25	below 25	
	С	below 25	above 25	
	D	above 25	below 25	
	You	answer		[1]

15		ich products are formed in the electrolysis of aqueous copper sulfate, CuSO <sub>4</sub> using inert ctrodes?	
	Α	Copper and oxygen	
	В	Copper and sulfur dioxide	
	С	Hydrogen and oxygen	
	D	Hydrogen and sulfur dioxide	
	You	ur answer	[1]


# **SECTION B**

Answer all the questions.

**16** (a) Complete the sentences about the structure of an atom. Use words from the list.

		electrons	negative	neutral	neutrons	positive	protons	
	An :		ucleus with a		ch	arge. The nu	cleus is made	up of <b>[3]</b>
(b)	(i)	Look at the	information al	oout two <b>isc</b>	topes of boro	n.		
		5 B 10	5 B 11					
		Which state	ments about t	he isotopes	of boron are o	correct?		
		Tick (✓) two	boxes.					
		Boron has 1	1 protons.					
		The atomic	number of bo	ron is 5.				
		The electror	ns are heavier	than the pr	otons.			
		The isotope	s of boron ha	ve different	numbers of ne	utrons.		
		The isotope	s of boron ha	ve different	numbers of pro	otons.		
		The mass n	umber of bord	on is the sar	ne for both iso	topes.		[2]
						l		

(ii) The diagram shows a boron atom.




	Explain why boron is in Group 3 of the Periodic Table.	
		[1]
c)	Chlorine is in Group 7 of the Periodic Table. Chlorine is a non-metal.	
	Why do non-metals form negative ions?	
		[2
d)	Chlorine reacts with aluminium to form aluminium chloride.	
	• The formula for aluminium chloride is $\mathrm{A}l\mathrm{C}l_3$ .	
	• The symbol for a chloride ion is $Cl^-$ .	
	What is the <b>symbol</b> for an aluminium ion?	
		[4]

17 (a) Complete the word equation for neutralisation.


acid	+	alkali	$\rightarrow$	salt	+	
------	---	--------	---------------	------	---	--

[1]

- **(b)** A student reacts magnesium carbonate with dilute hydrochloric acid. Carbon dioxide gas and a salt are made.
  - (i) What is the name of the salt made?



(ii) The diagram shows the apparatus the student uses.



How can the student tell when the reaction is complete?
[1

(iii) The student records the mass on the balance every 2 minutes for 12 minutes.

The student's results are shown in the table.

Time (minutes)	Mass (g)
0	154.2
2	150.5
4	148.2
6	146.5
8	145.3
10	144.0
12	142.9

The mass before the reaction starts is 154.2g.

How much carbon dioxide gas is made after 8 minutes?

Mass of carbon dioxide = ......g [2]

			12			
(c)	(i)	The student wants to pre This is made by reacting		mple of the soluble salt. ate and dilute hydrochloric a	acid.	
		Select the <b>three</b> correct	steps that the studer	nt uses to prepare the pure,	dry salt.	
		Put them in the order the	student completes	each step by labelling them	1, 2 and 3.	
		Crystallise the filtrate in a	an evaporating basin	l.		
		Distil the filtrate using fra	ctional distillation.			
		Filter the solution, leaving	g the magnesium ca	rbonate in the filter paper.		
		Filter the solution, leaving	g the salt in the filter	paper.		
		React hydrochloric acid v	with excess magnes	ium carbonate.		
		React magnesium carbo	nate with excess hyd	drochloric acid.		[3]
	(ii)	The student does the exp They measure the mass  Experiment number		eir results are shown in the	table.	
		1	20.95			
		2	22.36	-		
		3	21.78			
		4	23.40			
		Calculate the mean mass	-	_		

18 The table shows data about four different substances.

(a)

Substance	Melting point (°C)	Boiling point (°C)	Soluble in water?	Conducts electricity as a solid?	Conducts electricity when molten or dissolved?
Α	550	1300	yes	no	yes
В	-183	-162	no	no	no
С	420	907	no	yes	yes
D	1670	>1670	no	no	no


A scientist uses the information to find out what type of bonding is present in each substance.

	Solid Liquid Gas	[1]
	Put a ring around the correct answer.	
(iii)	What is the state of substance <b>B</b> at room temperature?	
	Reason 2	[3]
	Reason 1	
	Substance	
	Explain your answer.	
(ii)	Which of the substances is a <b>simple covalent</b> compound?	
		[2]
	Explain why the scientist is correct.	
(i)	The scientist thinks substance <b>A</b> is an <b>ionic</b> compound.	

(b) The scientist investigates some metals and metal alloys.

(i)	Describe the structure and bonding in a metal.	
	You can include a labelled diagram in your answer.	
		[3]
(ii)	Explain why metals are malleable.	
		[1]
(iii)	Explain why metals can conduct electricity.	
		[2]

(iv) The scientist has a diagram of one type of metal alloy as shown.



What is the smallest ratio of lead to tin in the alloy?

Ratio of lead to tin =	2

(v) The table shows data about other alloys made from tin, copper and silver.

	Alloy 1	Alloy 2	Alloy 3
Tin content (%)	95.5	99.0	96.5
Copper content (%)	0.7	0.7	0.5
Silver content (%)	3.8	0.3	3.0
Melting point (°C)	217	227	220


What is the relationship between the silver content and the melting point?
[1

19 A student investigates dyes.

(a)	Sor	me dyes are nanoparticles.	
	(i)	What is the size of a nanopa	rticle?
		Tick (✓) one box.	
		Less than 1nm	
		Between 1 and 100 nm	
		Between 100 and 1000 nm	
		Greater than 1000 nm	[1]
	(ii)	Some people think using nar keep using them.	noparticulate materials is dangerous. Other people want to
		State one advantage and or	ne disadvantage of using nanoparticulate materials.
		Advantage	
		Disadvantage	
			[2]

(b) The student uses paper chromatography to separate the dyes.

The diagram shows the apparatus at the start of the experiment.



Label the apparatus. Use phrases from the list.

Ink spot
Mobile phase
Pencil line
Solvent front
Stationary phase

[3]

(c) At the end of the experiment one of the dyes has moved 55 mm.

The solvent has moved 65 mm.

(i) Calculate the R<sub>f</sub> value of this dye.

Give your answer to 2 significant figures.

R<sub>f</sub> value of dye = ......[2]

		[2
	Explain why the student is incorrect.	
	The student thinks dye <b>X</b> is tartrazine.	
	The student knows that the food colouring tartrazine has an $R_{\rm f}$ value of 0.11.	
(ii)	Another dye, <b>X</b> , has an R <sub>f</sub> value of 0.22.	

20\* The table shows the results of two chemical reactions, A and B.


	Temperature at the start of the reaction (°C)	Temperature at the end of the reaction (°C)	Energy change (kJ/mol)
Reaction A	25.5	32.1	<b>–</b> 157
Reaction <b>B</b>	23.4	18.3	+ 241

(a) Use the information in the table to state if each of the reactions, A and B, are exothermic or

endothermic.	
Explain your answers.	
	ΓG

(b) A teacher wants to calculate the temperature change of another reaction.

The diagram shows the apparatus they use.



(i)	The teacher measures the temperature of the reaction at the start and end of the reaction.
	What apparatus do they use to measure the temperature?
	[1]
(ii)	The temperature of the reaction does not change. The teacher thinks too much heat is escaping from the apparatus.
	Suggest <b>two</b> ways they can improve the apparatus to stop the heat escaping.
	1
	2


[2]


(c) The diagrams show the reaction profiles for four different reactions.


Draw three lines to connect the reaction profile with its correct description.


# Reaction profile

# Description











Endothermic reaction with low activation energy



Exothermic reaction with high activation energy

[3]

**21** The diagram shows a ball and stick model for ethene,  $C_2H_4$ .




(a) Which statements about this ball and stick model of ethene are correct?

Tick (✓) two boxes.

The model shows how many electrons the carbon atoms have.	
The model shows how many electrons the hydrogen atoms have.	
The model shows how much space each atom fills.	
The model shows that the carbon atoms are bigger than the hydrogen atoms.	
The model shows the difference between double bonds and single bonds.	

**(b)** Molecules can be drawn using dot and cross diagrams.



Complete the dot and cross diagram for bromine,  $\mathrm{Br}_2$ .

Show the electrons in the outer shells only.

[2]

[2]

	20	
(c)	At room temperature, ethene is a gas and bromine is a liquid.	
	Use the particle model to describe <b>two</b> differences between the movement or arrangeme of the particles in ethene and the particles in bromine.	nt
	1	
	2	
		[2]
(d)	Ethene reacts with bromine to make a product.	
	The relative formula mass of the product is 187.8.	
	There are 2 carbon atoms and 4 hydrogen atoms in the product.	
	Calculate how many bromine atoms are in the product.	
	Number of bromine atoms =	. [3]

22 A student has a sample of a <b>liquid</b> .				
	(a)	(i)	State a method the student uses to find out if the sample is <b>pure</b> .  [1]	
		(ii)	The student finds out that the sample is <b>impure</b> .	
			The sample contains hexane, $C_6H_{14}$ , and cyclohexane, $C_6H_{12}$ .	
			What is the <b>empirical formula</b> of hexane?	
		(iii)	The boiling point of hexane is lower than the boiling point of cyclohexane.	
			Describe a method the student could use to obtain a sample of <b>pure</b> hexane from the mixture of cyclohexane and hexane.	
			You can include a labelled diagram in your answer.	
			[4]	

© OCR 2022

**(b) (i)** The student obtains 12.0 g of hexane from 15.2 g of the mixture of hexane and cyclohexane.

Calculate the percentage of hexane obtained.

Give your answer to 2 significant figures.

Percentage of hexane = ...... % [2]

(ii) Hexane reacts with oxygen in a combustion reaction.

Complete the **balanced symbol** equation for this reaction.

**2** 
$$C_6H_{14} + \dots CO_2 + \dots H_2O$$
 [1]

#### **END OF QUESTION PAPER**

# 26

# ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).			

© OCR 2022





#### **Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.

© OCR 2022