



Wednesday 1 December 2021— Afternoon GCSE (9–1) Physics A (Gateway Science)

J249/04 Paper 4 (Higher Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Physics A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



								\
Please write cle	arly in bl	ack ink.	Do no	t writ	e in the barcodes.			
Centre number					Candidate number			
First name(s)								
Last name								,

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 28 pages.

ADVICE

· Read each question carefully before you start your answer.

© OCR 2021 [601/8651/3] DC (MB/CT) 300816/5

OCR is an exempt Charity

Turn over

SECTION A

Answer all the questions.

You should spend a maximum of 30 minutes on this section.

Write your answer to each question in the box provided.

1 Carbon-12 is an isotope of carbon.

Carbon-12 contains 6 protons and 6 neutrons.

Which atom **X** is also an isotope of carbon?


- A ${}^{11}_5X$
- $^{12}_{5}X$
- $c \frac{13}{6} X$
- D ${}^{13}_{7}X$

Your answer

[1]

2 A student makes a wave in a ripple tank.

The student measures distance, L.



What is the wavelength of the wave?


- **A** 2.4 cm
- **B** 4.0 cm
- C 4.8 cm
- **D** 24 cm

Your answer

[1]

3	Whi	nich statement about infra red radiation is correct?				
	Α	Infra red has the shortest wavelength in the electromagnetic spectrum.				
	В	Infra red is emitted by humans.				
	С	Infra red is next to radio waves in the electromagnetic spectrum.				
	D	White objects absorb more infra red than black objects.				
	You	r answer	[1]			
4	Esti	mate the force needed to accelerate a car at 1 m/s ² .				
	Α	10 N				
	В	100 N				
	С	1000 N				
	D	10 000 N				
	You	r answer	[1]			
5	Hov	v can unwanted energy transfer be reduced?				
	Α	By adding lubrication				
	В	By decreasing efficiency				
	С	By increasing friction				
	D	By removing thermal insulation				
	You	r answer	[1]			

6 A cork floats on water. Ripples move across the surface of the water.



Which statement describes the motion of the cork?

- A It does not move.
- **B** It moves in the same direction as the direction of movement of the ripples.
- **C** It moves sideways parallel to the direction of movement of the ripples.
- **D** It moves up and down.

Your answer		[1
-------------	--	----

- 7 The two statements describe the mains electricity supply:
 - The a.c. potential difference between the earth wire and the live wire is **X** volts.
 - The a.c. potential difference between the earth wire and the neutral wire is **Y** volts.

Which row of the table correctly completes the sentences?

	X	Y
Α	0	0
В	0	230
С	230	0
D	230	230

Your answer	r41
Your answer	[1]

8 Four stages in the lifecycle of a star are P, Q, R and S:

Р	Nuclear fusion starts.
Q	The core collapses to form a white dwarf.
R	Dust and gas are pulled together by gravity.
S	The star expands to form a red giant.

What is the correct order of these stages?


- $A \quad P \rightarrow R \rightarrow Q \rightarrow S$
- $\mathbf{B} \quad \mathsf{P} \to \mathsf{S} \to \mathsf{R} \to \mathsf{Q}$
- $\mathbf{c} \quad \mathsf{R} \to \mathsf{P} \to \mathsf{S} \to \mathsf{Q}$
- $\mathbf{D} \quad \mathsf{R} \rightarrow \mathsf{Q} \rightarrow \mathsf{P} \rightarrow \mathsf{S}$

Your answer	[1]
-------------	-----

- **9** Which answer equals 2.45×10^9 Hz?
 - **A** 2.45 GHz
 - **B** 2.45 kHz
 - C 2.45 MHz
 - **D** 2.45THz

Your answer [1]

10 A student uses a glass prism to split white light into different colours.



Which statement describes the light in the prism?

- **A** Blue light is refracted less than red light.
- **B** Blue light slows down more than red light.
- **C** Red light has a shorter wavelength than blue light.
- **D** Red light has a smaller frequency change than blue light.

Your answer	[1]
-------------	-----

11 A teacher measures the activity of a radioactive source. They place different materials between the radioactive source and detector.

The results are shown in the table:

Material	Activity (counts per minute)
Air only	325
Sheet of paper	337
Aluminium, 5 mm thick	26
Lead, 15 mm thick	24

Which type of radiation is emitted by the radioactive source?

- A Alpha and beta particles only
- **B** Alpha particles only
- C Beta particles only
- **D** Gamma rays and beta particles only

Your answer		[1]
	I	

			7						
12	An	An electrical circuit has an alternating current.							
	Wha	at type of wave can be produ	ced by the alternating curre	nt?					
	Α	A Gamma rays							
	В	Radio							
	С	Ultraviolet							
	D	X-rays							
13	Your answer [1] An atom loses an electron after absorbing some electromagnetic radiation. Which row of the table describes what happens?								
		Energy of electron	Charge on the atom						
	Α	Decreases	Negative						
	В	Decreases	Positive						
	С	Increases	Negative						
	D	Increases	Positive						
	You	r answer		[1]					

- 14 Two students, A and B, climb some steps.
 - Student A has twice the mass of student B.
 - Student B climbs four times higher than student A.

Which statement about gravitational potential energy (GPE) is correct?

Use the equation: potential energy = mass × height × gravitational field strength

- **A** GPE gain of student **B** = $\frac{1}{4}$ × GPE gain of student **A**
- **B** GPE gain of student **B** = $\frac{1}{2}$ × GPE gain of student **A**
- **C** GPE gain of student **B** = 2 × GPE gain of student **A**
- **D** GPE gain of student $\mathbf{B} = 4 \times \text{GPE}$ gain of student \mathbf{A}

Your answer [1]

 $(final\ velocity)^2 - (initial\ velocity)^2 = 2 \times acceleration \times distance$

What is the correct equation for braking distance?

- **A** Braking distance = $(\text{final velocity})^2 (\text{initial velocity})^2 2 \times \text{acceleration}$
- **B** Braking distance = $\frac{(\text{final velocity})^2}{(\text{initial velocity})^2} 2 \times \text{acceleration}$
- **C** Braking distance = $2 \times \text{acceleration} \times ((\text{final velocity})^2 (\text{initial velocity})^2)$
- **D** Braking distance = $\frac{(\text{final velocity})^2 (\text{initial velocity})^2}{2 \times \text{acceleration}}$

Your answer		[1]
	1	

9

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

SECTION B

Answer all the questions.

- **16** This question is about visible light.
 - (a) (i) State one change that happens to light when it travels from water into air.
 - (ii) Diagram in Fig. 16.1 shows a ray of light from a fish in a container of water.

Complete the ray diagram in Fig. 16.1 to show the path of the ray after it leaves the water.

Include a normal line in your diagram.




Fig. 16.1

(b) Diagram in Fig. 16.2 shows three incident rays hitting the surface of the fish. Light is scattered from the surface of the fish.

Complete the diagram in Fig. 16.2 to show the scattered rays.




Fig. 16.2

[1]

[3]

	[2]
	Explain why the fish appears black under green light.
(c)	The fish appears red under white light.


- 17 A solar cell changes light into electricity. Solar panels contain solar cells.
 - (a) A student investigates a solar cell:
 - They change the intensity of the light.
 - They measure the potential difference across the solar cell.
 - (i) Table 17.1 shows the student's results:

Light intensity (W/m²)	Potential difference (V)
0.05	0.8
0.10	1.2
0.20	1.5
0.40	1.8
0.80	2.2
1.60	2.5

Table 17.1

Plot a graph of the results from **Table 17.1**. Two results have already been plotted for you.

Draw a line of best fit. [3]



(ii) The light intensity is changed to $2.00\,W/m^2$.

Use your graph to predict the potential difference of the solar cell.

Show your working on the graph.

Potential difference = V [2]

(iii)	Suggest one way the student could improve their investigation.							
(b) (i)	More people use solar panels to generate electricity	compared to	twenty years ago.					
	Suggest two reasons why.							
	1							
	2							
			[2]					
(ii)	A homeowner fits solar panels to the roof of their hou	ıse.						
	Table 17.2 gives the energy values for the house for one day:							
	Area of one solar panel	1.6 m ²						
	Area of roof that can be used	24 m ²						
	Maximum energy output of one solar panel	26 MJ						
	Energy needed by all appliances in the house	364 MJ						
	Table 17.2							
	Explain whether the energy needed by all the appliances can be generated using only solar panels.							
	Use Table 17.2 and your knowledge of solar panels	to explain you	ur answer.					
		[3]						

- **18** This question is about radioactive Plutonium-238 (Pu-238).
 - (a) Pu-238 can be used to produce electricity:
 - The Pu-238 undergoes radioactive decay.
 - This causes the temperature of the plutonium to increase.
 - Electricity is produced.

Complete the sentences using the words below.

You can use each word once, more than once, or not at all.

	cne	micai	elastic pote	ntiai	electro	static			
	grav	vitational pot	ential	nuclear	the	ermal			
	The				energy sto	re of the pl	utonium de	creases.	
	The				energy sto	re of the pl	utonium inc	reases.	[1]
b)	(i)	·	ı-238 undergo		·				
	(ii)	A Pu-238 nuc							
		²³⁸ ₉₄ Pu							
		Determine th emits an alph		mass of th	ne nucleus	and the nu	mber of pro	otons after Pu-2	238
		Mass of the r	nucleus						
		Number of pr	otons						[2]

(c) Fig. 18.1 shows how the activity of Pu-238 changes with time.




Fig. 18.1

Use Fig. 18.1 to find the half-life for Pu-238.

Show your working on the graph.

Half-life = years [2]

(d)	(i)	A different isotope of plutonium is used in nuclear fission .
		Describe how a chain reaction occurs in nuclear fission .
		[2]
	(ii)	Nuclear fusion occurs in the Sun.
		Describe what is meant by nuclear fusion .
		[1]

- 19 A radio signal is sent to Mars.
 - (a) Table 19.1 shows the distance from the Sun to Earth and the distance from the Sun to Mars, when Mars and Earth are closest.

Distance from the Sun to Earth	1.50 × 10 ¹¹ m
Distance from the Sun to Mars	2.28 × 10 ¹¹ m

Table 19.1

The radio signal travels at 300 000 000 m/s.

Calculate the minimum time for the radio signal to travel from Earth to Mars.

Use the data in **Table 19.1** and the equation: distance = speed × time

	Time = s [4]
(b)	The average surface temperature on Earth is 15 °C.
	Suggest whether the average temperature on Mars is higher or lower than 15°C.
	Use the data in Table 19.1 to explain your answer.
	[2]

20 A student uses an electric heater to raise the temperature of water.

Fig. 20.1 shows some of the equipment the student uses.




Fig. 20.1

The student obtains the data in Table 20.1:

Energy input to the heater	12000 J	
Increase in thermal energy store of the water	8400 J	

Table 20.1


(a) Use the data in **Table 20.1** to calculate the efficiency of the heater.

Efficiency =[3]

(b)	The heater is used for 5 minutes.
	Calculate the power of the heater.
	Use the data in Table 20.1 and the equation: energy transferred = power × time
	Power = W [3]
(c)*	Explain how the student uses the equipment in Fig. 20.1 to obtain the data in Table 20.1.
	In your answer you should:
	 Include how any extra equipment is used. Explain how the quantities are calculated.
	[6]
	[v]

21 Two springs are used to make a catapult. The catapult is used to shoot a ball vertically upwards.

The diagram shows the ball and catapult at different stages:



(a) At P the extension of each spring is 0.2 m.

The spring constant of each spring is 40 N/m.

Calculate the total elastic potential energy stored in the springs at P.

(b)	At ${\bf Q}$ the ball is released and has maximum kinetic energy. The springs have ${\bf no}$ extension at ${\bf Q}$.
	The kinetic energy of the ball at Q is less than the value of the elastic potential energy stored in the springs at P .
	Explain why.
	[2]
(c)	The springs are stretched to a new extension:
	 The total energy stored in the two springs is 2.4 J. The mass of the ball is 0.050 kg. At R the ball reaches maximum height.
	Calculate the maximum height reached by the ball.
	Use the equation: potential energy = mass × height × gravitational field strength
	Maximum height = m [4]
(d)	A student investigates how the mass of the ball affects its speed at Q .
	Describe one factor the student should control in their investigation.
	[1]

22	A van	travels	along	а	road	at	а	constant	speed.
----	-------	---------	-------	---	------	----	---	----------	--------

(a)	The van	brakes	and	decelerates	at a	constant	rate:
141	THE VAIL	Dianos	anu	uccelli ales	ala	CONSTAIN	Tate.

- The initial speed of the van is 18 m/s.
- The deceleration of the van is 1.5 m/s².

Calculate the time taken for the van to stop.

Use the equation: acceleration = change in velocity/time taken

	Time = s [3]
(b)	The same van travels on an icy road at 18 m/s.
	Explain how the stopping distance changes.
	Write about thinking and braking in your answer.
	[3]
(c)	If the van crashes, the time taken to stop is much smaller.
	Explain why this is dangerous for the people in the van.
	[21

23


BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

		24	
23	This	s question is about infra red (IR) and ultra violet (UV) radiation.	
	(a)	It took humans a long time to discover IR and UV radiation.	
		Suggest two reasons why.	
		1	
		2	
			[2
	(b)	Look at the information about some UV radiation:	
		 The wavelength of the UV radiation is 0.18 μm. The wave speed of the UV radiation is 3.0 × 10⁸ m. 	
		Calculate the frequency of the UV radiation.	
		Use the equation: wave speed = frequency × wavelength	
		Give your answer to 2 significant figures.	
		Frequency = Hz	[5]

(c) The ozone layer is part of the Earth's atmosphere.

This graph shows how the percentage of UV radiation **transmitted** by the ozone layer depends on wavelength:



(1)	Describe the difference in the absorption of UV radiation at 0.31 μm and 0.37 μm.	
	Use data from the graph in your answer.	
		[3]
(ii)	Why is the ozone layer important for humans on Earth?	
	Use the graph to help explain your answer.	
		[2

END OF QUESTION PAPER

26

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).			
• • • • • • • • • • • • • • • • • • • •			

 J



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.