AQA

Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

AS MATHEMATICS

Paper 2

Wednesday 22 May 2019 Morning Time allowed: 1 hour 30 minutes

Materials
- You must have the AQA Formulae for A-level Mathematics booklet.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space, use an AQA supplementary answer book; do **not** use the space provided for a different question.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.

Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
TOTAL	

Section A

Answer **all** questions in the spaces provided.

1 Find the gradient of the curve $y = e^{-3x}$ at the point where it crosses the y-axis.

Circle your answer.

[1 mark]

-3 -1 1 3

2 Find the centre of the circle $x^2 + y^2 + 4x - 6y = 12$

Tick (✓) **one** box.

[1 mark]

$(-2, -3)$ ☐

$(-2, 3)$ ☐

$(2, -3)$ ☐

$(2, 3)$ ☐

3 It is given that $\sin\theta = -0.1$ and $180° < \theta < 270°$

Find the exact value of $\cos\theta$

[2 marks]

4 Show that, for $x > 0$

$$\log_{10}\frac{x^4}{100} + \log_{10} 9x - \log_{10} x^3 \equiv 2(-1 + \log_{10} 3x)$$

[4 marks]

Turn over for the next question

5 A triangular prism has a cross section *ABC* as shown in the diagram below.



Angle $ABC = 25°$

Angle $ACB = 30°$

$BC = 40$ millimetres.

The length of the prism is 300 millimetres.

Calculate the volume of the prism, giving your answer to three significant figures.

[4 marks]

6 A curve has equation $y = \dfrac{2}{x\sqrt{x}}$



The region enclosed between the curve, the x-axis and the lines $x = 1$ and $x = a$ has area 3 units.

Given that $a > 1$, find the value of a.

Fully justify your answer.

[5 marks]

7 The points A (a, 3) and B (10, 6) lie on a circle.

AB is a diameter of the circle and passes through the point (2, 4)

The circle has equation

$$(x - c)^2 + (y - d)^2 = e$$

where c, d and e are rational numbers.

Find the values of a, c, d and e.

[6 marks]

Do not write outside the box

Turn over for the next question

8 A curve has equation

$$y = x^3 + px^2 + qx - 45$$

The curve passes through point R (2, 3)

The gradient of the curve at R is 8

8 (a) Find the value of p and the value of q.

[5 marks]

Do not write outside the box

8 (b) Calculate the area enclosed between the normal to the curve at R and the coordinate axes.

[5 marks]

9 A curve C has equation $y = f(x)$ where

$$f(x) = (x - 2)(x - 3)^2$$

9 (a) Find the exact coordinates of the turning points of C.

Determine the nature of each turning point.

Fully justify your answer.

[8 marks]

9 (b) State the coordinates of the turning points of the curve

$$y = \mathrm{f}(x + 1) - 4$$

[2 marks]

Turn over for the next question

10 As part of an experiment, Zena puts a bucket of hot water outside on a day when the outside temperature is 0°C.

She measures the temperature of the water after 10 minutes and after 20 minutes. Her results are shown below.

Time (minutes)	10	20
Temperature (degrees Celsius)	30	12

Zena models the relationship between θ, the temperature of the water in °C, and t, the time in minutes, by

$$\theta = A \times 10^{-kt}$$

where A and k are constants.

10 (a) Using $t = 0$, explain how the value of A relates to the experiment.

[1 mark]

10 (b) Show that

$$\log_{10} \theta = \log_{10} A - kt$$

[1 mark]

10 (c) Using Zena's results, calculate the values of A and k.

[4 marks]

10 (d) Zena states that the temperature of the water will be less than 1°C after 45 minutes.

Determine whether the model supports this statement.

[3 marks]

10 (e) Explain why Zena's model is unlikely to accurately give the value of θ after 45 minutes.

[1 mark]

Section B

Answer **all** questions in the spaces provided.

11 A survey is undertaken to find out the most popular political party in London.

The first 1100 available people from London are surveyed.

Identify the name of this type of sampling.

Circle your answer.

[1 mark]

simple random opportunity stratified quota

12 Manny is studying the price and number of pages of a random sample of books.

He calculates the value of the product moment correlation coefficient between the price and number of pages in each book as 1.05

Which of the following best describes the value 1.05?

Tick (✓) **one** box.

[1 mark]

definitely correct ☐

probably correct ☐

probably incorrect ☐

definitely incorrect ☐

Do not write outside the box

Turn over for the next question

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

13 Denzel wants to buy a car with a propulsion type **other than** petrol or diesel.

He takes a sample, from the Large Data Set, of the CO_2 emissions, in g/km, of cars with one particular propulsion type.

The sample is as follows

82 13 96 49 96 92 70 81

13 (a) Using your knowledge of the Large Data Set, state which propulsion type this sample is for, giving a reason for your answer.

[2 marks]

13 (b) Calculate the mean of the sample.

[1 mark]

13 (c) Calculate the standard deviation of the sample.

[1 mark]

13 (d) Denzel claims that the value 13 is an outlier.

13 (d) (i) Any value more than 2 standard deviations from the mean can be regarded as an outlier.

Verify that Denzel's claim is correct.

[1 mark]

13 (d) (ii) State what effect, if any, removing the value 13 from the sample would have on the standard deviation.

[1 mark]

Turn over for the next question

14 A probability distribution is given by

$$P(X = x) = c(4 - x), \text{ for } x = 0, 1, 2, 3$$

where c is a constant.

14 (a) Show that $c = \frac{1}{10}$

[2 marks]

14 (b) Calculate $P(X \geq 1)$

[2 marks]

15 Two independent events, A and B, are such that

$$P(A) = 0.2$$

$$P(A \cup B) = 0.8$$

15 (a) (i) Find $P(B)$

[4 marks]

15 (a) (ii) Find $P(A \cap B)$

[1 mark]

15 (b) State, with a reason, whether or not the events A and B are mutually exclusive.

[1 mark]

16 Andrea is the manager of a company which makes mobile phone chargers.

In the past, she had found that 12% of all chargers are faulty.

16 (a) Andrea decides to move the manufacture of chargers to a different factory.

Andrea tests 60 of the new chargers and finds that 4 chargers are faulty.

Investigate, at the 10% level of significance, whether the proportion of faulty chargers has reduced.

[7 marks]

Do not write outside the box

16 (b) State, **in context**, two assumptions that are necessary for the distribution that you have used in part **(a)** to be valid.

[2 marks]

_____

_____

_____

_____

_____

_____

END OF QUESTIONS

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED