

Н

Friday 27 May 2022 – Morning

GCSE (9–1) Combined Science (Chemistry) A (Gateway Science)

J250/09 Paper 9 (Higher Tier)

Time allowed: 1 hour 10 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Combined Science (Chemistry) A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clea	arly in	black	k ink.	Do no	ot writ	te in the barcodes.		
Centre number						Candidate number		
First name(s)								
Last name								

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 60.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 20 pages.

ADVICE

· Read each question carefully before you start your answer.

© OCR 2022 [601/8687/2] DC (LK/CT) 300255/6

OCR is an exempt Charity

Turn over

SECTION A

Answer all the questions.

You should spend a maximum of 20 minutes on this section.

Write your answer to each question in the box provided.

A molecule of glucose has the molecular formula C ₆ H	I ₁₂ O ₆ .
--	----------------------------------

What is the empirical formula of glucose?

- A CHO
- B CH₂O
- $C C_6 H_{12} O_6$
- **D** $(CO)_6H_{12}$

Your answer [1]

2 The equation shows the reaction between carbon dioxide, CO_2 , and hydrogen, H_2 .

$$\mathrm{CO_2} + \mathrm{H_2} \, \rightarrow \, \mathrm{CO} + \mathrm{H_2O}$$


What has been reduced in this reaction?

- A CO
- B CO₂
- \mathbf{C} \mathbf{H}_2
- $D H_2O$

Your answer [1]

3	Whi	nich statement describes the isotopes of an element?					
	A	Atoms that have different numbers of protons but the same number of electrons.					
	В	Atoms that have different numbers of protons but the same number of neutrons.					
	С	Atoms that have the same number of protons but different numbers of electrons.					
	D	Atoms that have the same number of protons but different numbers of neutrons.					
	Your answer						
4	Whi	ch substance is an example of a formulation ?					
	A	A macromolecule					
	В	A metal					
	С	An alloy					
	D	An ionic compound					
	You	ranswer	[1]				

5 The diagram shows a chromatogram produced by paper chromatography.



What is the $R_{\rm f}$ value?

- **A** -10
- **B** -5
- **C** 0.67
- **D** 1.5

Your answer		[1
-------------	--	----

6 The table shows some information about four different acids.

Acid	Number of particles per cm ³ of acid solution	Degree of ionisation (%)		
Α	high	1		
В	low	1		
С	high	100		
D	low	100		

Which acid is a **dilute** solution of a **strong** acid?

Your answer	[1]

7 The ionic equation shows the reaction of chlorine, Cl_2 , with sodium bromide, NaBr.

$$\mathrm{C}l_2^{} + 2\mathrm{Na}^+ + 2\mathrm{Br}^- \longrightarrow \mathrm{Br}_2^{} + 2\mathrm{Na}^+ + 2\mathrm{C}l^-$$

What is the **simplest** ionic equation for this reaction?

A
$$Cl_2 + 2NaBr \rightarrow Br_2 + 2NaCl$$

$$\mathbf{B} \quad \mathrm{C} l_2 + \mathrm{Na^+} + \mathrm{Br}^- \longrightarrow \mathrm{Br}_2 + \mathrm{Na^+} + \mathrm{C} l^-$$

$$\mathbf{C} \quad \mathrm{C} l_2 + \mathrm{Br}^- \longrightarrow \mathrm{Br}_2 + \mathrm{C} l^-$$

D
$$Cl_2 + 2Br^- \rightarrow Br_2 + 2Cl^-$$

Your answer [1]

8 The diagram shows the reaction of hydrogen, H_2 , and oxygen, O_2 , to make water, H_2O .

The energy required to break all the H–H and O=O bonds is 1368 kJ/mol. The energy change for the reaction is –484 kJ/mol.

What is the bond energy for the **O–H** bond?

- A 463 kJ/mol
- B 884 kJ/mol
- C 926kJ/mol
- **D** 1852 kJ/mol

Your answer [1]

9	A solution has a pH of 3.						
	The solution is diluted with water by a factor of 1000.						
	What is the pH of the solution after dilution?						
	Α	2					
	В	4					
	С	5					
	D	6					
	Your answer [7						
10	Wh	Vhat is the definition of the mole ?					
	A	One mole contains 1 g of atoms.					
	В	One mole contains 6.022×10^{23} particles.					
	С	One mole is equal to the relative atomic mass of an element.					
	D	One mole is the number of atoms contained in one molecule.					
	You	ir answer	[1]				

7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE


SECTION B

Answer **all** the questions.

11 Fullerenes are allotropes of carbon that have many uses.

Fig. 11.1 shows a molecule of a fullerene.

Fig. 11.1



(a) (i) Which group of allotropes contain this fullerene?

Tick **one** (✓) box.

Inorganic	
Organic	
Physical	

[1]

(ii) What is the approximate size of a molecule of this fullerene?

Tick **one** (✓) box.

[1]

(b)	The	The carbon atoms in fullerenes are joined by covalent bonds.					
	(i)	Explain how two atoms of carbon form a covalent bone	d.				
					[2		
	(ii)	How many covalent bonds does one atom of carbon to shown in Fig. 11.1 ?	form in a m	olecule of fu	ıllerene, as		
					[1]		
(c)	The	e model used to show the molecule of fullerene in Fig. 1	1.1 has limi	tations.			
	The table shows some statements about the model.						
	Which statements about this model are true , and which are false ?						
	Tick one (✓) box in each row.						
			True	False			
	11	t shows the length of the covalent bonds.					
	11	t shows the size of the carbon atoms.					


It shows the three-dimensional shape of the molecule.

[2]

(d) Fullerenes can be used as lubricants. Lubricants reduce the friction between moving parts.

Fig. 11.2 shows a lubricant being sprayed onto the chain of a motorbike.

Fig. 11.2



(i) Explain why fullerenes can be used as lubricants.Use ideas about the structure and bonding of the fullerene shown in Fig. 11.1 in your

	answer.
	[2]
(ii)	A lubricant may need to be used at high temperatures.
	Explain why fullerenes can be used at high temperatures.
	Use ideas about the structure and bonding of the fullerene shown in Fig. 11.1 in your answer.
	হৈ

11

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

12	Potassium	chloride	KC1	is an	ionic	compound
14	i olassiuiii	or nor lac.	110ι	io aii	101110	COMPOUNC

It is made from potassium ions, K^+ , and chloride ions, Cl^- .

·
Explain why potassium is found in Group 1 of the Periodic Table.
Use ideas about the arrangement of electrons in an atom of potassium.
[1]
Explain how an atom of potassium reacts with an atom of chlorine to make potassium chloride
[2]
A student electrolyses potassium chloride.
The diagram shows the equipment they use.
Battery Solid potassium chloride
The student's experiment does not work.
Describe and explain two ways the student could change the experiment to make it work.
1

2

[4]

		[2]	
	Explain how potassium atoms are made from potassium ions.		
(d)	d) In the successful electrolysis of potassium chloride, potassium is made at the cathode.		

13* Hydrogen can form compounds with the Group 7 elements. These compounds are simple covalent molecules.

For example,

hydrogen + chlorine \rightarrow hydrogen chloride

$$\mathrm{H_2}$$
 + $\mathrm{C}l_2$ \rightarrow 2HC l

When simple covalent molecules are heated, they thermally decompose back into their elements.

For example,

hydrogen chloride → hydrogen + chlorine

$$2HCl \rightarrow H_2 + Cl_2$$

Tables 13.1 and **13.2** show information about the compounds formed from hydrogen and some Group 7 elements.

Table 13.1

Compound	Structure of molecule	Boiling point (°C)	Temperature needed for thermal decomposition (°C)
hydrogen chloride	H-C1	-85	over 1500
hydrogen bromide	H–Br	-67	over 1000
hydrogen iodide	H–I	-35	over 200

Table 13.2

Compound	Structure of molecule	Size of molecule (pm)	Strength of covalent bond (kJ/mol)
hydrogen chloride	H-C1	127	431
hydrogen bromide	H–Br	141	366
hydrogen iodide	H–I	161	299

Describe the trends in the properties of the compounds in Table 13.1.

Explain these trends using information from Table 13.2 and ideas about the structure and bonding of simple covalent molecules.
[6]

14	Calcium is a metal found in Group 2 of the Periodic Table.				
	(a)	Draw the arrangement of electrons in an atom of calcium.			
		[1]			
	(b)	Calcium is a metal which can conduct electricity.			
		Describe the structure and bonding in a metal and explain why metals can conduct electricity.			
		You can include a diagram in your answer.			
		[4]			


(c)	Cal	cium reacts with water to form a solution of calcium hydroxide, Ca(OH) ₂ , and hydrogen.	
	(i)	Write the balanced symbol equation for the reaction of calcium with water.	
		Include state symbols in your equation.	
			[3]
	(ii)	A solution of calcium hydroxide is also called limewater .	
		Name the gas limewater is used as a test for.	
			[1]
(d)	250	cm ³ of a solution contains 1.88 g of calcium hydroxide, Ca(OH) ₂ .	
	(i)	Calculate the number of moles in 1.88 g of calcium hydroxide.	
		Give your answer to 2 significant figures.	
		Relative atomic mass (A_r) : H = 1.0 O = 16.0 Ca = 40.1	
		Number of moles of calcium hydroxide =	[3]
	(ii)	Use your answer to part (d)(i) to calculate the concentration of calcium hydroxide in t solution formed.	he
		Give your answer in mol/dm ³ .	

Concentration of solution = mol/dm³ [2]

(e) A student adds an excess of dilute hydro Ca(OH) ₂ .		udent adds an excess of dilute hydrochloric acid, HGI , to a solution of calcium hydroxide, $OH)_2$.
	(i)	Write the balanced ionic equation for the reaction of dilute hydrochloric acid and a solution of calcium hydroxide.
		[1]
	(ii)	Describe and explain how the pH of the solution of calcium hydroxide changes as the dilute hydrochloric acid is added until it is in excess.
		101

15 Colour changes can be used to show that oxidation and reduction happen in chemical reactions.

The diagram shows the reaction between an acidic solution of vanadium(IV) oxide and zinc.



As the reaction happens the colour of the solution turns from **blue** to **green**.

The balanced half equation shows the reaction of vanadium(IV) oxide.

$$VO^{2+}$$
 + $2H^+$ + $e^ \rightarrow$ V^{3+} + H_2O

(a) A student thinks that the half equation shows that **reduction** has taken place.

Describe two ways in which the half equation shows the student is correct.

[2]

(b) This half equation shows the reaction of the zinc.

$$Zn \rightarrow \dots + 2e^-$$

Complete the half equation for the reaction.

[1]

(c) The student removes the zinc from the green solution by filtration. When they add some nitric acid to this solution it turns back from green to blue.

What is the role of the dilute nitric acid in this reaction?

Tick one (✓) box.

A base

A reducing agent

An oxidising agent

[1]

END OF QUESTION PAPER

20

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).		



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.