

# Monday 19 June 2023 - Morning

## **A Level Computer Science**

H446/02 Algorithms and programming

Time allowed: 2 hours 30 minutes

*	
Ø	
μ	
0	
IJ	
0	
0	
0	
IJ	
ω	
00	
*	

You can use:  • a ruler (cm/mm)  • an HB pencil	
Do not use:  • a calculator	

 	 =	 	

Please write clea	arly in	black	ink.	Do no	ot writ	e in the barcodes.		
Centre number						Candidate number		
First name(s)								
Last name								

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- · Answer all the questions.

#### **INFORMATION**

- The total mark for this paper is **140**.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has 32 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.

© OCR 2023 [601/4911/5] DC (ST/SW) 312345/4 OCR is an exempt Charity

Turn over

2 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

© OCR 2023


## Section A

1

A tree is	one example	of a data s	structure.					
(a) (i)	Give <b>two</b> cha	aracteristic	s of a tre	e data stru	ıcture.			
	1							
	2		• • • • • • • • • • • • • • • • • • • •	•••••				
								[2]
(ii)	The following	ı data is er	ntered into	o a binary	search tre	e.		
	22	13	5	36	55	14	8	
	Draw the bina	ary search	tree whe	n the give	n data is e	ntered in	the order giver	٦.
								[4]

(iii)	Describe how a <b>leaf node</b> is deleted from a binary search tree.	
		[2]
(iv)	Describe how a binary search tree can be searched for a value.	
		[4]

(v) Identify the order that the nodes will be visited in a **depth-first (post-order)** traversal of this binary search tree.



(b) A graph is another type of data structure.

An example graph is shown in Fig. 1.




Fig. 1

Show how Dijkstra's algorithm can be used on the graph shown in **Fig. 1** to find the shortest path from start node A to end node G.

You must state the nodes o	on the final path and the distance	of this path. Show your working.
You may use the table belo	w to give your answer.	
Node	Distance travelled	Previous node
Final path:		
Distance:		•
Distance		[6]

2\* A company needs a new computer program that will create schedules for delivery drivers. It will need to identify a possible order that the drivers can deliver items and possible routes they could take.

Discuss how programmers could make use of problem recognition and problem decomposition when designing this system.

You should include the following in your answer:

- a description of both problem recognition and decomposition
- how each method can be used when designing the solution

the benefits of using each method when designing the solution.	[9]


3 A program stores data in a linked list.

The current contents of the linked list are shown in Fig. 3, along with the linked list pointers.

		location	data	pointer
headPointer	1	0	"blue"	6
eListPointer	4	1	"red"	0
		2	"green"	8
		3	"orange"	NULL
		4		5
		5		7
		6	"grey"	2
		7		9
		8	"purple"	3
		9		NULL

Fig. 3

(a)	State the purpose of headPointer and freeListPointer in the linked list shown in Fig. 3.
	headPointer
	freeListPointer
	[2]
(b)	
	[1]
(c)	A procedure outputs the data in the linked list shown in <b>Fig. 3</b> from the first item in the list, to the last item.
	Give the output from the procedure.
	[2]

(d)	A new item needs to be added to the linked list.						
	Describe how a new item is added to a linked list.						
	[4]						
(e)	The function findNode will search the linked list and return either the position of the node						
( <del>c</del> )	that contains the data item, or -1 if the data item is not found.						
	The data held in a node at location $x$ can be accessed with $linkedList[x]$ .data. The pointer of the node at location $x$ can be accessed with $linkedList[x]$ .pointer.						
	For example, using the linked list shown in Fig. 3: linkedList[2].data returns green. linkedList[2].pointer returns 8.						
	Complete the function, using pseudocode or program code.						
	<pre>function findNode(toFind, headPointer, linkedList)</pre>						
	<pre>currentNode =</pre>						
	while(currentNode !=)						
	<pre>if linkedList[currentNode] == toFind then</pre>						
	return currentNode						
	else						
	<pre>currentNode = linkedList[].pointer</pre>						
	endif						
	endwhile						
	return						
	endfunction [5]						

- 4 A programmer has designed a program that includes a reusable program component.
  - (a) The reusable program component is a function called isInteger(). This will take a string as an argument and then check that each digit is between 0 and 9. For example if 103 is input, it will check that the digits 1, 0 and 3 are each between 0 and 9.

The asc() function returns the ASCII value of each digit. For example asc("1") returns 49.

The ASCII value for 0 is 48. The ASCII value for 9 is 57.

```
01
     function isInteger(number)
02
       result = true
03
       for count = 0 to number.length-1
04
         asciiValue = asc(number.substring(count, 1))
         if not(asciiValue >= 48 and asciiValue <= 57) then
05
           result = false
06
07
         endif
8 0
       next count
       return result
09
     endfunction
10
   Identify one identifier used in the function isInteger().
    .....[1]
(ii) Give the line number where the branching (selection) construct starts in the function
    isInteger().
    .....[1]
(iii) Give the line number where the iteration construct starts in the function isInteger().
```

(b)	Describe the purpose of the following lines in the function <code>isInteger()</code> .
	Line 03
	Line 04
	Line 09
	[3]
(c)	Give <b>two</b> reasons why reusable program components are used in programs.
	1
	2
	[2]

5	A re	A recursive pseudocode function, recursiveAlgorithm(), is shown.						
	01	function recursiveAlgorithm(value)						
	02	if value <= 0 then						
	03	return 1						
	04	elseif value MOD $2 = 0$ then						
	05	return value + recursiveAlgorithm(value - 3)						
	06	else						
	07	return value + recursiveAlgorithm(value - 1)						
	08	endif						
	09	endfunction						
	(a)	Describe the key features of a recursive algorithm.						
		You may refer to the function, recursiveAlgorithm() in your answer.						

.....[3]

© OCR 2023

race the recursive function, recursiveAlgorithm(), and give the final return value hen called with recursiveAlgorithm(10). You may choose to use the table below to ive your answer.							
Function call	value	return					
Final return value		[5					

6 Octal is a base 8 number system.

To convert a denary number to base 8:

- the denary value is divided by 8 and the remainder is stored
- the integer value after division is divided by 8 repeatedly until 0 is reached
- the remainders are then displayed in reverse order.

Example 1: Denary 38		
	38 / 8 = 4 remainder 6 4 / 8 = 0 remainder 4	6
Octal = 46	4 / o – 0 remainder 4	4
Example 2: Denary 57		
-	57 / 8 = 7 remainder 1	1
	7 / 8 = 0 remainder 7	7
Octal = 71		

Write an algorithm to:

take a denary value as input from the user

You do **not** need to validate the input from the user.

- convert the number to octal
- output the octal value.

Write your algorithm using pseudocode or program code.

© OCR 2023

......[6]

## 17

## **BLANK PAGE**

PLEASE DO NOT WRITE ON THIS PAGE

Turn over © OCR 2023

(a) A program designer needs to decide on an algorithm to use from a choice of three. The table shows the worst-case Big O complexities for each algorithm.

Algorithm	Time Complexity	Space Complexity
1	Linear	Exponential
2	Exponential	Constant
3	Logarithmic	Logarithmic

The program will be used to analyse data that can range from 2 items to 2 billion items.

Compare the use of all **three** algorithms and suggest which the programmer should use.

You should include the following in your answer:

- the meaning of constant, logarithmic, linear and exponential complexity
- how well each algorithm scales as the amount of data increases

which algorithm is the most suitable for the given task.

[9


(b)	The	he program designer is investigating the use of concurrent processing.					
	(i) Describe what is meant by the term 'concurrent processing'.						
		[2]					
	(ii)	Give <b>two</b> benefits of using concurrent processing.					
		1					
		2					
		[2]					

(c) The programmer needs to use a merge sort in one part of the problem to sort items in

asc	ending order.
(i)	Describe how a merge sort works.
	[5]
(ii)	Give <b>one</b> benefit and <b>one</b> drawback of the programmer using a merge sort instead of a bubble sort.
	Benefit
	Drawback
	[2]

(d) The programmer uses an Integrated Development Environment (IDE).

Complete the table by identifying **and** describing **three** IDE features that can help the programmer to develop, or debug a program.

IDE feature	Description

[6]

8

	rogram is being designed that will allow a user to log into an account on a website using a rname and password.	
(a)	Identify <b>two</b> possible inputs and <b>one</b> output this program will need.	
	Input 1	
	Input 2	
	Output	
		[3]
(b)	Identify <b>two</b> possible sub-procedures that could be used in this program.	
	1	
	2	
		[2]

## 24 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

© OCR 2023

## Section B

9	A text-based computer game allows a user to dig for treasure on an island. The island is
	designed as a grid with 10 rows and 20 columns to store the treasure. Each square is given an
	x and y coordinate. Some of the squares in the grid store the name of a treasure object. Each
	treasure object has a value, e.g. 100 and a level, e.g. "Bronze."

(a) The computer game makes use of abstraction.

(i)	Describe what is meant by the term abstraction and give an example of how abstraction can be used in the treasure game.
	Description:
	Example:
	[3]
(ii)	Give three benefits of using abstraction when writing a program.
	1
	2
	3

© OCR 2023 Turn over

[3]

**(b)** The treasure game is being programmed using an object-oriented paradigm.

A class, Treasure, is used to store the treasure objects.

You do not need to write the get methods.

The design for the Treasure class, its attributes and methods is shown here.

class: Treasure
attributes: private value : integer private level : string
<pre>methods: new() function getValue() function getLevel()</pre>

The constructor method takes a value as an integer, e.g. 100, and a level, e.g. "bronze", as parameters and assigns these to the attributes.

Write pseudocode or program code to declare the class Treasure.

You should define the attributes and constructor method in your answer.

© OCR 2023

(11)	The get method getLevel () will return the appropriate attribute.	
	Write the method <code>getLevel()</code> using either pseudocode or program code.	
(iii)	Describe the object-oriented programming technique being used in part 9(b)(ii).	[2]
		[2]

(c) A class, Board, is used to store the 10 row (x coordinate) by 20 column (y coordinate) grid.

The design for the Board class, its attributes and methods is shown here.

```
class: Board
attributes:
private grid : Array of Treasure
methods:
new()
function getGridItem(x, y)
function setGridItem(x, y, treasureToInsert)
```

The constructor initialises each space in the grid to a treasure object with value as -1 and level as an empty string.

Complete the following pseudocode for the constructor method.

```
public procedure new()
 for row = ..... to 9
   for column = 0 to .....
    ..... [row, column] = new Treasure(.....,"")
   next .....
 next row
endprocedure
```

[5]

- (d) A procedure, guessGrid():
  - takes a Board object as a parameter
  - accepts the row (x) and column (y) coordinates from the user
  - outputs "No treasure" if there is no treasure found at the coordinate (level is an empty string)
  - if there is treasure at that coordinate, it outputs the level and the value of the treasure in an appropriate message.

•		
•		
•		
p	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a	
p	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a paradigm.	
p	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a paradigm.	
p	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a paradigm.	
r 1	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a paradigm.  1	a procedural
r 1	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a paradigm.	a procedural
1	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a paradigm.  1	a procedural
r 1	Describe <b>two</b> benefits of using an object-oriented paradigm rather than a paradigm.  1	a procedural

(f)\* The main program initialises a new instance of Board. The programmer is considering declaring this as a global variable or as a local variable and then passing this into the subroutines that control the game.

Compare the use of variables and parameters in this game.

You should include the following in your answer:

- what is meant by a local variable and global variable
- how local and global variables can be used in this program

•	the use of passing parameters by value and by reference.	[9]

 	 •	 

## **END OF QUESTION PAPER**

#### 32

### **ADDITIONAL ANSWER SPACE**

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).			



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.

© OCR 2023