

Please write clearly in	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

GCSE PHYSICS

H

Higher Tier Paper 2

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- a protractor
- the Physics Equations Sheet (enclosed).

Instructions


- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use					
Question	Mark				
1					
2					
3					
4					
5					
6					
7					
8					
9					
TOTAL					







	Answer all questions in the spaces provided.
0 1	The thinking distance and braking distance for a car vary with the speed of the car.
1.1	Explain the effect of two other factors on the braking distance of a car.
	Do not refer to speed in your answer. [4 marks]
	Question 1 continues on the next page
	and the second of the second o




0 1.2	Which equation links acceleration (a), mass (m) and resultant force (F). Tick (\checkmark) one box.	[1 mark]
	resultant force = mass × acceleration	
	resultant force = mass × acceleration ²	
	resultant force = $\frac{\text{mass}}{\text{acceleration}^2}$	
	resultant force = $\frac{\text{mass}}{\text{acceleration}}$	
0 1 . 3	The mean braking force on a car is 7200 N.	
0 1 . 0		
	The car has a mass of 1600 kg.	
	Calculate the deceleration of the car.	[3 marks]
	Deceleration =	m/s²



0 1.4

Figure 1 shows how the thinking distance and braking distance for a car vary with the speed of the car.

Figure 1



Determine the stopping distance when the car is travelling at 80 km/	etermine the	e stoppina	distance	when the	car is t	ravelling	at 80	km/ł
--	--------------	------------	----------	----------	----------	-----------	-------	------

[2 marks]


Stopping distance = n

Question 1 continues on the next page



Figure 2 shows part of the braking system for a car.

Figure 2



0 1. 5 Which equation links area of a surface (*A*), the force normal to that surface (*F*) and pressure (*p*).

[1 mark]

Tick (✓) one box.

$$p = F \times A$$

$$p = F \times A^2$$

$$\rho = \frac{F}{A}$$


$$\rho = \frac{A}{F}$$



0 1.6	When the brake pedal is pressed, a force of 60 N is applied to the piston.		Do not write outside the box
	The pressure in the brake fluid is 120 000 Pa.		
	Calculate the surface area of the piston.		
	Give your answer in standard form.		
	Give the unit.	[5 marks]	
			Find Pe
			ersonal Tu
			Find Personal Tutor from www.wisesprout.co.uk
			/ww.wises
			orout.co.ul
	Surface area (in standard form) = Unit		报 16 16

Turn over for the next question








0 2 .

Figure 3 shows a child on a playground toy.

The springs have been elastically deformed.

Do not write outside the box





Explain what is meant by 'elastically deformed'.	[2 marks]

Question 2 continues on the next page




box

A student investigated the relationship between the force applied to a spring and the extension of the spring.

Figure 4 shows the results.

Figure 4





0 2 . 2	Describe a method the student could use to obtain the results given in Figure	re 4.
	You should include a risk assessment for one hazard in the investigation.	
	Your answer may include a diagram.	[6 marks]
	Question 2 continues on the next page	



0 2.3	Which eq	juation links	extensio	n (e), force	(<i>F</i>) and sp	ring consta	ant (<i>k</i>).	[1 mark]
	Tick (✓)	one box.						[1.116111]
	force = s	pring consta	ant × (exte	ension) ²				
	force = s	pring consta	ant × exte	nsion				
	force = $\frac{1}{s}$	extension pring consta	ant					
	force = S	pring consta extension	ant_					
	Figure 4 i	s repeated	below.	Figure 4				
	5.0						×	
Force in newtons	4.0							
	3.0							
	2.0							
	1.0							
	0.0	0.02	0.04	0.06 Extensi	0.08	0.10	0.12	0.14




0 2 . 4	Determine the spring constant of the spring.
	Use Figure 4.
	[3 marks]
	Spring constant = N/m
	Opinig Constant = N/III
0 2 . 5	The student concluded:
	'The extension of the spring is directly proportional to the force applied to the spring.'
	Describe how Figure 4 supports the student's conclusion.
	[2 marks]
	Question 2 continues on the next page



0 2 . 6	The student repeated the investigation using a different spring with a spring constant of 13 N/m.				
	Calculate the elastic potential energy of the spring when the extension of the spring was 20 cm.				
	Use the Physics Equations Sheet. [3 marks]				
	Elastic potential energy = J				







	•		1
	:		
	3	۰	
	•		1
	(1	ĺ
	9		
	•		
	;		
	9		١
	í		
	3		
	(
	•		
	•		
	,	,	
	:		
	•	è	
	:		
	:	5	
	•		
	:		
	i	•	7
	i		
	i	٠	7
•	(
	:		
	(
	9		
	:		
	9		
	٩		
	9		


~
ن
III
は女子
-
v
^
.14
лII
41
=
ᆫ
•
-
_
ш
-
_
-
70
ſU
i.
11
м
5
_
г
4
쁖
誰
畫
盐山
五小叶及一苗中
盐
出り
は中で
Ċ
Ċ
Ċ
Ċ
Ċ
Ċ
世少 (別言)
Ċ
Ċ
Ċ
Ċ
Ċ
Ċ
Ċ
Ċ

0 3	A main sequence star in a distant galaxy is the same size and mass as the Sun.
0 3.1	Explain why the star is stable while it is in the main sequence stage of its life cycle. [2 marks]
0 3.2	Describe what will happen to the star between the main sequence stage and the end of the star's life cycle.
	You should include the names of the stages in the life cycle of the star. [3 marks]



Figure 5 shows how the speed of galaxies moving away from Earth varies with the distance of the galaxies from Earth.

Figure 5



Which galaxy would show the smallest observed change in the wavelength of visible light?

Give a reason for your answer.


[2 marks]

Tick (✓) one box.

Reason _____

Lenses are used to form images of objects.

- 0 4.
- Figure 6 shows how a concave lens forms an image of an object.



The image of the object in **Figure 6** is upright.

Give **two** other words that describe the image.

[1 mark]

- 1
- 2



0 4 . 2 Fig

Figure 7 shows an object near to a convex lens.


Do not write outside the box

Complete the ray diagram to show how the image is formed.

Use an arrow to represent the image.

[3 marks]

Figure 7




Question 4 continues on the next page



The position of an image formed by a convex lens varies with the distance between the object and the lens.

Figure 8 shows the results of a student's investigation using a convex lens.

Figure 8



Describe now the distance of the image from the lens decreases as the distance	3
 between the object and the lens increases.	
[1	mark]



Do not write


0 4 . 4	The student me	easured the di	stance from the	e image to the	lens four times		
	The distance b	The distance between the object and the lens did not change.					
	The 4 measure	ements from th	e image to the	lens were:			
		1.9 cm	1.7 cm	2.2 cm	1.4 cm		
	Calculate the u	incertainty in tl	ne measureme	nts.		[2 marks]	
			Ur	certainty = ±		cm	

0 4.5 Figure 9 shows a spotlight containing a convex lens.

A red filter is placed in front of the spotlight.

The spotlight is directed at a blue object.

Figure 9



Explain why the blue object appears black.	[3 marks]



0 5	Ultraviolet is a type of electromagnetic wave.	
0 5 . 1	Give one use of ultraviolet.	[1 mark]
0 5 . 2	An ultraviolet wave has a wavelength of 300 nanometres. Which of the following is equal to 300 nanometres? Tick (✓) one box.	[1 mark]
	$3 \times 10^{7} \mathrm{m}$ $3 \times 10^{-7} \mathrm{m}$ $3 \times 10^{9} \mathrm{m}$ $3 \times 10^{-9} \mathrm{m}$	
0 5 . 3	The speed of ultraviolet waves is 3 × 10 ⁸ m/s. Calculate the frequency of the ultraviolet wave. Use your answer to Question 05.2	[3 marks]
	Frequency =	Hz



o.uk 找名校导师,用小草线上辅导(微信小程序同名)

8

0 5 . 4

Table 1 gives the wavelength of an ultraviolet wave and three other electromagnetic waves.

Table 1

	Ultraviolet	Wave E	Wave F	Wave G
Wavelength in nanometres	300	0.1	600	100 000

Draw **one** line from each wave to the name of the wave.

[1 mark]

Wave E

Infrared

Wave F

Visible light

Wave G

X-rays

0 5. 5 Electromagnetic waves are transverse.

Some other types of wave are longitudinal.

Describe the difference between transverse and longitudinal waves.


[2 marks]

Turn over ▶

A teacher demonstrated some features of waves using a ripple tank.

Figure 10 shows the ripple tank.

Figure 10



0 6 . 1 The teacher measured the time taken for 10 wave fronts to pass the mark.

The teacher repeated this measurement three times and calculated the mean.

What is the advantage of repeating measurements and calculating a mean?

[1 mark]




0 6.2	The teacher's meas	urements for the tim	ne taken for 10 wa	ve fronts to pass tl	ne		
		8.4 s	7.8 s	8.1 s			
	Calculate the mean frequency of the wave.						
	Give your answer to	2 significant figures	S.		[5 marks]		
		Mean frequency (2	significant figures	3) =	Hz		
0 6 . 3	In a different investi	gation, the teacher v	vanted to determir	ne the speed of wa	iter waves		
<u> </u>	in the ripple tank.						
	The teacher did not		-				
	Explain how the tead	cher could determin	e the speed of the	wave.	[3 marks]		
	-						



Figure 11 shows a cyclist riding a bicycle.

Force ${\bf A}$ causes the bicycle to accelerate forwards.

Figure 11




0 7 . 1 What name is given to force A?

[1 mark]

Figure 12 shows how the velocity of the cyclist changes during a short journey.

Figure 12






0 7.2	Determine the dista	nce travelled by the	e cyclist between Y and Z	<u>Z</u> . [3 marks]
	Distance t	ravelled by the cycl	ist between Y and Z = _	m
0 7.3	Figure 13 shows th	ne gears on the bicy	cle.	
		Figure	13	
	Force Pedal a		Back wheel	Rear axle
		orce on the pedal ca	auses a moment about th	[2 marks]
	Que	stion 7 continues	on the next page	



Figure 14 shows a different cyclist towing a trailer.

Figure 14



0 7.4	The speed of the cyclist and trailer increased uniformly from 0 m/s to 2.4 m/s.			
	The cyclist travelled 0.018 km while accelerating.			
	Calculate the initial acceleration of the cyclist. [3 marks]			

Acceleration =



 m/s^2

0 7.5


The resultant force of the towbar on the trailer has a horizontal component and a vertical component.

horizontal force = 200 N

vertical force = 75 N

Determine the magnitude and direction of the resultant force of the towbar on the trailer by drawing a vector diagram.

[4 marks]



Magnitude of force =	İ	Ν

Turn over for the next question


2 9

Turn over ▶

A student made a moving-coil loudspeaker.

Figure 15 shows a diagram of the loudspeaker.

Figure 15



0 8 . 1 What is the name of the effect used by the moving-coil loudspeaker to produce sound waves?

[1 mark]

		•	
0	8 . 2	Explain how a moving-coil loudspeaker produces a sound wave.	[4 marks]
		_	
		Question 8 continues on the next page	



0 8 . 3

A student investigated how the loudness of sound from the loudspeaker depends on:

- the number of turns on the coil
- the frequency of the supply.


Table 2 shows the results.

Table 2

Number of turns	Frequency of supply in Hz	Loudness of sound in arbitrary units
100	200	32
200	400	47
300	600	63

Explain why the results cannot be used to make a valid conclusion.	[2 marks]








A teacher demonstrated how a magnetic field can cause a copper rod to accelerate.

The teacher placed the copper rod on two brass rails in a magnetic field.

The copper rod was able to move.

Figure 16 shows the equipment used.

Figure 16






0 9 . 1	The teacher closes the switch and the copper rod accelerates.	
	Explain how Fleming's left hand rule can be used to predict the direction in who copper rod will move.	nich the
		5 marks]
0 9 . 2	Suggest two changes to the equipment that would increase the force on the copper rod.	0
	ı. 1	2 marks]
	2	
	Question 9 continues on the next page	
		I



0 9 . 3	The teacher closed the switch and the copper rod accelerated uniformly from for 0.15 s.	n rest
	The current in the copper rod was 1.7 A.	
	mass of copper rod = 4.0 g	
	length of copper rod in the magnetic field = 0.050 m	
	magnetic flux density = 0.30 T	
	Calculate the maximum possible velocity of the copper rod when it left the magnetic field.	[6 mayka]
		[6 marks]
	Maximum velocity =	m/s

END OF QUESTIONS







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Ousstian	Additional page if required
Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2021 AQA and its licensors. All rights reserved.



