

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

# GCSE CHEMISTRY



Foundation Tier

Paper 1

Thursday 17 May 2018

Morning

Time allowed: 1 hour 45 minutes

#### **Materials**

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

#### Instructions

- · Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

## Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		



box


0 1 This question is about mixtures. 0 1 Substances are separated from a mixture using different methods. Draw **one** line from each substance and mixture to the best method of separation. [3 marks] **Substance and mixture** Method of separation Chromatography Ethanol from ethanol and water Crystallisation Salt from sea water Electrolysis Filtration The different colours in black ink Fractional distillation



0 1 . 2 A student filters a mixture.

Figure 1 shows the apparatus.

## Figure 1



Suggest one improvement to the apparatus.

[1 mark]

0 1 . 3 Complete the sentences.

Choose answers from the box.

[2 marks]

condense	evaporate	freeze	melt	solidify

In simple distillation, the mixture is heated to make the liquid

The vapour is then cooled to make it



box

Figure 2 shows the arrangement of atoms in a pure metal and in a mixture of metals. Figure 2 Pure metal Mixture of metals Metal A Metal A 1 Calculate the percentage of metal **B** atoms in the mixture of metals shown in Figure 2. [2 marks] Percentage of metal **B** atoms = \_\_\_ What is a mixture of metals called? 1 5 [1 mark] Tick one box. An alloy A compound A molecule A polymer



0 1.6	Why is the mixture of metals in <b>Figure 2</b> harder than the pure metal?  [1 mark]  Tick <b>one</b> box.	Do not write outside the box
	The atoms in the mixture are different shapes.	
	The layers in the mixture are distorted.	
	The layers in the mixture slide more easily.	
	The mixture has a giant structure.	ring reisona
0 1.7	A nanoparticle of pure metal <b>A</b> is a cube.	rind reisonal lutol from www.wisesprout.co.uk
	Each side of the cube has a length of 20 nm.	W.W.
	Figure 3 shows the cube.	Spi our.c
	Figure 3	2.5
	20 nm 20 nm	发血交单罩,五少早发一锥中(1
	What is the volume of the nanoparticle?	
	Tick <b>one</b> box.	放话少维护四节)
	20 nm <sup>3</sup>	
	60 nm <sup>3</sup>	
	400 nm <sup>3</sup>	
	8000 nm <sup>3</sup>	11



0 2	The halogens are elements in Group 7.
0 2.1	Bromine is in Group 7.
	Give the number of electrons in the outer shell of a bromine atom.
	[1 mark]
0 2.2	Bromine reacts with hydrogen. The gas hydrogen bromide is produced.
	What is the structure of hydrogen bromide?  [1 mark]
	Tick <b>one</b> box.
	Giant covalent
	Glant Covalent
	Ionic lattice
	Metallic structure
	Small molecule
	What is the formula for fluoring age?
0 2 . 3	What is the formula for fluorine gas?  [1 mark]
	Tick <b>one</b> box.
	F
	$F_2$
	$F^2$
	2F



A student mixes solutions of halogens with solutions of their salts.

**Table 1** shows the student's observations.

Table 1

	Potassium chloride (colourless)	Potassium bromide (colourless)	Potassium iodide (colourless)
Chlorine (colourless)		Solution turns orange	Solution turns brown
Bromine (orange)	No change		Solution turns brown
lodine (brown)	No change	No change	


0 2 . 4	Explain how the reactivity of the halogens changes going down Group 7.	
	Use the results in <b>Table 1</b> .	[3 marks]

Question 2 continues on the next page



		1
	A company uses chlorine to produce titanium chloride from titanium dioxide.	Do not write outside the box
0 2 . 5	What is the relative formula mass $(M_r)$ of titanium dioxide, $TiO_2$ ?	
	Relative atomic masses $(A_r)$ : $O = 16$ $Ti = 48$ [1 mark]	
	Tick <b>one</b> box.	
	64	
	80	riild rei
	128	Sonal I u
	768	
		w.wises
0 2.6	The company calculates that 500 g of titanium dioxide should produce 1.2 kg of titanium chloride.	rind reisonal lutor from www.wisesprout.co.uk
	However, the company finds that 500 g of titanium dioxide only produces 900 g of titanium chloride.	发
	Calculate the percentage yield.	. H.J.
	[2 marks]	小早线上
		4 4 1
		风油小油
		(建)中四五
	Percentage yield = %	
		9









0 3	This question is about the structure of the atom.	
0 3.1	Complete the sentences.	
	Choose answers from the box.	
	Each word may be used once, more than once, or not at all.	[5 marks
	electron ion neutron	
	nucleus proton	
	The centre of the atom is the	
	The two types of particle in the centre of the atom are the proton	
	and the	
	James Chadwick proved the existence of the	
	Niels Bohr suggested particles orbit the centre of the atom. This	type of particle
	is the	
	The two types of particle with the same mass are the neutron	
	and the	

Table 2 shows information about two isotopes of element X.

Table 2

	Mass number	Percentage (%) abundance
Isotope 1	63	70
Isotope 2	65	30



0 3 . 2	Calculate the relative atomic mass $(A_r)$ of element $X$ using the equation	:
_	(mass number × percentage) of isotope 1 + (mass number × percentage	e) of isotope 2
$A_{r}$ =	100	<u>,                                     </u>
	Use <b>Table 2</b> .	
	Give your answer to 1 decimal place.	
	Give your answer to i decimal place.	[2 marks]
	$A_{\rm r} = \underline{\hspace{2cm}}$	
0 3 . 3	Suggest the identity of element X.	
	Use the periodic table.	-,
		[1 mark]
	Element X is	
0 3.4	The radius of an atom of element $\boldsymbol{X}$ is $1.2\times10^{-10}~\text{m}$	
	The radius of the centre of the atom is $\frac{1}{10000}$ the radius of the atom.	
	10 000 the radial of the atom.	
	Calculate the radius of the centre of an atom of element <b>X</b> .	
	Give your answer in standard form.	
		[2 marks]
	Radius =	m



10




0 4

A student investigated the electrolysis of sodium chloride solution.

Figure 4 shows the apparatus.

Figure 4



The student measured the volume of gas collected in each measuring cylinder every minute for 20 minutes.




0 4 . 1

**Figure 5** shows the volume of hydrogen gas collected in the measuring cylinder after 8 minutes.

Do not write outside the box

Figure 5



What is the volume of hydrogen gas collected?

[1 mark]


Volume = cm<sup>3</sup>

Question 4 continues on the next page



Figure 6 shows the results of the investigation.





0	4 .	2	Which of the lines on <b>Figure 6</b> show that the volume of gas collected is direct	tly
			proportional to the time?	
				F4

[1 mark]

Both lines Chlorine line only Hydrogen line only

Tick **one** box.

Neither line



0 4.3	Which of the lines on <b>Figure 6</b> show a positive correlation between the volume of gas collected and time?  [1 mark] Tick <b>one</b> box.
	Both lines
	Chlorine line only
	Hydrogen line only
	Neither line
	Question 4 continues on the next page




box

A teacher demonstrates the electrolysis of different substances using graphite electrodes.

Figure 7 shows the apparatus used.

Figure 7



0 4.4	Why can graphite conduct electricity?  Tick <b>one</b> box.	[1 n	nark]
	Graphite exists in layers of atoms.		
	Graphite has a giant structure.		
	Graphite has a high melting point.		
	Graphite has delocalised electrons.		



0 4 . 5

The teacher demonstrates the electrolysis of:

- molten zinc chloride
- potassium bromide solution.

Complete Table 3 to predict the products.

Choose answers from the box.

[4 marks]

chlorine bromine hydrogen oxygen potassium zinc	inc
---	-----

## Table 3

Substance electrolysed	Product at cathode (negative electrode)	Product at anode (positive electrode)
Molten zinc chloride		
Potassium bromide solution		

Turn over for the next question



0 5

A student investigated the mass of copper oxide produced by heating copper carbonate.

This is the method used.

- 1. Weigh an empty test tube.
- 2. Weigh 2.00 g of copper carbonate into the test tube.
- 3. Heat the copper carbonate until there appears to be no further change.
- 4. Re-weigh the test tube and copper oxide produced.
- 5. Subtract the mass of the empty tube to find the mass of copper oxide.
- 6. Repeat steps 1-5 twice.
- 7. Repeat steps 1–6 with different masses of copper carbonate.

Table 4 shows the student's results.

Table 4

Mass of copper	Mass of copper oxide in g					
carbonate in g	Trial 1	Trial 2	Trial 3	Mean		
2.00	1.29	1.27	1.31	1.29		
4.00	2.89	2.57	2.59	2.58		
6.00	3.85	3.90	3.87	3.87		
8.00	5.12	5.15	5.09	Х		
10.00	6.42	6.45	6.45	6.44		

The equation for the reaction is:

$$CuCO_3(s) \rightarrow CuO(s) + CO_2(g)$$

0 5 . 1 Complete the sentence.

[1 mark]

The state symbol shows carbon dioxide is a



0 5.2	Why do the contents of the test tube lose mass in the investigation?	[1 mark]
0 5.3	Calculate the mean mass <b>X</b> in <b>Table 4</b> .	[1 mark]
	X =	_
0 5.4	One of the results in <b>Table 4</b> is anomalous.  Which result is anomalous?	
	Mass of copper carbonateg Trial	[1 mark]
0 5.5	Suggest how the investigation could be improved to make sure the reaction is complete.	[2 marks]





Another student repeated the investigation using magnesium carbonate instead of copper carbonate.


Do not write outside the box

The word equation for the reaction is:

magnesium carbonate → magnesium oxide + carbon dioxide

Figure 8 shows the results of the investigation.

Figure 8





0 5.6	Draw a line of best fit on <b>Figure 8</b> . [1 mark]	Do not outsid bo
0 5.7	Determine the mass of magnesium oxide produced by 8.4 g of magnesium carbonate.	
	Use Figure 8. [1 mark]	
	Mass = g	
0 5 . 8	Calculate the mass of magnesium oxide produced when 168 g of magnesium carbonate is heated.  Use your answer to Question 05.7  [2 marks]	

Turn over for the next question



0 6

A student investigated the temperature change in displacement reactions between metals and copper sulfate solution.

Do not write outside the box

This is the method used.

- 1. Measure 50 cm<sup>3</sup> of the copper sulfate solution into a polystyrene cup.
- 2. Record the starting temperature of the copper sulfate solution.
- 3. Add the metal and stir the solution.
- 4. Record the highest temperature the mixture reaches.
- 5. Calculate the temperature increase for the reaction.
- 6. Repeat steps 1-5 with different metals.

0 6 . 1

Draw **one** line from each type of variable to the name of the variable in the investigation.

[2 marks]

Type	of	varia	ıble
------	----	-------	------

## Name of variable in the investigation

Concentration of solution

Dependent variable

Particle size of solid

Independent variable

Temperature change

Type of metal

Volume of solution



0 6.2	The student used a polystyrene cup and <b>not</b> a glass beaker.  Why did this make the investigation more accurate?  [1 mark]  Tick <b>one</b> box.	Do not write outside the box
	Glass is breakable	
	Glass is transparent	
	Polystyrene is a better insulator	ב ב ב
	Polystyrene is less dense	rind reisonal lutol from www.wisesprout.co.uk
	Question 6 continues on the next page	TOTT WWW.Wiz
		esprout.co.t
		发 <b>山</b> 交 华碧 、
		出少早级
		早级土拥守(应信少程)70百分
		<u>ד</u>



**Table 5** shows the student's results.

Table 5


Metal	Temperature increase in °C
Magnesium	38
Nickel	8
Zinc	16

0 6 . 3 Complete Figure 9.

Use data from Table 5.

[2 marks]

Figure 9






0 6.4	The student concluded that the reactions between the metals and copper sulfate solution are endothermic.	
	Give <b>one</b> reason why this conclusion is <b>not</b> correct. [1 ma	ark]
0 6 . 5	The temperature increase depends on the reactivity of the metal	
0 0 . 3	The temperature increase depends on the reactivity of the metal.  Write the metals magnesium, nickel and zinc in order of reactivity.	
	Use <b>Table 5</b> . [1 ma	ark]
	Most reactive	
	Least reactive	
0 6.6	Y is an unknown metal.	
	Describe a method to find the position of <b>Y</b> in the reactivity series in Question <b>06.5</b> [3 mar	ks]





**Figure 10** shows the reaction profile for the reaction between zinc and copper sulfate solution.


Figure 10



0 6 . 7 Which letter represents the products of the reaction?

[1 mark]

Tick one box.



0 6 . 8 Which letter represents the activation energy?


[1 mark]

Tick one box.



12







This question is about elements in Group 1.	
A teacher burns sodium in oxygen.	
Complete the word equation for the reaction.	[1 mark]
sodium + oxygen →	
What is the name of this type of reaction?  Tick <b>one</b> box.	[1 mark]
Decomposition	
Electrolysis	
Oxidation	
Precipitation	
The teacher dissolves the product of the reaction in water and adds universal indicator.  The universal indicator turns purple.  What is the pH value of the solution?  Tick one box.	[1 mark]
	A teacher burns sodium in oxygen.  Complete the word equation for the reaction.  sodium + oxygen →



0 7.4	The solution contains a substance with the formula NaOH Give the name of the substance.	[1 mark]
		[1 IIIark]
0 7.5	All alkalis contain the same ion.	
	What is the formula of this ion?	[d magnic]
	Tick <b>one</b> box.	[1 mark]
	H <sup>+</sup>	
	Na <sup>+</sup>	
	OH <sup>-</sup>	
	O <sup>2-</sup>	
0 7.6	A solution of NaOH had a concentration of 40 g/dm³  What mass of NaOH would there be in 250 cm³ of the solution?	
		[2 marks]
	Mass =	g





0 7.7

The melting points of the elements in Group 1 show a trend.

Do not write outside the box

**Table 6** shows the atomic numbers and melting points of the Group 1 elements.


Table 6

Element	Atomic number	Melting point in °C
Lithium	3	181
Sodium	11	98
Potassium	19	63
Rubidium	37	х
Caesium	55	29

Plot the data from **Table 6** on **Figure 11**.

[2 marks]





0 7.8 Predict the melting point, **X**, of rubidium, atomic number 37 Use **Figure 11**.

[1 mark]

Melting point = \_\_\_\_\_\_ °C

10



0 8	Soluble salts are formed by reacting metal oxides with acids.
0 8.1	Give <b>one</b> other type of substance that can react with an acid to form a soluble salt.  [1 mark]
0 8.2	Calcium nitrate contains the ions ${\rm Ca^{2^+}}$ and ${\rm NO_3}^-$ Give the formula of calcium nitrate. [1 mark]
0 8.3	Describe a method to make pure, dry crystals of magnesium sulfate from a metal oxide and a dilute acid.  [6 marks]



		Do not write outside the box
Turn over for the next question		
	Turn over for the next question	L
		Oliai la coli i www.
		אימיסקו סמויסט.מא
		3
		& 上 ## 숙 〈 PX IE 건 '9#/J?)
		Д П




box

- **0 9** This question is about metals and metal compounds.
- **0 9 . 1** Iron pyrites is an ionic compound.

Figure 12 shows a structure for iron pyrites.

Figure 12



Determine the formula of iron pyrites.

Use Figure 12.

[1 mark]

**0 9 . 2** An atom of iron is represented as  $_{26}^{56}$ Fe

Give the number of protons, neutrons and electrons in this atom of iron.

[3 marks]

Number of protons

Number of neutrons

Number of electrons

0 9 . 3 Iron is a transition metal.

Sodium is a Group 1 metal.

Give **two** differences between the properties of iron and sodium.

[2 marks]

1

2



11

	Nickel is extracted from nickel oxide by reduction with carbon.		Do not w outside box
0 9 . 4	Explain why carbon can be used to extract nickel from nickel oxide.		201
		[2 marks]	
0 9 . 5	An equation for the reaction is:		
	NiO + C → Ni + CO		
	Calculate the percentage atom economy for the reaction to produce nickel.		
	Relative atomic masses ( $A_r$ ): $C = 12$ $Ni = 59$		
	Relative formula mass $(M_r)$ : NiO = 75		
	Give your answer to 3 significant figures.		
		[3 marks]	
	Percentage atom economy =	%	
	. S. Somago atom Socnomy =		




box

1 0 Chemical reactions can produce electricity.

1 0 . 1 Figure 13 shows a simple cell.

Figure 13



Which of these combinations would **not** give a zero reading on the voltmeter in **Figure 13**?

[1 mark]

Tick one box.

Electrode A	Electrode B	Electrolyte	
Copper	Copper	Sodium chloride solution	
Zinc	Zinc	Water	
Copper	Zinc	Sodium chloride solution	
Copper	Zinc	Water	



Alkaline batteries are non-rechargeable.	
Why do alkaline batteries eventually stop working?	[1 mark]
Why can alkaline batteries <b>not</b> be recharged?	[1 mark]
Ougstion 10 continues on the payt page	
	Why do alkaline batteries eventually stop working?



. 4	Complete the balanced equation for the overall reaction in a hydrogen fuel cell. [2 m		
	H <sub>2</sub> +		H <sub>2</sub> O
. 5	Table 7 shows data about differen	nt ways to power electric	cars.
	Table 7		
		Hydrogen fuel cell	Rechargeable lithium-ion battery
	Time taken to refuel or recharge in minutes	5	30
	Distance travelled before refuelling or recharging in miles	Up to 415	Up to 240
	Distance travelled per unit of energy in km	22	66
	Cost of refuelling or recharging in £	50	3
	Minimum cost of car in £	60 000	18 000
	in £	60 000 cells compared with rec	18 000
	OSE Table T and your Own Knowle	:uy <del>c</del> .	[6 r



		Do not write outside the
		box
		Find
		TSOIL
		, c
		lor ::
		Omv
		, WW
		WISES
		brou
		rersonar Lutor from www.wisesprout.co.uk
		<b>⊼</b>
		<u> </u>
		2 位 文 叫
		11
	END OF QUESTIONS	1.单线工#学(成后小在书问右)
		, #
		4(
		<u>-</u> 
		, 
I		



## There are no questions printed on this page

Do not write outside the box

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

## Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

