

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

GCSE COMBINED SCIENCE: TRILOGY



Higher Tier Chemistry Paper 2H

Wednesday 13 June 2018 Morning Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
TOTAL	i.

Information


- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.



- 0 1 Crude oil is a mixture of hydrocarbons.
- 0 1 . 1 The hydrocarbons in crude oil are separated into fractions by fractional distillation.

Figure 1 shows a fractional distillation column.

Figure 1



Crude oil vapour passes up the column.

Complete the sentence.

Choose the answer from the box.

[1 mark]

condenses dissolves	freezes	melts
---------------------	---------	-------

Each fraction at a different level.



0 1.2	Why do the fractions separate?	[1 mark]
	Tick one box.	
	The fractions have different boiling points.	
	The fractions have different flammability.	
	The fractions have different melting points.	
	The fractions have different viscosity.	
	Most of the hydrocarbons in crude oil are alkanes.	
0 1.3	Figure 2 represents an alkane molecule.	
	Figure 2	
	Name the alkane.	[1 mark]
		[a.r.]
	Question 1 continues on the next page	



0 1.4	Methane (CH₄) is an alkane.	
	What is the general formula for alkanes?	4a.uls]
	Tick one box.	1 mark]
	C_nH_n	
	C_nH_{2n}	
	C_nH_{2n-2}	
	C_nH_{2n+2}	
0 1.5	Alkanes burn in oxygen.	
	Balance the equation for methane burning.	1 mark]
	$\underline{\hspace{1cm}} CH_4 \hspace{0.1cm} + \underline{\hspace{1cm}} O_2 \hspace{0.1cm} \rightarrow \underline{\hspace{1cm}} CO_2 \hspace{0.1cm} + \underline{\hspace{1cm}} H_2O$	
0 1.6	Ethene is an alkene.	
	Which reagent is used to test for alkenes?	
	Tick one box.	1 mark]
	Anhydrous copper sulfate	
	Bromine water	
	Damp litmus paper	
	Limewater	



Table 1 shows data from a life cycle assessment (LCA) for the disposal of 10 000 biodegradable plastic bags.

Table 1

	Burning and using the energy to generate electricity	Landfill
Mass of carbon dioxide produced in kg	25	15
Mass of solid residue in kg	0.050	0.070
Mass of sulfur dioxide produced in kg	0.20	0.30

[1 mark]	Why are life cycle assessments (LCA) done?	0 1 . 7
s. [4 marks]	Compare the two methods for the disposal of biodegradable plastic bags. Use information from Table 1	0 1.8

11



0 2	This question is about the Earth's atmosphere.		
0 2.1	Carbon dioxide is a greenhouse gas.		
	What is another greenhouse gas?	[4 mork]	
	Tick one box.	[1 mark]	
	Argon		
	Methane		
	Nitrogen		
	Oxygen		
0 2.2	Greenhouse gases cause global climate change.		
	Give two effects of global climate change.	[2 marks]	
	1		
	2		
0 2.3	4.1 kg of a plastic, used to make plastic bottles, has a carbon foo carbon dioxide.Calculate the carbon footprint of one plastic bottle of mass 23.5 g		
		[2 marks]	
	Carbon footprint =	kg of carbon dioxide	



0 2.4	Give one way that carbon dioxide emissions can be reduced when a plastic bottle is manufactured. [1 main	r k]
0 2.5	Explain how the percentages of nitrogen, oxygen and carbon dioxide in the Earth's atmosphere today have changed from the Earth's early atmosphere. [6 mark]	(s]
		— — —
		_ _ _
		_ _ _
		_
		_
	Turn over for the next question	



A student investigated the mass of dissolved solids in 5 cm³ samples of water.

Figure 3 shows the apparatus.

Figure 3




Table 2 shows the student's results.

Table 2

	Mass in g			
Type of water	Watch glass	Watch glass and dissolved solids	Dissolved solids in 5 cm ³ of water	Dissolved solids in 1000 cm ³ of water
Sea water	9.34	9.48	0.14	28.00
River water	9.15	9.23	0.08	Х
Rainwater	8.93	8.93	0.00	0.00

0 3.1	Calculate mass X in Table 2		[1 mark]
		Mass X =	g



0 3.2	5 cm ³ is a small volume of water for each experiment.
	Give one advantage and one disadvantage of using a larger volume. [2 marks]
	Advantage
	Disadvantage
0 3.3	Potable water is not pure water. Describe the difference between potable water and pure water.
	[1 mark]
0 3.4	Potable water is obtained from both groundwater and from sea water.
	Describe how groundwater and sea water are treated to produce potable water. [3 marks]
	Question 3 continues on the next page



0 3.5	The percentage by mass of dissolved solids in a 6.50 g sample is 2.2%		
	Calculate the mass of the dissolved solids.	[2 marks]	
	Mass of dissolved solids =	g	



0 4	Fertilisers are formulations.	
0 4.1	What is a formulation?	[1 mark]
		[i iliai k]
0 4 . 2	A bag of fertiliser contains 14.52 kg of ammonium nitrate (NH ₄ NO ₃).	
	Relative formula mass (M_r): NH ₄ NO ₃ = 80	
	Calculate the number of moles of ammonium nitrate in the bag of fertiliser.	
	Give your answer in standard form to 2 significant figures.	[4 marks]
		-
	Moles of ammonium nitrate =	mol

Question 4 continues on the next page



	12	
0 4.3	The fertiliser also contains potassium chloride.	
	Explain why potassium chloride has a high melting point.	[4 marks]



box

0 5


A student investigated the effect of the size of marble chips on the rate of the reaction between marble chips and hydrochloric acid.

This is the method used.

- 1. Add 10 g of marble chips into the flask.
- 2. Add 50 cm³ of hydrochloric acid, connect the gas syringe and start a timer.
- 3. Record the volume of gas produced every 10 seconds.

Figure 4 shows the apparatus.

Figure 4



0 5 . 1


Complete the equation for the reaction.

[2 marks]

Question 5 continues on the next page



Figure 5 shows the student's results.



0 5.2	Describe the trend shown in Figure 5
	Use values in your answer. [3 marks]



0 5.3	Describe how you would use Figure 5 to find the rate of the reaction at 15 seconds.		
	You do not need to do a calculation. [2 marks]		
		-	
		-	
0 5.4	Give the units for the rate of this reaction. [1 mark]		

Table 3

Table 3 shows the results of the investigation.

Relative size	Volume of gas produced in cm ³ after given time in seconds						
of marble chips	10 s	20 s	30 s	40 s	50 s	60 s	
Small	35	53	60	60	60	60	
Medium	21	39	51	58	60	60	
Large	14	29	39	48	58	60	

Give one conclusion about how the size of the marble chips affects the rate of the reaction. [1 ma	ark]
Suggest why all three sizes of marble chips produce a maximum volume of 60 cm ³ of gas.	





0 5.7	Figure 6 shows eight small cubes, each 1 cm x 1 cm x 1 cm, and one large cube, 2 cm x 2 cm x 2 cm			
	Figure 6			
	Total volume of small cubes = 8 cm ³ Volume of large cube = 8 cm ³			
	Total surface area of small cubes = 48 cm ²			
	Calculate the surface area of the large cube. [2 marks]			
	Surface area of the large cube = cm ²			
0 5 . 8	Explain why the size of the marble chips affects the rate of the reaction.			
	Give your answer in terms of 'collision theory'. [2 marks]			




0 5 . 9

The student repeated the investigation with small marble chips using hydrochloric acid with a lower concentration.

Figure 7 shows the volume of gas produced during the first 40 seconds.





Explain why the results for the lower concentration of acid are different from the results for the higher concentration of acid.

[3 marks]


Turn over for the next question


Turn over ▶



Bleach is a solution of sodium hypochlorite (NaClO). Chlorine gas is produced when bleach reacts with hydrochloric acid. $NaClO(aq) + 2HCl (aq) \rightleftharpoons NaCl(aq) + H_2O(l) + Cl_2(g)$
Give the test and result for chlorine gas. [2 marks]
Figure 8 shows a sealed flask of sodium hypochlorite and hydrochloric acid at equilibrium.

Figure 8







0 6.3	The stopper in Figure 8 is removed and hydrochloric acid is added. The stopper is replaced.	
	Explain what happens to the equilibrium.	[4 marks]

Question 6 continues on the next page

Turn over ▶



找名校导师,用小草线上辅导(微信小程序同名)

outside the

Chlorine gas is also produced when hydrogen chloride decomposes.

$$2HCI(g) \rightleftharpoons H_2(g) + CI_2(g)$$

The forward reaction is endothermic.

Predict the effect of increasing the temperature on the amount of chlorine gas 6 produced at equilibrium.

Explain your answer using Le Chatelier's Principle.

[2	ma	ark	s

0 6 . 5	Explain the effect of increasing the pressure on this equilibrium.	[2 marks]

END OF QUESTIONS

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

