

Please write clearly in	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	/

## A-level PHYSICS

Paper 3
Section B Medical physics

Thursday 15 June 2023

Morning

## **Materials**

For this paper you must have:

- a pencil and a ruler
- · a scientific calculator
- a Data and Formulae Booklet
- a protractor.

## Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show all your working.

## Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 35.
- You are expected to use a scientific calculator where appropriate.
- A Data and Formulae Booklet is provided as a loose insert.

Time allowed: The total time for
both sections of this paper is
2 hours. You are advised to
spend approximately
50 minutes on this section.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
TOTAL		



Find Personal Tutor from www.wisesprout.co.uk

	Section B	Do not wi outside the
	Answer <b>all</b> questions in this section.	
0 1	Brachytherapy is used to treat small tumours. In this technique a sealed radioactive source is placed inside a patient's body next to the tumour.  Explain <b>one</b> advantage of using beta radiation rather than gamma radiation in brachytherapy.  [2 marks]	
		2




0 2

Electrophoretic screens are used in handheld electronic devices.

The screen contains individual squares known as pixels. Pixels can be changed independently from light to dark to create the shapes of letters and numbers. An external light source is needed in order to read the screen.

**Figure 1** shows a letter formed by three electrophoretic screens that have different pixel line densities. Pixel line density is the number of pixels along a  $1.0~\mathrm{cm}$  length of the screen.

Figure 1



0 2 . 1

A particular screen is designed so that two dark pixels separated by one light pixel cannot be resolved as separate images by the eye when viewed from a distance of  $0.50\ \mathrm{m}$ .

Determine, in pixels per cm, the minimum pixel line density required for this screen.

typical diameter of cones in a human eye at the fovea =  $1.5~\mu m$  typical length of the human eye = 21~mm

[3 marks]

pixels per cm =		
-----------------	--	--


Question 2 continues on the next page

Turn over ▶



0 2 . 2	On a different electrophoretic screen, two dark pixels separated by one light pixel can just be resolved at a particular distance when the external light source is bright.		
	Explain why these pixels cannot be resolved at the same distance when the intensity of the external light source is reduced.		
	[3 marks]		

**Figure 2** shows the spectral response of the three different types of cone in a human eye.





**0 2**. **3** The eye is illuminated by light of wavelength 603 nm.

The eye is manimiated by light of wavelength 603 mm.

Show that the response of a red-sensitive cone is approximately double the response of a green-sensitive cone.

[1 mark]

0 2 . 4 Other types of screen use blue, green and red pixels to produce coloured images.

**Table 1** shows the wavelength of the light emitted by each pixel when it is turned on.

Table 1

Pixel	Wavelength / nm
blue	450
green	520
red	650

On one screen, the blue pixels are turned off.

When the green pixels and the red pixels are turned on, they emit light with the same intensity. A human eye that has the spectral response shown in **Figure 2** responds to this light.

Determine, in nm, the **single** wavelength of light that will produce the same response in the same human eye as the light emitted from the green and red pixels.

[3 marks]

wavelength = nm

10



0 3 . 1 Define sound intensity.

[1 mark]

0 3 .

2 The intensity level, in dB, of a sound is I.

What is the intensity level of a sound with double the intensity?

Tick (✓) one box.


[1 mark]

$$I + 2$$

$$I+3$$

$$I+7$$

$$I^2$$



force on oval window Calculate the ratio force on tympanic membrane

area of oval window =  $5.9 \times 10^{-6} \text{ m}^2$ area of tympanic membrane =  $7.2 \times 10^{-5} \text{ m}^2$ 


[2 marks]

ratio =



- Different ultrasound techniques are used to investigate the health of a patient's kidneys.
- 0 4.1 Figure 3 shows the results of an ultrasound scan of a kidney using one technique.

Figure 3



Identify the type of ultrasound scan used to produce Figure 3.

Explain your answer.	[1 mark]

Question 4 continues on the next page




Turn over ▶

Another ultrasound technique is used to measure the speed of blood flow in one of the kidney's blood vessels.

**Figure 4** shows an image formed using this technique. It shows how the speed of flow through the blood vessel varies with time. Point **X** shows this speed at one instant of time.

Figure 4



0 4.2 Determine the patient's heart rate in beats per minute.

[3 marks]

heart rate =	heats ner minut



0 4 . 3

An ECG was made for the patient in Question 04.2.


Figure 5 shows one heartbeat from the ECG.

Annotate **Figure 5** to show:

- units on both axes
- scales on both axes
- point Y that corresponds to point X on Figure 4.

[4 marks]

Figure 5



Question 4 continues on the next page




Turn over ▶

11

0 4 . 4	A backing gel is used between an ECG pad and the skin of the patient. The gel is sticky. This property ensures that the pad is securely attached to the skin.		
	Explain:		
	<ul> <li>one other reason why the backing gel is needed</li> <li>one other property of the backing gel</li> <li>how the skin is prepared for the pad to be applied.</li> </ul> [3 marks]		



Do not write outside the








0 5 . 1

**Figure 6** shows an X-ray image of a chest on photographic film. **Figure 7** shows a diagram of a horizontal cross-section of the chest along the dashed line in **Figure 6**.

Figure 6 Figure 7



Discuss the half-value thicknesses of the labelled body parts relative to each other.

In your answer you should:


- explain how the intensity of the X-rays affects the brightness of the image
- explain how the thickness of the labelled parts affects the intensity of the X-rays
- compare the relative half-value thicknesses of the labelled body parts.



[6 marks]

	Explain the method used to improve the image of the stomach on X-ray photographic film.	[2 marks]	卓线上辅导(微信小柱序同名)
0 5.2	The stomach is not clearly visible in <b>Figure 6</b> .		找名校导帅,用小卓线上9
			.wisesprout.co.uk
			Find Personal Tutor from www.wisesprout.co.uk
			Find Pers
			Do not write outside the box







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2023 AQA and its licensors. All rights reserved.



