

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE COMBINED SCIENCE: TRILOGY



For Examiner's Use

Mark

Question

2

3

4

5

6 7

TOTAL

Foundation Tier Chemistry Paper 1F

Time allowed: 1 hour 15 minutes Thursday 16 May 2019 Morning

Materials

For this paper you must have:


- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be
- In all calculations, show clearly how you work out your answer.

Information


- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.





0 1	This question is about energy changes.			
0 1.1	Which of these items of Tick (✓) one box.	uses an endothermic reaction?	[1 mark]	
	Hand warmer			
	Sports injury pack			
	Self-heating can			

Figure 1 shows the reaction profile for an exothermic reaction.





0 1.2	Which letter represents the activation energy for the reaction?	[1 mark]
	Tick (✓) one box.	[i iliui k]
	A	
0 1.3	Which letter represents the overall energy change for the reaction? Tick (✓) one box. A B C D	[1 mark]
0 1.4	Complete the sentence. Choose the answer from the box.	[1 mark]
	lower than the same as higher that	n
	In an exothermic reaction the energy of the products is the energy of the reactants.	
0 1.5	A student measured the temperature at the start and at the end of a reaction. Name the apparatus used to measure the temperature.	[1 mark]
	Question 1 continues on the next page	






0 1 . 6

Figure 2 shows the temperature at the end of the reaction.

Figure 2



Complete Table 1.

Use Figure 2.

[2 marks]

Table 1

Temperature at start in °C	14.3
Temperature at end in °C	
Change in temperature in °C	



0 2	This question is about salts and electrolysis.
	A student wants to make copper chloride crystals.
	The student adds excess copper oxide to some hot acid.
	The student stirs the mixture.
0 2.1	Which acid should the student use? [1 mark]
	Tick (✓) one box.
	Hydrochloric acid
	Nitric acid
	Sulfuric acid
0 2.2	Suggest how the student would know that excess copper oxide has been added. [1 mark]
	Question 2 continues on the next page





0 2 . 3	There are four more stages, A , B , C and D , to make copper chloride crystals.			
	The stages A , B , C and D are not in the correct order.			
	Stage A	Partially evaporate by heating with a water bath		
	Stage B	Filter the mixture into an evaporating basin		
	Stage C	Leave to crystallise		
	Stage D	Remove and dry the crystals		
	Put stages A , B , 0	C and D in the correct order. [2 marks]		
	First stage			
	Second stage _			
	Third stage			
	Fourth stage _			
0 2.4	Molten copper chi	loride can be electrolysed.		
	State the product	at each electrode when molten copper chloride is electrolysed. [2 marks]		
	Negative electrod	e		
	Positive electrode			




0 2 . 5

A solution of copper chloride is electrolysed.

Figure 3 shows a graph of the increase in mass of the negative electrode.

This increase is shown over a time of 10 minutes.

Figure 3



Calculate the gradient of the line in Figure 3.

Use the equation:

$$Gradient = \frac{increase in mass in mg}{increase in time in minutes}$$

[3 marks]

Increase in mass		
Increase in time		
Gradient		
	Gradient =	mg per minute

Turn over ▶



0 2. **6** Aluminium is produced by electrolysis of a molten mixture. Complete the sentence.

Choose the answers from the box.

[2 marks]

carbon o	chloride	cryolite	oxide	sulfate	water
----------	----------	----------	-------	---------	-------

The molten mixture contains _____ and

aluminium _____ .



0 3	This question is about the periodic table and argon.	
0 3.1	What order did scientists use to arrange elements in early periodic tables?	mark]
	Tick (✓) one box.	-
	Atomic weight of element	
	Number of neutrons in an atom of element	
	Size of atoms of element	
	Year element was discovered	
0 3 . 2	In early periodic tables some elements were placed in the wrong groups.	
	Mendeleev overcame some of these problems in his periodic table.	
	Complete the sentence.	
	L ¹	mark]
	Mendeleev did this by leaving for elements that had	l not
	been discovered.	
	Question 3 continues on the next page	



0 3.3	What is the name of the group that contains argon? [1 mark]
	Tick (✓) one box.
	Alkali metals Halogens
	Noble gases
0 3.4	An atom of argon is represented as $^{40}_{18}\!\text{Ar}$ Determine the number of protons and the number of neutrons in one atom of argon. [2 marks]
	Number of protons
	Number of neutrons
0 3.5	Different atoms of argon are, ³⁹ / ₁₈ Ar and ³⁸ / ₁₈ Ar What is the name given to these different atoms of argon? Tick (✓) one box. Fullerenes Ions Isotopes Molecules



0 3.6	What is the electronic structure of an argon atom, ⁴⁰ ₁₈ Ar?				
	Tick (✓) one box.				
	2 2, 8 2 2, 8, 8				
0 3.7	Why is argon unreactive?	[1 mark]			

Turn over for the next question

Turn over ▶



0 4	This question is a	about Group	1 elements.			
0 4.1	Sodium reacts wi	ith chlorine to	produce so	dium chloride.		
	Balance the equa	ation for the r	eaction.			[1 mark]
		N	a + Cl ₂	→	NaCl	[
0 4 . 2	4.6 g of sodium r	eacts with ch	lorine to pro	duce 11.7 g of s	odium chloride	9 .
	What mass of ch	lorine reacte	d?			[1 mark]
			Mass of	chlorine =		g
0 4.3	A teacher puts he				ore observed	
	The changes see Complete the ser		ning and ane	i tilis reaction w	ere observed.	
	Choose the answ		box.			
						[4 marks]
	colourless	green	lilac	silver	white	yellow
	Sodium is a		solid.			
	Chlorine is a		gas.			
	The hot sodium b	ourns with a		flame.		

The product sodium chloride is a _____ solid.



找名校导师,用小草线上辅导(微信小程序同名)

0 4.4	Sodium chloride (NaCl) is an ionic compound.
	Write the formulae of the ions in sodium chloride. [2 marks]
	Sodium ion Chloride ion
0 4.5	Complete the sentence. Choose the answer from the box. [1 mark]
	an atom an electron a neutron a proton
	Potassium is more reactive than sodium.
	This is because potassium loses more easily than sodium.
0 4.6	How does the size of a potassium atom compare with the size of a sodium atom?
	Give a reason for your answer. [2 marks]
	Reason

Turn over for the next question




- 0 5 This question is about oxygen and compounds of oxygen.
- 0 5 . 1 What is the state symbol of oxygen at room temperature?

[1 mark]

0 5 . 2 Figure 4 shows the percentage by mass of the elements calcium, carbon and oxygen in calcium carbonate.

Figure 4



What is the percentage by mass of calcium in calcium carbonate?

[1 mark]

Percentage = _____%



0 5.3	At high temperature, sodium nitrate decomposes into sodium nitrite and oxygen.
	A student heats three samples of sodium nitrate.

The mass of each sample was 4.50 g

The mass of solid after heating was recorded.

Table 2 shows the mass of solid after heating in each experiment.

Table 2

Experiment	Mass of solid after heating in g
1	3.76
2	3.98
3	4.09

Calculate the mean mass of solid after heating.

Give your	answer	to 3	significant	figures.
-----------	--------	------	-------------	----------

,	J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	[3 marks]
	Mean mass of solid after heating =	g

Question 5 continues on the next page



Do not write

0 5 .

Table 3 shows the electronic structure of hydrogen and oxygen.

Table 3

Element	Electronic structure
Hydrogen	1
Oxygen	2,6


Figure 5 shows part of a dot and cross diagram of a molecule of water (H₂O).

Complete the dot and cross diagram.

You should show only the electrons in the outer energy levels.

[2 marks]

Figure 5



Oxygen and sulfur are examples of simple molecules.

0 5 .

Complete the sentence.

Choose the answer from the box.

[1 mark]


bonds between the atoms of oxygen in an There are oxygen molecule.





Figure 6 shows the relative sizes of an oxygen molecule and a sulfur molecule.

Figure 6



How does the boiling point of sulfur compare with the boiling point of oxygen?

Complete the sentences.

[2 marks]

The boiling point of sulfur is	the boiling point of	oxygen.

This is because in sulfur the intermolecular forces are

than the intermolecular forces in oxygen.


10



This question is about reactions of metals.

Figure 7 shows what happens when calcium, copper, magnesium and zinc are added to hydrochloric acid.

Figure 7



0 6.1	What is the order of de	ecreasing reactivity of these four metals?	[1 mark]
	Tick (✓) one box.		[Timark]
	Zn Ca Cu Mg		
	Ca Cu Mg Zn		
	Cu Zn Ca Mg		
	Ca Mg Zn Cu		



0 6.2	A student wants to make a fair comparison of the reactivity of the metals with hydrochloric acid. Name two variables that must be kept constant.	[2 marks]
	2	
0 6.3	What is the independent variable in this reaction?	[1 mark]
0 6.4	Predict the reactivity of beryllium compared with magnesium. Give a reason for your answer.	
	Use the periodic table.	[2 marks]
	Reason	
0 6.5	A solution of hydrochloric acid contains 3.2 g of hydrogen chloride in 50 cm ³ Calculate the concentration of hydrogen chloride in g per dm ³	[3 marks]
	Concentration =	g per dm³





*
找名校导师
厺
ДM
븰
ᅫ
用小草线上辅导
Ξ
卓
)
┢
推
40
$\dot{\sim}$
4
经
微信/
\overline{z}
HI
,程序同名
ī
47
ПΛ
$\overline{}$

0 7	This question is about salts.	
	Ammonium nitrate solution is produced when ammonia gas reacts with nitric acid.	
0 7 . 1	Give the state symbol for ammonium nitrate solution.	
		[1 mark]
0 7.2	What is the formula of nitric acid?	[1 mark]
	Tick (✓) one box.	[
	HCI	
	HNO ₃	
	H ₂ SO ₄	
	NH ₄ OH	
0 7 . 3	Ammonia gas dissolves in water to produce ammonia solution.	
	Ammonia solution contains hydroxide ions, OH ⁻	
	A student adds universal indicator to solutions of nitric acid and ammonia.	
	What colour is observed in each solution?	
	TYTIAL GOLGAT TO ODGOT FOR ATT CONTAINED.	[2 marks]
	Colour in nitric acid	
	Colour in ammonia solution	
	Ammonia solution contains hydroxide ions, OH ⁻ A student adds universal indicator to solutions of nitric acid and ammonia. What colour is observed in each solution? Colour in nitric acid	



0 7.4	The student gradually added nitric acid to ammonia solution.					
	Which row, A , B , C or D , shows the change in pH as the nitric acid is added until in excess?					
	Tick (✓) one box.					
		pH of ammonia solution at start	pH after addition of excess nitric acid			
	A	10	7			
	В	2	10			
	С	7	1			
	D	10	2			
0 7.5	Calcul	ate the percentage by	mass of oxygen in amn	nonium nitrate (NH,NO ₂)		
0 7 . 3	Calculate the percentage by mass of oxygen in ammonium nitrate (NH_4NO_3). Relative atomic masses (A_r): $H = 1$ $N = 14$ $O = 16$					
	Relative formula mass (M_r): NH ₄ NO ₃ = 80 [3 marks]					
	Percentage by mass of oxygen =%					
Question 7 continues on the next page						






0 7 . 6	Describe a method to investigate how the temperature changes when different masses of ammonium nitrate are dissolved in water.					
	You do not need to write about safety precautions.	[6 marks]				
		[0				
		-				

END OF QUESTIONS







Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material are published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 AQA and its licensors. All rights reserved.



