

# Н

# Friday 20 November 2020 – Morning

# GCSE (9–1) Combined Science (Chemistry) A (Gateway Science)

J250/10 Paper 10 (Higher Tier)

Time allowed: 1 hour 10 minutes

#### You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Combined Science (Chemistry) A (inside this document)

#### You can use:

- · a scientific or graphical calculator
- · an HB pencil



Please write clearly in black ink. <b>Do not write in the barcodes.</b>									
Centre number Candidate number									
First name(s)									
Last name									

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

#### **INFORMATION**

- The total mark for this paper is 60.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has 24 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.

© OCR 2020 [601/8687/2] DC (ST/CT) 189499/7

OCR is an exempt Charity

Turn over

2

## **SECTION A**

Answer **all** the questions.

You should spend a maximum of 20 minutes on this section.

Write your answer to each question in the box provided.

1	Wh	at is an example	e of a <b>biological</b> cataly	vst?								
	Α	A lipid										
	В	An amino acid										
	С	An enzyme										
	D	A substrate										
2		ur answer	e boiling points of the f	irst five Group 0 elements.	[1]							
		Element	Boiling point (°C)									
		Helium	-269									
		Neon	-246									
		Argon	-186									
		Krypton	-152									
		Xenon	-107									
	Wh	ich statement de	escribes the trend in th	e boiling points?								
	Α	The boiling poi	nts decrease as the m	olecules get larger.								
	В	The boiling points decrease as the molecules get smaller.										
	С	The boiling poi	nts increase as the ato	oms get larger.								
	D	The boiling poi	nts increase as the ato	oms get smaller.								
	Υοι	ır answer			[1]							

3 The table shows the melting and boiling points of bromine.


Melting point (°C)	Boiling point (°C)
-7	59

Which change of state happens when bromine is cooled from 65 °C to −5 °C?

- **A** Condensation
- **B** Evaporation
- **C** Freezing
- **D** Melting

Your answer [1]

4 The diagram shows how drinking water can be produced from water from a reservoir.



What happens at Stage 3?

- A Any remaining solids are removed.
- **B** Bacteria are used to break down sludge.
- **C** Harmful bacteria are killed.
- **D** The pH of the water is checked and corrected.

Your answer [1]

5	The	composition of the Earth's atmosphere has changed over the last 4.5 billion years.	
	Whi	ch gas has increased by the largest amount?	
	A	Ammonia	
	В	Nitrogen	
	С	Oxygen	
	D	Water vapour	
	You	r answer	[1]
6	Cop	oper can be extracted from copper sulfide by heating it in air.	
	Cop	oper sulfide contains 74.0% copper by mass.	
	An	ore contains 2.00% copper sulfide.	
	Wha	at is the maximum mass of copper that can be extracted from 150 kg of the ore?	
	Α	1.48 kg	
	В	2.22kg	
	С	3.00 kg	
	D	111 kg	
	You	r answer	[1]
7	Loo	k at the reaction.	
	PC	$l_3(g) + Cl_2(g) \rightleftharpoons PCl_5(g)$	
	Whi	ch statement explains why the rate of reaction changes as the pressure increases?	
	Α	The energy of the particles increases.	
	В	The particles collide with more force.	
	С	The particles move faster.	
	D	There are more particles in the same volume.	
	You	r answer	[1]

													5					
8		rate c			on o	f m	narb	le d	chip	s w	ith (	dilut	e h	ydr	och	lorio	c ac	cid depends on the surface area of
	Whi	ich sur	face	are	ea of	th	e m	arb	le c	hips	s giv	ves	the	hiç	jhe	st r	ate	of reaction?
	A	0.673	mm	1 <sup>2</sup>														
	В	1030	mm²	2														
	С	2.18	× 10	<sup>3</sup> mı	m <sup>2</sup>													
	D	4.98	× 10	) <sup>-2</sup> m	nm²													
	You	r answ	/er															[1]
9	The	Earth	's ea	arly	atmo	osp	hei	e is	s the	ougl	nt to	ha	ve	con	tair	ed	larg	ge amounts of carbon dioxide.
		ich pro reased		s d	oes	nc	ot e	xpl	ain	hov	v th	ne a	amc	ount	of	ca	rboı	n dioxide in the atmosphere was
	A	It bec	ame	e 'lo	ckec	d up	o' in	fos	sil 1	fuels	S.							
	В	It diss	solve	ed ir	n the	00	ceai	ns.										
	С	It read	cted	to <sub>l</sub>	prod	uce	e m	etal	oxi	des	fou	ınd	in n	neta	al o	res.		
	D	It was	s use	ed ii	n ph	oto	syn	ithe	sis	by g	gree	en p	lant	s.				
	You	r answ	/er															[1]
10	Loo	k at the	e dia	agra	am o	f th	ne F	erio	odic	: Tat	ole.							
																		]
	Α															В		
	С		$\vdash$		$\vdash$					Н							$\vdash$	
																	D	
		ich ele te hydr					or C	<b>)</b> , ha	as t	he g	grea	ates	t tei	nde	ncy	to '	forn	n <b>positive ions</b> when it reacts with
	You	r answ	/er															[1]

#### **SECTION B**

#### Answer all the questions.

11 Look at the flowchart. It shows how crude oil is changed into useful substances.

Process 1. Fractional distillation	Crude oil is separated into fractions of similar hydrocarbons.				
•					
Process 2.	Some long chain hydrocarbons are turned into short chain hydrocarbons.				
Process 3. Polymerisation	Some of the short chain hydrocarbons are used to make plastics.				

(a) Complete the flowchart with the name of Process 2.

[1]

(b) Table 11.1 shows the supply and demand of two fractions of crude oil.

Fraction	Millions of barrels per day						
Fraction	Supply	Demand					
Petrol	26	39					
Fuel oil	19	11					

**Table 11.1** 

Explain the importance of <b>Process 2</b> .									
Jse information from <b>Table 11.1</b> in your answer.									
	[21								

(c) The hydrocarbon fractions from **Process 1** contain different alkanes.

Table 11.2 shows the boiling point of different alkanes produced in Process 1.

Number of carbon atoms in a molecule of the alkane	Boiling point (°C)
1	-162
2	-89
3	
4	-1
5	36

**Table 11.2** 

(i)	Complete <b>Table 11.2</b> with an estimate of the missing boiling point for an alkane mowith <b>3 carbon atoms</b> .								
/ii\	Write the formula for an alkane with <b>7 carbon atoms</b> .								
('')	while the formula for all alkane with a carbon atoms.	. [1]							

**12** A student investigates the rate of a reaction at different concentrations.

Fig. 12.1 shows the apparatus he uses.




Fig. 12.1

The student adds dilute hydrochloric acid to the sodium thiosulfate solution. He times how long it takes for the cross to disappear. This is the reaction time.

The student repeats the experiment at different concentrations of sodium thiosulfate solution.

The concentration of hydrochloric acid is the same in each experiment.

He plots the results of the experiment on a graph, as shown in Fig. 12.2.




Fig. 12.2

(	a)	Look	at the	equation	for the	reaction.
٨	ш	LOUR	at the	Cquation	ioi tiic	reaction.

$$Na_2S_2O_3(aq) + 2HCl(aq) \rightarrow 2NaCl(aq) + H_2O(I) + S(s) + SO_2(g)$$

Which product in the reaction makes the cross disappear?

Tick (✓) one box.

NaCl(aq)	
----------	--

[1]

(b) The rate of reaction can be calculated using the equation:

Rate of reaction = 
$$\frac{1}{\text{reaction time}}$$

Use the graph in **Fig. 12.2** to calculate the rate of reaction when the concentration of sodium thiosulfate solution is 0.25 mol/dm<sup>3</sup>.

Give your answer to 2 decimal places.

(c) (i) Describe the trend shown by the graph in Fig. 12.2.

[1]

(ii) State how the rate of reaction changes as the sodium thiosulfate concentration changes.

		F41

(d) Another student investigates the effect of temperature on the rate of reaction.

She calculates the rate of reaction at different temperatures, as shown in the table.

Temperature (°C)	Rate of reaction (/s)
30	0.015
40	0.030
50	0.060
60	0.120

Predict the rate of reaction at 70 °C.

Predicted rate of reaction =	10	T /	11	ı
Fredicied rate of reaction -	/ 5			1

# 11

## **BLANK PAGE**

PLEASE DO NOT WRITE ON THIS PAGE

13 Hydrogen peroxide solution decomposes slowly to form water and oxygen.

Look at the equation for the reaction.

$$2 H_2 O_2(aq) \ \rightarrow \ 2 H_2 O(I) \ + \ O_2(g)$$

This reaction, shown in Fig. 13.1, is very slow.




Fig. 13.1

A student thinks that adding manganese(IV) oxide,  $MnO_2$ , will catalyse the decomposition reaction.

Her experiment is shown in Fig. 13.2.




Fig. 13.2

© OCR 2020

When she puts the glowing spill into the test tube in Fig. 13.2 the spill relights.
The student separates the manganese(IV) oxide from the reaction mixture.
She adds this manganese(IV) oxide to a new solution of hydrogen peroxide.
Predict the results of this experiment if manganese(IV) oxide is a catalyst.
Explain your answer.
[4]

**14 Table 14.1** shows the melting points of some of the Group 1 metals.


Group 1 metal	Atomic number	Melting point (°C)
Lithium	3	181
Sodium	11	98
Potassium	19	63
Rubidium	37	39
Caesium	55	29

**Table 14.1** 

(a) (i) Plot the data in Table 14.1 on the grid in Fig. 14.1.

Draw a line of best fit.

(°C)



Atomic number

Fig. 14.1

(ii) Describe the relationship between the atomic number of the Group 1 metals and their melting points shown in Fig. 14.1.

© OCR 2020

[3]

(b) Fig. 14.2 shows the structure of sodium.




Fig. 14.2

Describe the metallic bonding in sodium.	
Use information from Fig. 14.2 in your answer.	
	. [2]
Look at the melting points of sodium and lithium in <b>Table 14.1</b> .	
Suggest a reason for the difference in their melting points.	
	. [1]
	Use information from Fig. 14.2 in your answer.  Look at the melting points of sodium and lithium in Table 14.1.  Suggest a reason for the difference in their melting points.

15 This question is about the Earth's atmosphere and the greenhouse effect.

(a)	Scientists think that without the greenhouse effect the average temperature of the Earth's surface would be about $-18^{\circ}\text{C}$ .
	Explain how the greenhouse effect keeps the average temperature above −18 °C.
	[2]
(b)	Many scientists think that human activity is enhancing the greenhouse effect and leading to global warming.
	Explain this statement.
	[2]
(c)	Student ${\bf A}$ thinks that the increased use of electric cars would help reduce the greenhouse effect.
	Student <b>B</b> thinks that the increased use of electric cars would <b>not</b> help reduce the greenhouse effect.
	Explain why each student may be correct.
	[2]

(d)	The	waste gases from vehicle engines contain oxides of nitrogen.				
	(i)	Explain how the oxides of nitrogen are formed in an engine.				
		[2]				
	(ii)	Most vehicles are fitted with catalytic converters. They reduce the amount of the oxides of nitrogen released into the atmosphere.				
		Describe why this is important.				
		[1]				

16\* Nitrogen and hydrogen react to form ammonia in a dynamic equilibrium.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$
  $\Delta H = -92 \text{ kJ/mol}$ 

The table shows the amount of ammonia formed at different temperatures and pressures.

Proceure (MPa)	Amount of ammonia formed at different temperatures and pressure (%)					
Pressure (MPa)	100°C	200°C	300°C	400°C	500°C	
2.5	92	64	27	9	3	
5.0	95	74	40	15	6	
10.0	97	82	53	25	11	
20.0	98	89	67	39	18	
40.0	99	95	80	55	32	

Describe and explain how the percentage of ammonia formed changes with temperature and

Use the information provided in the table and your knowledge of reactions in dynamic equilibrium.

# 19

## **BLANK PAGE**

PLEASE DO NOT WRITE ON THIS PAGE

17 The alkanes in crude oil can be separated by fractional distillation.

This is because they have different boiling points.


The table shows the boiling points of hexane and octane.

Alkane	Boiling point (°C)
Hexane	69
Octane	126

		LJ.
	Explain the difference in the boiling points of hexane and octane.	
uj	Troxane molecules are smaller than octane molecules.	
a)	Hexane molecules are smaller than octane molecules.	

**(b)** A teacher checks the boiling point of hexane.

The diagram shows his experiment.




The teacher slowly heats up the water until hexane boils.

He records the temperature at the boiling point of hexane.

A student thinks that this method can be used to determine the boiling point of hexane but **not** the boiling point of octane.

Explain why the student is correct.	
	[2]

18 The diagram shows what happens when a small amount of potassium bromide solution, KBr, is added to a solution of chlorine,  $Cl_2$ .



(a)		te the <b>balanced symbol</b> equation for the reaction between potassium bromide, KBr, ar brine, $\mathrm{C}l_2$ .	nd
		[	2]
(b)	(b) Write down the name of the chemical which makes the solution orange.		
(c)	(i)	Write the <b>half equation</b> for the formation of chloride ions, $Cl^-$ , from chlorine, $Cl_2$ .	1]
		[	1]
	(ii)	In this reaction is chlorine oxidised or reduced?	
		Explain your answer.	
		[	1]
(d)	Ехр	plain why chlorine is <b>more</b> reactive than bromine.	
		[	3]

#### **END OF QUESTION PAPER**

## 23

## **ADDITIONAL ANSWER SPACE**

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).					
• • • • • • • • • • • • • • • • • • • •					

© OCR 2020

,	 



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2020