

Н

Wednesday 12 June 2019 – Morning

GCSE (9–1) Combined Science (Chemistry) A (Gateway Science)

J250/10 Paper 10 (Higher Tier)

Time allowed: 1 hour 10 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet (for GCSE Combined Science (Chemistry) A (inserted))

You may use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. Do not write in the barcodes.								
Centre number						Candidate number		
First name(s)								
Last name								

INSTRUCTIONS

- The Data Sheet will be found inside this document.
- Use black ink. You may use an HB pencil for graphs and diagrams.
- Answer all the questions.
- Where appropriate, your answers should be supported with working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.

INFORMATION

- The total mark for this paper is 60.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- · This document consists of 24 pages.

7710895952*

© OCR 2019 [601/8687/2] DC (KS/FC) 173903/5 OCR is an exempt Charity

Turn over

SECTION A

You should spend a maximum of 20 minutes on this section.

Answer **all** the questions.

Write your answer to each question in the box provided.

. /	A biological catalyst							
В	A biological reactant							
C /	A natural monomer							
D /	A starch molecule							
Your	answer							
	answer h row of the table is correct for cracking? Description	Source of raw material						
	h row of the table is correct for cracking?	Source of raw material						
Whic	h row of the table is correct for cracking? Description							
Whic	h row of the table is correct for cracking? Description heating large molecules to make smaller molecules	crude oil						

3 Element **W** displaces **X** from a solution of **X** nitrate.

Element **X** displaces **Y** from a solution of **Y** sulfate.

Element **Z** displaces **W** from a solution of **W** nitrate.

What is the correct order of reactivity?

	most reactive				-	least reactive
Α		W	Х	Υ	Z	
В		W	Υ	Х	Z	
С		Z	W	Х	Υ	
D		Z	Х	Υ	W	

Wh	ich statement explains why methane is a greenhouse gas?
Α	It absorbs and re-emits infrared radiation.

[1]

- **B** It absorbs and re-emits ultraviolet radiation.
- **C** It contains carbon.

Your answer

4

D It is released into the atmosphere by cattle.

Your answer	[1
-------------	----

5 Manganese dioxide, MnO₂, can act as a catalyst.

A student mixes 10 g of ${\rm MnO_2}$, a black solid, with 4 different solutions, **A**, **B**, **C** and **D**.

With which solution does MnO_2 act as a catalyst?

	Does a chemical reaction happen?	After mixing
Α	No	10g of black solid left
В	Yes	10g of black solid left
С	Yes	more than 10g of green solid left
D	Yes	more than 10g of pink solid left

You	ur answer	[1]
Rev	versible reactions in a closed system reach a dynamic equilibrium.	
At e	equilibrium, which statement is correct?	
A	rate of reverse reaction = 0	
В	rate of forward reaction = 0	
С	rate of forward reaction > rate of reverse reaction	
D	rate of forward reaction = rate of reverse reaction	

6

Your answer

[1]

7 Aluminium is extracted by electrolysis.

Iron is extracted by reduction with carbon.

Which row of the table **explains both** facts?

Α	aluminium is more reactive than carbon	carbon is more reactive than iron
В	aluminium is more reactive than carbon	iron is more reactive than carbon
С	aluminium is more reactive than iron	carbon is more reactive than iron
D	aluminium is more reactive than iron	iron is more reactive than carbon

Your answer	[1]
our answer	[1]

8 This question is about the elements in Group 1.

Which row of the table is correct?

	Reactivity	Reason
Α	decreases down the group	it is easier to form positive ions
В	decreases down the group	it is easier to form negative ions
С	increases down the group	it is easier to form positive ions
D	increases down the group	it is easier to form negative ions

	increases down the group	it is easier to form negative forts	
			_
Your a	nswer		[1]

9	The	elements neon and argon in Group 0 are unreactive.						
	Whi	nich statement explains why?						
	Α	They all have eight electrons in their outer shells.						
	В	They all have full outer electron shells.						
	С	They are all gases at room temperature and pressure.						
	D	They are all monatomic.						
	You	r answer	[1]					
10	Chle	orine is in Group 7 of the Periodic Table.						
	Wha	at is the mass of 2 moles of chlorine gas?						
	Α	35.5g						
	В	71.0g						
	С	106.5g						
	D	142.0g						
	You	r answer	[1]					

7 BLANK PAGE


PLEASE DO NOT WRITE ON THIS PAGE


SECTION B

Answer **all** the questions.

11 Local councils collect waste from households.

The graph shows what happened to the waste between 2001 and 2017.





(a)	Describe and explain one trend shown by the graph.							
	ro							

(b)	State one disadvantage of recycling.
	[1]

12	A st	uden	t adds some magnesium to dilute hydrochloric acid (HC <i>l</i>).
	Mag	gnesi	um chloride (MgC l_2) and hydrogen gas is formed.
	(a)	Writ	e a balanced symbol equation for this reaction.
			[2]
	(b)		wants to investigate how changing the concentration of hydrochloric acid affects the rate eaction.
		The	student uses:
		•	hydrochloric acid with a concentration of 1 mol/dm ³
		•	magnesium ribbon
		•	a conical flask
		•	a measuring cylinder
		•	a mass balance
		•	a stopwatch.
		(i)	Identify the independent variable in the investigation.
			[1]
		(ii)	Identify two control variables in the investigation.
			1
			2
			[2]
	(c)		student measures the time it takes from adding the magnesium to the hydrochloric acid the reaction mixture stops bubbling.
		The	table shows the student's results.

Concentration of acid (mol/dm³)	Time 1 (s)	Time 2 (s)	Time 3 (s)	Mean (average) time (s)
1.00	15	15	15	15
0.75	65	55	41	54
0.50	85	90	88	88
0.25	300	290	295	295

Th	ne res	sults a	nt 0.7	5 m	ol/d	m ³ a	are ı	repe	ate	d.							 		 		
Th	nis is	a gra	oh of	the	stud	dent	's re	sult	S.												
Tin	me (s)	300- 250- 200- 150- 100- 50-	0		0.2	2		0.4			0.				0.8	-3)	1	*		1.2	
							С	onc	entr	atio	n of	aci	d (n	nol	/dn	า ³)					
		onclu										ts?									
1110	ciuue	luca	abc	ut p	arti	CICS	111)	/Oui	ans	SWC1	•										

Turn over © OCR 2019

.....[3]

13* Fractional distillation can be used to separate different fractions from crude oil.

Fig. 13.1 and Fig. 13.2 give some information about the process.




Fig. 13.1





Fig. 13.2

13
Explain how fractional distillation produces the different fractions from crude oil.
Use the information in Fig. 13.1 and Fig. 13.2 in your answer.
21

Turn over © OCR 2019

14 Some Group 1 and Group 7 elements are very reactive.

Look at the reaction cycle.



(a)	Ider	ntify element A.	
			. [1]
(b)	(i)	Identify compound B.	
			. [1]
	(ii)	Write a balanced equation for the reaction of element $\bf A$ with ${\rm Br_2}({\rm I})$.	
		Include state symbols in your answer.	
			. [2]
(c)	(i)	Identify compound C.	
			. [1]
	(ii)	Give a reason for your answer to (c)(i).	
			F41

		_						
- 1	A)	ם ו	ie	2	\sim	lour	lacc.	gas.
٠,	u	, ,	13	а	\sim	ıouı	1000	yas.

How can you show if the gas is carbon dioxide, hydrogen or oxygen?
Describe the tests for carbon dioxide, hydrogen and oxygen and the results you would expect with gas ${\bf D}$.
test for carbon dioxide
result with gas D
test for hydrogen
result with gas D
test for oxygen
result with gas D

© OCR 2019 Turn over

[3]

15 The reaction between sulfur dioxide and oxygen is reversible.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$
 energy change = $-198 \, kJ/mol$

(a) The table shows some relative atomic masses.

Element	Relative atomic mass
sulfur	32.1
oxygen	16.0

Calculate the maximum mass of SO₃, in g, that can be made from 100 mg of SO₂.

Give your answer to 2 decimal places.

Mass =	 g [4]
	0.

(b) The equilibrium position of reversible reactions may be altered by changing the reaction conditions, such as temperature and pressure.

Write down one other condition which may alter the equilibrium position.

.....[1]

(c)	(i)	When the reaction between sulfur dioxide and oxygen is at equilibrium, what is the eff of increasing the temperature?	fect
		Explain your answer.	
	(ii)	When the reaction between sulfur dioxide and oxygen is at equilibrium, what is the eff of increasing the pressure?	fect
		Explain your answer.	
(d)	(i)	Write down two sources of sulfur dioxide in the atmosphere.	
		1 2	
			[1]
	(ii)	Describe two problems caused by the release of sulfur dioxide into the atmosphere.	
		1	
		2	
			[2]

16 One homologous series of organic compounds is called the alkanes.

(a)	The general formula for an alkane is C_nH_{2n+2} .
	Methane $(n = 1)$ and ethane $(n = 2)$ are the first two alkanes.
	Write down their chemical formulae.
	methane
	ethane


(b) This table shows the energy released when one mole of an alkane is completely burned in oxygen.

[1]

S Zumdahl, S Zumdahl, 'Chemistry (5th edition)', p373, Houghton Mifflin, 2000. Item removed due to third party copyright restrictions. Link to material: http://butane.chem.uiuc.edu/cyerkes/Chem104ACSpring2009/Genchemref/bondenergies.html

Table 16.1

(i) Plot a graph using the data in **Table 16.1** and draw a line of best fit. Use the axes below.



Energy released (kJ/mol)

Number of CH_2 units per molecule

[2]

(ii) Calculate the gradient (slope) of the graph.

Gradient = (kJ/mol/CH₂ unit per molecule) [2]

(iii) Estimate the energy released when decane ($\mathrm{C}_{10}\mathrm{H}_{22}$) burns.

Use your answer to (b)(ii) to help you.

Energy released =kJ/mol [2]

Turn over

(c) Propane burns in oxygen to form carbon dioxide and water.

The table shows some bond energies.

Bond	Bond energy (kJ/mol)
C=O	805
C–C	347
O=O	498
O–H	464

The total energy released in the reaction between propane and oxygen is 2220 kJ/mol.

Calculate the bond energy of C-H.

Give your answer to 3 significant figures.

Bond energy of C-H = kJ/mol [4]

END OF QUESTION PAPER

21

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).							

•••••	
•••••	

 ,	 	
 <u> </u>	 	



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.