

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE PHYSICS

Foundation Tier Paper 1

Wednesday 23 May 2018 Afternoon Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the box at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
TOTAL			



Do not write outside the

0 1 Figure 1 shows a cyclist riding along a flat road.

Figure 1



0	1	1	Complete the sentence.

Choose answers from the box.

[2 marks]

chemical	elastic potential	gravitational potential	kinetic
As the cyclist acce	elerates, the		energy store in
the cyclist's body o	decreases and the		energy of
the cyclist increas	es.		
The mass of the cy	yclist is 80 kg. The spe	eed of the cyclist is 12 m/s.	
Calculate the kinet	tic energy of the cyclist		
Use the equation:	kinetic energy = (0.5 × mass × (speed) ²	
			[2 marks]

Kinetic energy = ____



2


0 1.3	When the cyclist uses the brakes, the bicycle slows down.
	This causes the temperature of the brake pads to increase by 50 °C.
	The mass of the brake pads is 0.040 kg. The specific heat capacity of the material of the brake pads is 480 J/kg °C.
	Calculate the change in thermal energy of the brake pads.
	Use the equation:
	change in thermal energy = mass × specific heat capacity × temperature change [2 marks]
	Change in thermal energy =
1.4	Change in thermal energy =
1.4	How is the internal energy of the particles in the brake pads affected by the increase
1.4	How is the internal energy of the particles in the brake pads affected by the increase in temperature? Tick one box.
1.4	How is the internal energy of the particles in the brake pads affected by the increase in temperature? Tick one box. [1 mark]
1.4	How is the internal energy of the particles in the brake pads affected by the increase in temperature? Tick one box. [1 mark]

Turn over ▶



Figure 2 shows how the current through a filament lamp changes after the lamp is switched on.

Figure 2



0 2. 1 The normal current through the filament lamp is 1.5 A.

For how many seconds is the current through the filament lamp greater than 1.5 A?

Tick **one** box.

[1 mark]

0.01 s

0.08 s

0.09 s

L

0.14 s



0 2.2	Why might the filament inside a lamp melt when the lamp is first switched on? [1 mark]	Do not w. outside ti
0 2.3	The lamp is connected to a 24 V power supply. The current through the lamp is 1.5 A. Calculate the power of the lamp. Use the equation: power = potential difference × current [2 marks]	
	Power = W	-
0 2.4	LED lamps are much more efficient than filament lamps.	
	What does this statement mean?	
	Tick one box. [1 mark]	
	LED lamps have a similar power output to filament lamps.	
	LED lamps waste a smaller proportion of the input energy than filament lamps.	
	LED lamps have a higher power input than filament lamps.	
	LED lamps waste a larger proportion of the input energy than filament lamps.]
		5

Turn over ▶



0 3 . 1


Draw a diagram to show how 1.5 V cells should be connected together to give a potential difference of 4.5 V.

Use the correct circuit symbol for a cell.

[2 marks]

A student built the circuit shown in Figure 3.

Figure 3



0 3. 2 Calculate the total resistance of the circuit in **Figure 3**.

Use the equation:

[2 marks]

Total resistance =
$$\Omega$$



0 3 . 3	The resistance of ${\bf P}$ is 3.5 Ω .	Do not write outside the box
	Calculate the resistance of Q. [1 mark]	
	Resistance of $\mathbf{Q} = \underline{\hspace{2cm}} \Omega$	
0 3.4	The student connects the two resistors in Figure 3 in parallel.	
	What happens to the total resistance of the circuit?	
	Tick one box. [1 mark]	
	It decreases	
	It increases	I 5
	It does not change	
	Give a reason for your answer. [1 mark]	
		7
	Turn over for the next question	



Turn over ▶

Do not write outside the box


0 4	A student wanted to determine the density of a small piece of rock.	
0 4.1	Describe how the student could measure the volume of the piece of rock.	[4 marks]
0 4.2	The volume of the piece of rock was 18.0 cm ³ .	
	The student measured the mass of the piece of rock as 48.6 g.	
	Calculate the density of the rock in g/cm ³ .	
	Use the equation: $density = \frac{mass}{volume}$	
		[2 marks]
	Density =	g/cm ³



Do not write outside the







0 4.3 What is the most likely type of rock that the student had?

Tick one box.

[1 mark]

Basalt

asait

Flint

Granite

Limestone

Sandstone





0 4.4	Give one source of error that may have occurred when the student measured the volume of the rock. [1 mark]	Do not write outside the box
0 4.5	How would the error you described in question 04.4 affect the measured volume of the rock? [1 mark]	
		9
		I S
		8 H - 1 - 2 - 7 H - 2 - 7
		I



Which of the isotopes given in Table 1 is not an isotope of americium?

Americium-241 $\binom{241}{95}$ Am) is an isotope of americium.

[2 marks]

Table 1

Isotope	Mass number	Atomic number
Α	243	95
В	243	94
С	242	95

Isotope				
Give a rea	ason for your a	nswer.		

Question 5 continues on the next page




0 5

Figure 5 shows how the number of americium-241 nuclei in a sample changes

Do not write

Figure 5

with time.



0 5. 2 How many years does it take for the number of americium-241 nuclei to decrease from 10 000 to 5000?

[1 mark]

Time = years

0 5 . 3 What is the half-life of americium-241?

[1 mark]

Half-life = _____ years




Do not write

0 6

Nuclear power can be used to generate electricity through nuclear fission.

Figure 6 shows the process of nuclear fission.

Figure 6



0 6 . 1 Complete the sentences.

Choose answers from the box.

[3 marks]

	gamma rays	light rays	proton	neutron	nucleus	X-rays		
	absorbs a	ess of nuclear f	·			·		
0 6.2	1	The UK needs at least 25 000 000 kW of electrical power at any time. A nuclear power station has an electrical power output of 2 400 000 kW						
	Calculate how many nuclear power stations are needed to provide 25 000 000 kW of electrical power. [2 marks							
			nuclear pow	er stations =				






0 6.3	State two environmental issues caused by generating electricity using nuclear power stations. [2 marks]			
	1			
	2			

0 6 . 4 The UK currently generates a lot of electricity by burning natural gas. This process releases carbon dioxide into the atmosphere.

Figure 7 shows how the concentration of carbon dioxide in the atmosphere has changed over the past 115 years.

Figure 7






Do not write outside the

Figure 8 shows how the global temperature has changed over the past 115 years.





Give one similarity and one difference between the data in Figure 7 and Figure 8.

[2 marks]

Similarity		
Difference		

Turn over for the next question



Do not write outside the box


0 7	The plug of an electrical appliance contains a fuse.
0 7.1	What is the correct circuit symbol for a fuse? Tick one box. [1 mark]
0 7.2	The appliance is connected to the mains electrical supply. The mains potential difference is 230 V. Calculate the energy transferred when 13 C of charge flows through the appliance. Use the equation:
	energy transferred = charge flow × potential difference [2 marks]
	Energy transferred = J



Do not write outside the box

Figure 9 shows the structure of a fuse.

Figure 9



0 7.3	Write down the equation that links charge flow, current and time.	1 mark]
0 7.4	The fuse wire melts when 1.52 coulombs of charge flows through the fuse in 0.40 seconds. Calculate the current at which the fuse wire melts.	marks]
	Current =	A
0 7.5	The mass of the fuse wire is 0.00175 kg. The specific latent heat of fusion of th wire is 205 000 J/kg. Calculate the energy needed to melt the fuse wire. Use the Physics Equations Sheet.	e fuse marks]

J






Do not write outside the

0 8

Figure 10 shows a hot water tank made of copper.

Figure 10



0 8 . 1 Copper has a higher thermal conductivity than most metals.

How does the rate of energy transfer through copper compare with the rate of energy transfer through most metals?

Tick **one** box.

[1 mark]

Higher

Lower

The same



Do not write outside the box

0 8.2	The tank is insulated. When the water is hot, the immersion heater switches	es off.
	Complete the sentences.	[2 marks]
	Compared to a tank with no insulation, the rate of energy transfer from the	
	water in an insulated tank is	
	This means that the water in the insulated tank stays	
	for longer.	
	Question 8 continues on the next page	

Turn over ▶



Figure 11 shows how temperature varies with time for water in a tank heated with an immersion heater.

Figure 12 shows how temperature varies with time for water in a tank heated with a solar panel.

Figure 11





Figure 12





0 8.3	Give one advantage and one disadvantage of heating the water using solar panels rather than an immersion heater.
	Use only information from Figure 11 and Figure 12. [2 marks]
	Advantage of solar panels
	Disadvantage of solar panels
08.4	During one morning, a total of 4 070 000 J of energy is transferred from the electric immersion heater.
	4 030 000 J of energy are transferred to the water.
	Calculate the proportion of the total energy transferred to the water.
	[2 marks]
	Proportion of total energy =
	Question 8 continues on the next page
	adoction o continuos on the next page





0 8 . 5	Write down the equation that links energy transferred, power and time. [1 mark]	Do not write outside the box
0 8.6	The power output of the immersion heater is 5000 W. Calculate the time taken for the immersion heater to transfer 4 070 000 J of energy.	
	Give the unit. [4 marks]	
	Time = Unit	



Figure 13 shows a lift inside a building.

Do not write outside the box

Figure 13



0	9 .	1	The motor in the lift does 120 000 J of work in 8.0 seconds.

Calculate the power output of the motor in the lift.

Use the equation:

Power output =
$$\frac{\text{work done}}{\text{time}}$$

[Z IIIai KS]

Power output = _____ W



Do not write outside the box

0 9.2	The power input to the motor is greater than the power output. Tick two reasons why.	[2 marks]
	Energy is transferred in heating the surroundings.	
	Friction causes energy to be transferred in non-useful ways.	
	The motor is connected to the mains electricity supply.	
	The motor is more than 100% efficient.	
	There are only four people in the lift.	
0 9.3	Figure 14 shows part of the circuit that operates the lift motor.	
	Figure 14	
	Power supply M Motor The lift can be operated using either of the two switches.	
	Explain why.	
		[2 marks]



Do not write outside the box

找名校导师,用小草线上辅导(微信小程序同名)

0 9.4	Write down the equation that links gravitational field strength, gravitational potential energy, height and mass. [1 mark]
0 9.5	The lift goes up 14 m. The total mass of the people in the lift is 280 kg. gravitational field strength = 9.8 N/kg
	Calculate the increase in gravitational potential energy of the people in the lift.
	Give your answer to 2 significant figures. [3 marks]
	Increase in gravitational potential energy = J

Turn over for the next question



1 0 Figure 15 shows a student walking on a carpet.

Figure 15



1 0.1 The student becomes negatively charged because of the friction between his socks and the carpet.

Explain why the friction causes the student to become charged.

[2 marks]

Ш	Ш	Ш			Ш	$\ \ $	
Ш	Ш		Ш		Ш		
Ш		Ш	Ш		Ш	Ш	
٠.		·-·		٠.			-


The student's head is represented by the sphere in Figure 16.

The student is negatively charged. The arrow shows part of the electric field around the student's head.

Draw three more arrows on Figure 16 to complete the electric field pattern.

[1 mark]

Figure 16



1 0.3 The negatively charged student touches a metal tap and receives an electric shock.

Explain why.

[3 marks]

Turn over ▶




t.co.uk
找名校导师 ,
用小草线上辅导(
(微信小程序同名)

1 0.4	Some carpets have thin copper wires running through them. The student is less likely to receive an electric shock after walking on this type of carpet.	Do not write outside the box
	Suggest why. [2 marks]	
	[2 marks]	
		8
		7
		9
		i I S
		3
		-
		Ī
		I



outside the







A teacher used a Geiger-Muller tube and counter to measure the number of counts in 60 seconds for a radioactive rock. The counter recorded 819 counts in 60 seconds. The background radiation count rate was 0.30 counts per second. Calculate the count rate for the rock. [3 marks] Count rate = per second A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	60 seconds for a radioactive rock. 11. 1 The counter recorded 819 counts in 60 seconds. The background radiation count rate was 0.30 counts per second. Calculate the count rate for the rock. [3 marks] Count rate =		
was 0.30 counts per second. Calculate the count rate for the rock. [3 marks] Count rate = per second A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	was 0.30 counts per second. Calculate the count rate for the rock. [3 marks] Count rate = per second A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	1 1	
Count rate = per second A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	Count rate = per second 1.2 A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	1 1.1	· · · · · · · · · · · · · · · · · · ·
A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]		
A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	A householder is worried about the radiation emitted by the granite worktop in his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]		
his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]	his kitchen. 1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg. Calculate the activity of the kitchen worktop in Bq. [2 marks]		Count rate = per second
Calculate the activity of the kitchen worktop in Bq. [2 marks]	Calculate the activity of the kitchen worktop in Bq. [2 marks]	1.2	
[2 marks]	[2 marks]		1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg.
Activity = Bq	Activity = Bq		
Activity = Bq	Activity = Bq		
			Activity = Bq



Do not write outside the

1 1.3	The average total radiation dose per year in the UK is 2.0 millisieverts.
	Table 2 shows the effects of radiation dose on the human body.

One year is 365 days.

Table 2

Radiation dose in millisieverts	Effects
10 000	Immediate illness; death within a few weeks
1000	Radiation sickness; unlikely to cause death
100	Lowest dose with evidence of causing cancer

The average radiation dose from the granite worktop is 0.003 millisieverts per day.

Explain why the householder should **not** be concerned about his yearly radiation dose from the granite worktop.

	[2 marks]
1 1.4	Bananas are a source of background radiation. Some people think that the unit of radiation dose should be changed from sieverts to Banana Equivalent Dose.
	Suggest one reason why the Banana Equivalent Dose may help the public be more aware of radiation risks.
	[1 mark]




1 2

A student investigated how the resistance of a piece of nichrome wire varies with length.

Figure 17 shows part of the circuit the student used.

Figure 17



1 2 . 1 Complete **Figure 17** by adding an ammeter and a voltmeter.

Use the correct circuit symbols.

[3 marks]



1 2 . 2	Describe how the student would obtain the data needed for the	e investigation.	Do not outside bo
	Your answer should include a risk assessment for one hazard	d in the investigation. [6 marks]	
2.3	Why would switching off the circuit between readings have im the student's investigation?	proved the accuracy of	
2.3	Why would switching off the circuit between readings have im the student's investigation? Tick one box.	proved the accuracy of [1 mark]	
1 2 . 3	the student's investigation?		
2.3	the student's investigation? Tick one box.		
1 2 . 3	the student's investigation? Tick one box. The charge flow through the wire would not change.		
2.3	the student's investigation? Tick one box. The charge flow through the wire would not change. The potential difference of the battery would not increase.		






1 2 . 4	The student used crocodile clips to make connecti	ons to the wire	Do not write outside the box	
[1] 2]. [7]	·			
	They could have used a piece of equipment called a 'jockey'. Figure 18 shows a crocodile clip and a jockey in contact with a wire.			
		ontact with a wife.		
	Figure 18			
510	520 530 540 55 60 570 580 590	30 540 5 60 570 580 590 66		
	Crocodile clip	Jockey	-	
	How would using the jockey have affected the acc student's results compared to using the crocodile of			
	Tick two boxes.	[2 marks	.1	
	The accuracy of the student's results would be hig			
	The accuracy of the student's results would be low	ver.		
	The accuracy of the student's results would be the	e same.	i i	
	The resolution of the length measurement would b	pe higher.		
	The resolution of the length measurement would b	pe lower.		
	The resolution of the length measurement would b	pe the same.		
			12	

END OF QUESTIONS







Do not write outside the

box

There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

