Please check the examination details bel	ow before ente	ring your candidate information
Candidate surname		Other names
Centre Number Candidate Number		
Pearson Edexcel Level	I I/Lev	ei 2 GCSE (9-1)
Time 1 hour 10 minutes	Paper reference	1SC0/2CF
Combined Science PAPER 5 Foundation Tier	e	•
You must have: Calculator, ruler		Total Marks

### **Instructions**

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

### Information

- The total mark for this paper is 60.
- The marks for each question are shown in brackets
  - use this as a guide as to how much time to spend on each question.
- In questions marked with an **asterisk** (\*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

### **Advice**

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







# **BLANK PAGE**

# Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box  $\boxtimes$ . If you change your mind about an answer, put a line through the box  $\boxtimes$  and then mark your new answer with a cross  $\boxtimes$ .

- 1 This question is about elements in group 1 of the periodic table.
  - (a) Figure 1 shows the symbols of the first three elements in group 1 of the periodic table and their melting points.

symbol	melting point in °C		
Li	181		
Na	98		
К	64		

Figure 1

Use the periodic table to answer these questions.

(i) Give the symbol of **another** element in group 1.

(1)

(ii) Give the atomic number of lithium.

(1)

(iii) Describe the trend in the melting points of the elements in Figure 1.

(2)



(b) The elements in group 1 react very vigorously with water.

A student suggests this method to see what happens when sodium reacts with water.

- **step 1** put on safety glasses and a laboratory coat
- **step 2** cut a  $2 \text{ cm} \times 2 \text{ cm} \times 2 \text{ cm}$  cube of sodium
- **step 3** put a few drops of water in the container shown in Figure 2
- **step 4** add the sodium to the water in the container and observe the reaction
- (i) Figure 2 shows a diagram of the container the student suggested for step 3.



Figure 2

Give the name of the container shown in Figure 2.

	(Total for Question 1 = 8 ma	rks)
	step 3: change and explanation	
	step 2: change and explanation	
	the method safer.	(3)
	Explain changes that could be made to step 2 and to step 3 that would make	
(ii)	A teacher says that the method is not safe because the reaction is too vigorous.	




- **2** Some reactions are exothermic and some reactions are endothermic.
  - (a) What does an exothermic reaction always give out?

(1)

- A heat energy
- **B** light
- D sound
- (b) In an experiment, a solid is mixed with a liquid.

  The temperature change of the mixture is measured.

Figure 3 shows the apparatus that is used.



(i) Give the letter of the piece of apparatus, **A**, **B**, **C** or **D**, in Figure 3 that is used to measure the temperature.

(1)

(ii) Give the name of the piece of apparatus **B** shown in Figure 3.

(1)

(iii) The piece of apparatus labelled **C** is made from polystyrene.

State why polystyrene is a better material than glass for this piece of apparatus.



(iv) The results of the experiment are given in Figure 4.

temperature of liquid at start in °C	18.6
temperature of products at end in °C	16.1

# Figure 4

Calculate the change in temperature.

Give a sign and a unit in your answer.

(3)

temperature change = .....

(v) The solid used in this experiment contained only  $NH_4^+$  ions and  $NO_3^-$  ions.

Give the formula and the name of the solid.

(2)

formula .....

name

(Total for Question 2 = 9 marks)



**3** (a) Figure 5 shows one molecule of a compound obtained from crude oil.




Figure 5

(i) Give the names of the **two** elements in this molecule.

(2)

(ii) What is the molecule in Figure 5?

(1)

- A an oxide
- **B** a chain molecule
- **D** a ring molecule
- (iii) What is the relative formula mass of the compound in Figure 5? (relative atomic masses: H = 1.0, C = 12)

- **■ B** 42



(b) Crude oil can be separated into different fraction.  Draw <b>one</b> straight line from each fraction to a	
fraction	use
	• fuel for aircraft
petrol	• fuel for ships
kerosene	• fuel for cars
	• making plastic
bitumen	extracting iron
	making road surfaces
(c) Hydrogen chloride gas and sulfur dioxide gas a of water. Blue litmus paper is dipped into each test tube. State and explain the colour change you would	2.
	(Total for Question 3 = 10 marks)



- **4** This question is about elements in group 7, the halogens.
  - (a) Which halogen is a green gas at room temperature and pressure?

(1)

- A bromine
- **B** chlorine
- C fluorine
- **D** iodine
- (b) Bromine, chlorine and iodine all react with heated iron wool.

Figure 6 shows the speed of these reactions.

halogen description of reaction with heated iron wo		
bromine	reacts quickly	
chlorine	reacts very quickly	
iodine	reacts slowly	

### Figure 6

(i) When iron wool is heated with chlorine, iron chloride is formed.

Write the word equation for this reaction.

(2)

(ii) Give the name of the halogen in Figure 6 that is the most reactive with iron.



		he mass of iror the mass of iror			ne in 125 g of iro	n chloride. (3)	
						(3)	
	mas	s of iron =		g m	ass of chlorine =	=	g
(c)	Alkenes react	with halogens.					
		oride is added cts are the sam		on mixture,	the reaction is m	nuch faster	
	Use words from	m the box to co	omplete the	sentences.			
	an acid	a catalyst	higher	lower	a reactant	unchanged	
						(2)	
	The iron chlor	ide speeds up 1	the reaction	because it is	5		
	After the react	tion, the mass o	of iron chlori	de is			
				(	(Total for Quest	ion 4 = 9 marks)	

**5** A student used the apparatus in Figure 7 to investigate the rate of the reaction between a metal and dilute hydrochloric acid.

Pieces of the metal were placed in dilute hydrochloric acid in the flask, and the total volume of gas produced was measured every minute.




Figure 7

(a) Figure 8 shows a graph of the student's results.

volume of hydrogen in cm<sup>3</sup>




Figure 8



reason  (ii) Calculate the mean rate of production of hydrogen over the first 90 seconds, in cm³ per second.  (3)  rate = cm³ per second  (iii) The student measured the volume of gas for 10 minutes.  State why the measurements could have been stopped at 9 minutes.  (1)  (b) The experiment was repeated, but with acid of a higher concentration.  The rate of reaction was faster.  (i) Explain why the rate of reaction increases when the concentration of acid is increased.	(i)	Name a piece of apparatus that would be better to measure the volume of gas produced, instead of the 250 cm³ measuring cylinder.  Give a reason for your answer.  name of apparatus	(2)
in cm³ per second.  (iii) The student measured the volume of gas for 10 minutes.  State why the measurements could have been stopped at 9 minutes.  (1)  (b) The experiment was repeated, but with acid of a higher concentration.  The rate of reaction was faster.  (i) Explain why the rate of reaction increases when the concentration of acid is increased.		reason	
<ul> <li>(iii) The student measured the volume of gas for 10 minutes.</li> <li>State why the measurements could have been stopped at 9 minutes.</li> <li>(1)</li> <li>(b) The experiment was repeated, but with acid of a higher concentration.</li> <li>The rate of reaction was faster.</li> <li>(i) Explain why the rate of reaction increases when the concentration of acid is increased.</li> </ul>	(ii)		(3)
<ul> <li>(iii) The student measured the volume of gas for 10 minutes.</li> <li>State why the measurements could have been stopped at 9 minutes.</li> <li>(1)</li> <li>(b) The experiment was repeated, but with acid of a higher concentration.</li> <li>The rate of reaction was faster.</li> <li>(i) Explain why the rate of reaction increases when the concentration of acid is increased.</li> </ul>		rato	
(b) The experiment was repeated, but with acid of a higher concentration.  The rate of reaction was faster.  (i) Explain why the rate of reaction increases when the concentration of acid is increased.			per secona
<ul> <li>(b) The experiment was repeated, but with acid of a higher concentration.</li> <li>The rate of reaction was faster.</li> <li>(i) Explain why the rate of reaction increases when the concentration of acid is increased.</li> </ul>	(iii)		
<ul><li>The rate of reaction was faster.</li><li>(i) Explain why the rate of reaction increases when the concentration of acid is increased.</li></ul>		State why the measurements could have been stopped at 9 minutes.	(1)
	The	e rate of reaction was faster.  Explain why the rate of reaction increases when the concentration of acid is	(2)



ch or	ne is correct?	(4)
Α	use the same acid but at a lower temperature	(1)
В	use a larger trough	
C	use a smaller flask	
D	use the same metal but in a powdered form	
dent	needs different sized marble chips.	
e hov	w the student can make small and medium sized marble chips from	
ips.		(2)
r	A B C D paration ma	<ul> <li>A use the same acid but at a lower temperature</li> <li>B use a larger trough</li> <li>C use a smaller flask</li> <li>D use the same metal but in a powdered form</li> </ul> Paratus in Figure 7 can be used to measure the rate of the reaction in marble chips and hydrochloric acid. Defent needs different sized marble chips. Defent needs different sized marble chips. Description

### **BLANK PAGE**



- **6** This question is about gases.
  - (a) When sodium is added to water, hydrogen gas is produced.

Which observation shows that a gas has been produced?

(1)

- A a white precipitate forms
- **B** effervescence is seen
- C the sodium sinks in the water
- **D** the water changes to a pink colour
- (b) Some damp litmus paper is placed in a gas. The litmus paper is bleached.

Which gas bleaches damp litmus paper?

(1)

- A carbon dioxide
- **B** chlorine
- C hydrogen
- **D** oxygen
- (c) When calcium carbonate is heated it decomposes.

$$CaCO_3(s) \rightarrow CaO(s) + CO_2(g)$$

When 5.000 g of calcium carbonate is heated, the mass of solid remaining is 2.800 g.


Calculate the mass of carbon dioxide that has been released.

Give your answer to three significant figures.

(2)

mass of carbon dioxide = .....g

(d) A diagram of an atom of helium is shown in Figure 9.



Key
= electron
= neutron
+ proton

Figure 9

(i) Explain, using Figure 9, why helium is inert.

(2)

(ii) Helium is used to fill balloons.

State one property of helium, apart from it being inert, that makes it suitable for filling balloons.



(6)

\*(e) Figure 10 shows the relative amounts of three gases in the early atmosphere compared to the composition of today's atmosphere.

gas	relative amount in early atmosphere	composition of today's atmosphere
water vapour	large amount	0% to 4%
carbon dioxide	large amount	less than 0.5%
oxygen	little or none	21%

# Figure 10

Natural processes and human activities have altered the relative amounts of these gases in the atmosphere.

Explain how the	relative amount	of each of th	ne gases in Figu	ire 10 has increas	sed or
decreased over t	time.				

	(Total for Question 6 = 13 marks)				
TOTAL FOR PAPER = 60 MARKS					



# The periodic table of the elements

0	4 <b>He</b> helium 2	20 <b>Ne</b> neon 10	40 <b>Ar</b> argon 18	84 <b>Kr</b> krypton 36	131 <b>Xe</b> xenon 54	[222] <b>Rn</b> radon 86
7		19 <b>F</b> fluorine 9	35.5 <b>CI</b> chlorine 17	80 <b>Br</b> bromine 35	127 	[210] <b>At</b> astatine 85
9		16 O oxygen 8	32 <b>S</b> sulfur 16	79 <b>Se</b> selenium 34	128 <b>Te</b> tellurium 52	[209] <b>Po</b> polonium 84
2		14 <b>N</b> nitrogen 7	31 <b>P</b> phosphorus 15	75 <b>As</b> arsenic 33	122 <b>Sb</b> antimony 51	209 <b>Bi</b> bismuth 83
4		12 <b>C</b> carbon 6	28 <b>Si</b> silicon 14	73 <b>Ge</b> germanium 32	119 <b>Sn</b> tin 50	207 <b>Pb</b> Iead 82
လ		11 <b>B</b> boron 5	27 AI aluminium 13	70 <b>Ga</b> gallium 31	115 In indium 49	204 <b>TI</b> thallium 81
	'			65 <b>Zn</b> zinc 30	112 <b>Cd</b> cadmium 48	201 <b>Hg</b> mercury 80
				63.5 <b>Cu</b> copper 29	108 <b>Ag</b> silver 47	197 <b>Au</b> gold 79
				59 <b>Ni</b> nickel 28	106 <b>Pd</b> palladium 46	195 <b>Pt</b> platinum 78
				59 <b>Co</b> cobalt 27	103 <b>Rh</b> rhodium 45	192   Ir   iridium   77
	1 Hydrogen 1			56 iron 26	101 <b>Ru</b> ruthenium 44	190 <b>Os</b> osmium 76
'				55 Mn manganese 25	[98] Tc technetium 43	186 <b>Re</b> rhenium 75
	Key relative atomic mass atomic symbol name atomic (proton) number		52 Cr chromium 24	96 <b>Mo</b> molybdenum 42	184 <b>W</b> tungsten 74	
			51 V vanadium 23	93 <b>Nb</b> niobium 41	181 <b>Ta</b> tantalum 73	
			48 Ti titanium 22	91 <b>Zr</b> zirconium 40	178 <b>Hf</b> hafnium 72	
				45 Sc scandium 21	89 <b>Y</b> yttrium 39	139 <b>La*</b> Ianthanum 57
2		9 <b>Be</b> beryllium 4	24 <b>Mg</b> magnesium	40 <b>Ca</b> calcium 20	88 Sr strontium 38	137 <b>Ba</b> barium 56
_		7 Li lithium 3	23 <b>Na</b> sodium 11	39 K potassium 19	85 <b>Rb</b> rubidium 37	133 <b>Cs</b> caesium 55

<sup>\*</sup> The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.