

| Please write clearly in | າ block capitals. |
|-------------------------|--------------------------------|
| Centre number | Candidate number |
| Surname | |
| Forename(s) | |
| Candidate signature | I declare this is my own work. |

GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Chemistry Paper 1F

Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

Instructions

- · Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

| For Examiner's Use | | |
|--------------------|------|--|
| Question | Mark | |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| TOTAL | | |



| 0 1 | Magnesium is in Group 2 of the periodic table. | |
|---------|--|----------------|
| | 1.0 g of magnesium reacted with chlorine to produce magnesium chloride. | |
| 0 1.1 | Which types of element react when magnesium reacted with chlorine? | [1 mark] |
| | Tick (✓) one box. | |
| | A metal and a metal | |
| | A metal and a non-metal | |
| | A non-metal and a non-metal | |
| | | |
| | | |
| | | |
| 0 1 . 2 | Write the word equation for the reaction when magnesium reacts with chloring | e. [1 mark] |
| | + → | |
| | | |
| | | |
| | | |
| 0 1 . 3 | What apparatus was used to measure the mass of 1.0 g of magnesium? | |
| | Tick (✓) one box. | [1 mark] |
| | | |
| | Balance | |
| | Beaker | |
| | Ruler | |
| | | |



| 0 1.4 | What mass of magnesium chloride was produced? Tick (✓) one box. Less than 1.0 g | [1 mark] |
|---------|---|-----------|
| | 1.0 g More than 1.0 g | |
| 0 1 . 5 | Magnesium reacts with oxygen to produce magnesium oxide. | |
| | Calculate the percentage mass of magnesium in magnesium oxide (MgO). | |
| | Relative atomic mass (A_r) : Mg = 24 | |
| | Relative formula mass (M_r): MgO = 40 | [2 marks] |
| | | |
| | Percentage mass of magnesium = | % |
| | Question 1 continues on the next page | |
| | | |
| | | |





Magnesium carbonate decomposes to produce magnesium oxide and carbon dioxide.

The word equation for the reaction is:

magnesium carbonate \rightarrow magnesium oxide + carbon dioxide

Four students heated 2.00 g of magnesium carbonate for 10 minutes.

Table 1 shows the results.

Table 1


| Mass of carbon dioxide produced in g | | | | |
|--|------|------|------|---|
| Student 1 Student 2 Student 3 Student 4 Mean | | | | |
| 0.97 | 0.91 | 0.50 | 0.95 | Х |

| 0 1 . 6 | Tick (✓) one box. | [1 mark] |
|------------|--|-----------|
| | The student heated more than 2.00 g of magnesium carbonate. | |
| | The student heated the magnesium carbonate for less than 10 minutes. | |
| | The student used a higher temperature. | |
| | | |
| 0 1 . 7 | Calculate value X in Table 1 . | |
| | Do not use the anomalous result. | |
| | Give your answer to 2 significant figures. | [3 marks] |
| | | |
| | | |
| | X (2 significant figures) = | g |



10

Do not write outside the







- 0 2 This question is about electrolysis.
- 0 2 . 1 Complete the sentence.

Choose the answer from the box.

[1 mark]

| gaseous | molten | solid |
|---------|--------|-------|
| | | |

Copper chloride can conduct electricity when in solution or

when $_$.

Figure 1 shows the apparatus used for the electrolysis of copper chloride solution.




Figure 1

There are four ions in copper chloride solution:

- Cu²⁺
- Cl⁻
- H⁺
- OH⁻




| 0 2 . 2 | Why do Cl ⁻ ions and OH ⁻ ions move to the positive electrode? | [1 mark] |
|---------|---|----------|
| 0 2 . 3 | Where do the H⁺ and OH⁻ ions come from in the electrolysis of copper chloride solution? Tick (✓) one box. Air | [1 mark] |
| | Water | |
| 0 2.4 | Which ion produces a metal? Tick (✓) one box. | [1 mark] |
| | Cu ²⁺ Cl ⁻ | |
| | H ⁺ | |
| | OH ⁻ | |
| | Question 2 continues on the next page | |





Figure 2 shows the apparatus during the electrolysis of copper chloride solution.

Figure 2



Describe what is seen at each electrode during the electrolysis of copper chloride solution.

[2 marks]

| Positive electrode | |
|--------------------|--|
| | |
| | |
| | |
| Negative electrode | |

0 2 . 6 500 cm³ of copper chloride solution contains 6.50 g of copper chloride.

Calculate the mass of copper chloride in 40.0 cm³ of this copper chloride solution. [2 marks]

Mass = _____ g






| 0 3 | Carbon can exist in a number of different structures. | |
|---------|---|-----------|
| 0 3.1 | What is the approximate radius of a carbon atom? Tick (✓) one box. | [1 mark] |
| | 0.1 m 0.1 mm | |
| 0 3 . 2 | Figure 3 shows an atom of carbon. | |
| | Figure 3 | |
| | * * * * * * * * * * * * * * * * * * * | |
| | Describe the atomic structure of this carbon atom. | |
| | You should include the number of electrons, neutrons and protons. | [6 marks] |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



In graphite the carbon atoms are held together by bonds.

Figure 4 represents part of the structure of graphite.

Figure 4



| 0 3 . 3 | How many bonds does each carbon atom have in graphite? | |
|---------|--|----------|
| | Use Figure 4. | [1 mark] |
| | Tick (✓) one box. | [1 mark] |
| | 1 2 3 4 | |

| 0 3.4 | What type of bonds hold the carbon atoms together in graphite? | [1 mark] |
|-------|--|----------|
| | Tick (✓) one box. | |
| | Covalent | |
| | Ionic | |



Metallic

0 3 Lubricants allow objects to slide over each other easily.

Suggest why graphite can be used as a lubricant.

Use Figure 4.


[1 mark]

0 3 . 6 The two structures represent different forms of carbon.

Draw **one** line from each structure to the form of carbon.

[2 marks]

Structure



Form of carbon

Buckminsterfullerene

Diamond



Graphene

Nanotube

12




Do not write outside the box

| 0 4 | Sodium and potassium are Group 1 elements. | |
|---------|--|------------|
| 0 4 . 1 | What is the name of Group 1 elements? | 1 mark] |
| | Tick (✓) one box. | i iliai kj |
| | Alkali metals | |
| | Halogens | |
| | Noble gases | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



0 4 . 2 Figure 5 represents the melting points of Group 1 elements.

Figure 5



What is the melting point of sodium?

[1 mark]

Melting point of sodium = °C

0 4 . 3 Sodium reacts with water to produce sodium hydroxide and hydrogen.

Balance the equation for the reaction.

[1 mark]

____ Na +
$$2H_2O \rightarrow 2NaOH + H_2$$

Turn over ▶



| ıtor from www.wisesprout.co.uk |
|--------------------------------|
| 找名校导师 |
| 找名校导师,用小草线上辅导(|
| (微信小程序同名) |

9

0 4 . Calculate the relative formula mass (M_r) of sodium hydroxide (NaOH). 4

> Relative atomic masses (A_r): 0 = 16Na = 23


[2 marks]

Relative formula mass (M_r) =

Sodium and potassium both react with water.


Figure 6 shows sodium reacting with water.

Figure 6



Compare what is seen when sodium reacts with water and when potassium reacts with water. [4 marks]









Do not write

marks]

0 5

A student investigated the change in temperature when different masses of zinc were added to copper sulfate solution.

Figure 7


This is the method used.

- 1. Measure the volume of copper sulfate solution using a measuring cylinder.
- 2. Pour the copper sulfate solution into a metal container.
- 3. Add 2 g of zinc.
- 4. Measure the temperature of the solution.

Metal container

5. Repeat steps 1 to 4 with different masses of zinc.

Figure 7 shows the apparatus.




| | Zinc Copper sulfate solution |
|---------|--|
| 0 5 . 1 | Give three improvements to the investigation to make the results more accurate. [3 m |
| | 1 |

| 2 | | | |
|---|--|--|--|
| | | | |
| 3 | | | |
| | | | |
| | | | |



0 5.2 Figure 8 shows part of the measuring cylinder.

Figure 8



What is the volume of copper sulfate solution in Figure 8?


[1 mark]

Volume = cm³

0 5 . 3 When zinc was added to copper sulfate solution the temperature increased.

Figure 9 shows the reaction profile.

Figure 9



What type of reaction is shown in Figure 9?

[1 mark]

Tick (✓) one box.

Endothermic

Exothermic



Neutralisation




Turn over ▶



Do not write outside the

Figure 10 shows the results.







| 닺 |
|-------------|
| 找名校导师, |
| ,用小草线上辅导(|
| (微信小程序同名) |

| 0 5.4 | Determine the gradient of the line in Figure 10 . | |
|---------|--|-----------|
| | Use the equation: gradient = increase in temperature in °C increase in mass in grams | [4 marks] |
| | Gradient = | °C per g |
| 0 5 . 5 | Suggest why the student should not use more than 10 g of zinc. Use Figure 10 . You should extend the graph line. | [2 marks] |
| | | |

Turn over for the next question



- 0 6 This question is about the periodic table.
- 0 6 . 1 Figure 11 shows part of Mendeleev's version of the periodic table.

Figure 11

| Н | | | | | | | | | | | | | | |
|----|----|----|----|---|----|----|----|----|----|----|----|----|----|----------|
| Li | | В | е | | В | | С | | N | 0 |) | F | | |
| Na | l | M | g | | Al | | Si | | Р | S | | Cl | | |
| K | Cu | Са | Zn | | | Ti | | V | As | Cr | Se | Mn | Br | Fe Co Ni |
| Rb | Ag | Sr | Cd | Υ | In | Zr | Sn | Nb | Sb | Мо | Те | | ı | Ru Rh Pd |


Which group of elements had **not** been discovered when Mendeleev's version of the periodic table was published?

[1 mark]



Figure 12 represents different models of the atom.





| 0 | 6 | . 2 | Which model represents the | : plum | pudding | model? |
|---|---|-----|----------------------------|--------|---------|--------|
|---|---|-----|----------------------------|--------|---------|--------|

[1 mark]

Tick (✓) one box.

A B C D

0 6 . 3 Which model resulted from Chadwick's experimental work?

[1 mark]

Tick (\checkmark) one box.

A B C D

Question 6 continues on the next page

Turn over ▶




8

| | Potassium has dif | ferent isotopes. | | |
|---------|--------------------|--------------------------|-------------------------------|--|
| 0 6 . 4 | What is meant by | 'isotopes'? | | |
| | You should refer t | o subatomic particles | 3. | [O a.uka] |
| | | | | [2 marks] |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 0 6 . 5 | Table 2 shows the | e mass numbers and | the percentage abundance of t | two |
| | isotopes of potass | sium. | | |
| | | | Table 2 | |
| | | Mass number | Percentage abundance | |
| | | 39 | 93.1 | |
| | | 41 | 6.9 | |
| | | | | |
| | Calculate the rela | tive atomic mass (A_r) | of potassium. | |
| | Give your answer | to 1 decimal place. | | [3 marks] |
| | | | | [· · · · · · · · · · · · · · · · · · · |
| | | | | |
| | | | | · |
| | | | | |
| | | | | |
| | | | | |
| | | Relative a | atomic mass (1 decimal place) | = |



Do not write outside the







| 0 7 | Acids react to produce salts. | |
|-------|---|------|
| | Universal indicator is added to water and then nitric acid is added to the mixture. | |
| 0 7.1 | Give the colour change when nitric acid is added to the mixture of universal indicator and water. | ark1 |
| | Tick (✓) one box. | ainj |
| | Blue to red | |
| | Green to purple | |
| | Green to red | |
| | Red to purple | |
| | | |
| 0 7.2 | What happens to the pH of water when nitric acid is added? | ork1 |
| | Tick (✓) one box. | arkj |
| | Decreases | |
| | Stays the same | |
| | Increases | |
| | | |
| 0 7.3 | What is the state symbol for nitric acid? [1 m | ark] |
| | | |
| | | |
| | | |
| | | |
| | | |



| | Zinc carbonate reacts with nitric acid. |
|-------|---|
| | The word equation for the reaction is: |
| | zinc carbonate + nitric acid → zinc nitrate + water + carbon dioxide white solid colourless solution |
| 0 7.4 | Give two observations that would be made when zinc carbonate is added to nitric acid until the zinc carbonate is in excess. [2 marks] |
| | 1 |
| | 2 |
| | |
| | |
| 0 7.5 | The formula of the zinc ion is Zn ²⁺ |
| | The formula of the nitrate ion is NO ₃ ⁻ |
| | What is the formula for zinc nitrate? |
| | [1 mark] Tick (✓) one box. |
| | ZnNO ₃ |
| | $Zn(NO_3)_2$ |
| | Zn_2NO_3 |
| | Zn ₂ (NO ₃) ₂ |
| | Question 7 continues on the next page |






| 找名校导师 , |
|-----------|
| 用小草线上辅导 |
| (微信小程序同名) |

| 0 7 . 6 | Acids react with insoluble metal oxides to produce salts. |
|---------|---|
| | Plan a method to produce a pure, dry sample of the soluble salt copper chloride from an acid and a metal oxide. |
| | [6 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

END OF QUESTIONS







Do not write outside the box

| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|-----------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|-----------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



Do not write outside the box

| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|-----------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|--------------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.



