

Please write clearly in b	lock capitals.		
Centre number		Candidate number	
Surname _			
Forename(s)			
Candidate signature _			

A-level **GEOGRAPHY**

Paper 1 Physical geography

Monday 4 June 2018

Morning

Time allowed: 2 hours 30 minutes

Materials

For this paper you must have:

- the colour insert (enclosed)
- a pencil
- a rubber
- a ruler.

You may use a calculator.

For Examiner's Use Section Mark A B C TOTAL


Instructions

- · Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in Section A.
- Answer either Question 2 or Question 3 or Question 4 in Section B.
- Answer either Question 5 or Question 6 in Section C.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The total number of marks available for this paper is 120.

jun187037101 1B/G/Jun18/E12 **7037/1**



Section A

Water and carbon cycles

Answer all questions in this section.


0 1 . 1	Explain the role of cryospheric change in the water cycle.	[4 marks]
		·

Question 1 continues on the next page

box

Figure 1 shows change in greenhouse gas (GHG) emissions, grouped by relative wealth of country, between 1970 and 2010.






0 1.2	Analyse the data shown in Figure 1 .	[6 marks]
	Question 1 continues on the next page	

box

Figure 2 shows the contribution of the top ten greenhouse gas emitters and information regarding the ratification of the Paris Accord climate change agreement as

of May 2017.



reducing greenhouse gas emissions.	[6 marks

Using Figure 2 and your own knowledge, assess the challenges associated with

0 1


0 1.4	Assess the potential causes and impacts of changes to the water balance tropical rainforest that you have studied.	within a [20 marks]

	Do not write
	outside the box
	_
	el o C
	اع
	1010
	=
	* * * * * * * * * * * * * * * * * * *
	. Wio
	מאַכ
	w. wisespi out.co.ux
	7
	7% 日 (文 中 (名
	¥ 4
-	,
	£2.
	半%工带令(该后少4年7791年)
	4
	2
	J 4
	1
	ī
	36
· · · · · · · · · · · · · · · · · · ·	

Section B

	Section B	Do not write outside the box
	Answer one question in this section.	
	Answer either Question 2 or Question 3 or Question 4.	
Question 2	Hot desert systems and landscapes	
0 2.1	Outline the role of atmospheric processes in causing aridity in desert regions. [4 marks]	
		ring Perso
		Find Personal Lutor from www.wisesprout.co.uk
		om www.wi
		sesprout.co
	Question 2 continues on the next page	发 由
		早线工粬守(叔信小柱予归名)
		· 一 也)

Figure 3 shows data on outbreaks of locust swarms (a threat to arable farming), civil unrest, drought and famine against the background of historical trends for population and rainfall in Niger between 1880 and 2005. Niger is in the Sahel region of Africa.



0 2.2	Analyse the data shown in Figure 3 .	[6 marks]

Figure 4 shows a landscape in the Gobi Desert near Yumenguan, China.

Figure 4



Note: This landscape features river and lake sand and mud beds (primarily silt, sand, clay and some gravel) which were formed, but not completely consolidated, towards the end of the last ice age.

0 2 . 3	Using Figure 4 and your own knowledge, assess the view that wind is the n important factor in the development of this landscape.	nost
	important factor in the development of this landscape.	[6 marks]
	Question 2 continues on the next page	

	Do not write outside the box
	box
	_
	ב ב ת
	2
	2
	5

	0000
	w.wisespi car.co.as
	2
	3
	3.4 11 12 4 12 14
) }
	* # 3% 上 ## 寸(M, in 2 Y ± 17 IU II)
	1.7 X ± / 3.
	<u> </u>

0 2.4	'Climate change is on course to radically alter the role of water in deserts and their margins, affecting both human populations and the physical landscape.'
	To what extent do you agree with this view? [20 marks]

	Do not write outside the
	box
	_
	0000
	2
	5
	www.waaapicai.co.aa
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	7
	ا بر
	1 x 4 %
	٠ .
) 1
	ÿ ⊢ ± 4
	(Will 의계포/과 빈 II
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	36

Question 3	Coastal systems and landscapes
0 3.1	Outline the processes which lead to the development of barrier beaches. [4 marks]
	Figure 5 , on the insert, is an image of the coast in the vicinity of Chabahar Bay, Iran. The image focuses on the movement of sediment in this area.
0 3.2	Analyse the data shown in Figure 5 . [6 marks]
	Question 3 continues on the next page

box

Figure 6a indicates sea levels relative to land 20 000 years before present. The present day coastline is indicated for comparative purposes. **Figure 6b** indicates present day sea levels.

Figure 6a





Figure 6b



16

0 3.3	Using Figure 6a , Figure 6b and your own knowledge, assess the potential these changes on coastal landform development in this area.	
		[6 marks]
	Question 3 continues on the next page	

0 3.4	Assess the relative importance of weathering and erosion in the development of coastal landscapes.		
		[20 marks]	
		_	

	Do not write outside the box
	рох
	TING
	rerso
	rind Personal Lutor from www.wisesprout.co.uk
	W.W.
	sespro
	301. <i>c</i> 0
	1%
	女 女 女 学 号
	出心早
	1. 2. 1. 1.
	# () ()
	(微语少性为四名)
	E)予回1
	, П
	36
End of Question 3	


Question 4	Glacial systems and landscapes
0 4 1	Outline the process of internal deformation.
0 7. 1	[4 marks]
	Figure 7 shows information about ground temperatures at the Endalen permafrost station in central Spitsbergen, Svalbard. Temperatures have been recorded in a 19-metre-deep borehole since September 2008.
	Figure 7
[Graph of gro	ound temperatures cannot be reproduced here due to third-party copyright restrictions.]

0 4.2	Analyse the data shown in Figure 7 . [6 marks]	Do not writ outside the box
	Question 4 continues on the next page	

box

Figure 8 shows an image of the snout of the Thompson Glacier and surrounding landscape, Axel Heiberg Island, Canada.

Figure 8



Note: The Thompson Glacier emanates from the Mueller Ice Cap and is about 34 km long and 3 km wide in the ablation area. It is aligned almost precisely in a north–south direction. It advanced about 18 metres per year in the 1960s and 1970s. The rate of advance has decelerated since and was in the order of 11 metres per year in the period from 1977 to 2008.

0 4 . 3	depositional processes dominate in the development of this landscape.	
		[6 marks]

22

	Warming taking place in fragile cold environments is not to generate upprecedented
0 4 . 4	'Warming taking place in fragile cold environments is set to generate unprecedented
	impacts affecting both people and the physical environment.'
	To what extent do you agree with this view?
	[20 marks]
	[20 marks]

	Do not write outside the box
	DOX
	<u> </u>
	× × × × × × × × × × × × × × × × × × ×
	w.wisespi co.co.do
	1.00
	5
	2
	が 日 文 4 9 9
	,
	· · · · · · · · · · · · · · · · · · ·
	╒╳ᆂᇸᇴᄾᇞᆑᄭᄰᄭᄓᄓ
	4
	¥/丁/19
	Ţ
	36

Section C

Answer one question in this section.

Answer either Question 5 or Question 6.

For the mult	ple-choice questions, completely fill in the circle alongside the appropriate answer.
CORRECT ME	THOD WRONG METHODS © © 🚖 🕏
If you want t	o change your answer you must cross out your original answer as shown.
If you wish to shown.	o return to an answer previously crossed out, ring the answer you now wish to select as
Question 5	Hazards
0 5.1	What are the main characteristic processes operating at destructive plate boundaries?
	[1 mark]
	A Opposing convection currents lead to the divergence of plates. As plates pull apart magma intrudes leading to the formation of ridges.
	B As plates slide past each other, fault lines emerge which, following the build-up of substantial pressure, lead to the development of major earthquakes.
	C Subduction occurs where two plates converge. Subduction can lead to the formation of features such as deep sea trenches and island arcs.
	D Radioactive decay is the main process. As the plate slides over the place experiencing the decay, the magma is forced through the plate leading to the formation of island chains.
	Question 5 continues on the next page

0 5.2	Which of the volcanic hazards is being appropriately managed?	[1 mark]
	A The nuée ardente can be sprayed with sea water. This dramatically reduces the temperature of the gases contained within the cloud, leading to significantly reduced risk.	0
	B Lahars can be controlled by geological surveys and drilling to stabilise hillslopes in affected areas. This reduces the likelihood of rockfall.	0
	C In certain types of eruptions, lava can be safely channelled away from places of high risk. This can be achieved using explosives and artificially dug channels.	0
	D Liquefaction can be managed by geological surveys which can be used to create hazard maps. These maps can then be used by planners to create exclusion zones.	0
0 5.3	Which is the most significant natural factor leading to the spread of a wildfi	re? [1 mark]
	A Unplanned human activities in natural locations. These activities, such as smoking or campfires, often combine with the dropping of materials which are combustible.	0
	B Lightning strikes, particularly in areas of dense population that have very dry conditions in summer months. California is one such state in the USA.	0
	C Controlled burning by farmers undertaken to remove scrub land which may have been left fallow. This removes large areas of vegetation and allows for the planting of crops.	0
	D Prolonged periods of drought and high rates of evapotranspiration, especially in the summer months in sub-tropical climates. A strong dry wind increases the risk.	0

0 5.4	What are the characteristics of tsunamis?	[1 mark]
	A They have a short wavelength and high amplitude. They travel at low speed, at around 30 km/h. They decrease in height as they approach land.	0
	B They have a long wavelength and low amplitude. They travel at high speeds, sometimes over 700 km/h. Shallow water and the funnelling effect of bays dramatically increases height.	0
	C They have a short wavelength and consist of a series of waves. They strike land in quick succession with heights sometimes exceeding 20 metres.	0
	D Strong winds whip up large waves which lead to very powerful waves. The funnelling effect of bays creates super-sized waves.	0
	Question 5 continues on the next page	

box

Figure 9, on the insert, shows data related to seismic activity and vertical motion in the Yellowstone caldera in the USA. Sour Creek (SC) is a resurgent dome in the Yellowstone caldera in the USA. A resurgent dome is formed by swelling or rising of a caldera floor due to movement in the magma chamber beneath it.

Figure 10, on the insert, shows a map of Yellowstone: volcanic vents active since the last caldera collapse 640 000 years ago; earthquakes recorded between 2003 and 2008; faults; and ground deformation between 2004–2006.

0 5.5	Analyse the data shown in Figure 9 and Figure 10 .	[6 marks]

Question 5 continues on the next page	r
Question 5 continues on the next page	(S]
Question 5 continues on the next page	_
Question 5 continues on the next page	_
Question 5 continues on the next page	_
Question 5 continues on the next page	_
Question 5 continues on the next page	-
Question 5 continues on the next page	_
Question 5 continues on the next page	_
Question 5 continues on the next page	_
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	
Question 5 continues on the next page	

0 5 . 7	With reference to one or more tropical storms that you have studied, assess the extent to which exogenous factors (relationships with other places) assisted with the response to the hazard created. [9 marks]	Do not write outside the box
		riid reisoliai Tuto
		w.wisesprout.co.uk
		26日父母》,在37年83日
		ᄠᇮᆂᇸᇴᄾᇪᆑᄭᄯᇎᄁᄜᆸ
		1

0 5.8	With reference to a multi-hazardous environment that you have studied, assess the view that the underlying cause(s) leading to the hazards is human activity rather than physical factors.
	[20 marks]

	Do not write outside the box
	-
	9
	* W 0
	Wilder
	50.00
	ب
	1
	-
	1 1
	=-X-L +## - + (Mx in : 0 + 12:01 = 0 in)
	, , , , , , , , , , , , , , , , , , ,
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	<u> </u>
	48

32

Question 6	Ecosystems under stress	
0 6.1	Which of the following are adaptations found in savanna vegetation?	[1 mark]
	A Buttress roots give the trees stability and access to nutrients found in the upper soil. Waxy leaves and drip tips help to remove large quantities of water during the short wet season.	0
	B There are distinctive layers of vegetation adapted to deal with the intense summer insolation. Trees lose their leaves in winter as insolation levels fall and the dry season arrives.	0
	C Only a few tree species can survive the long dry season. Waxy leaves reduce moisture loss. Deep tree roots reach groundwater. Grasses die and return during the wet season.	0
	D Coniferous trees dominate and give way to small shrubs at the edges of the savanna. Needle-like leaves are adapted to cope with the large diurnal temperature variations.	0
0 6.2	What is a pioneer species?	[1 mark]
	A Following a drought, there is almost always significant die-back for most plant species. In these conditions, xerophytic pioneers colonise the area with limited competition.	0
	B Pyrophytes are adapted to cope with conditions associated with wildfire. Root systems can cope with loss of vegetation above ground. This vegetation quickly returns after fire.	. 0
	C Plant species which require very few nutrients to survive and will colonise bare rock. These species are the first to colonise following a volcanic eruption and succession follows.	0
	D Once human activity has altered the climatic climax vegetation, the species are quick to adapt to the niche which is created. Pioneers readily exploit the available environment.	0
	Question 6 continues on the next page	

0 6.3	What is net primary productivity (NPP)?	[1 mark]
	A NPP is the biomass (minus respiration) produced in an ecosystem. It is a measure of the rate at which an ecosystem can capture and store carbon, usually measured in g/m²/yr.	0
	B NPP relates to the productivity of land for the purposes of agriculture. The addition of nitrate-based fertilisers or genetically modified crops dramatically increases NPP.	0
	C As plants respire they take in oxygen and release carbon dioxide. NPP is a measure of how much oxygen is produced by plants in an ecosystem. This rate is measured as O ₂ /m ³ /yr.	0
	D NPP is the total amount of chemical energy (as biomass) that primary producers create in a given length of time. This is the rate at which decomposition occurs in an ecosystem.	0
0 6.4	Where are coral reefs typically found?	[1 mark]
	A Coral reefs form in latitudes between 30° north and south of the equator. Sea temperatures ideally need to be around 26 °C. Coral reefs are unlikely to exceed depths of 50 metres.	0
	B Coral reefs form wherever there is a sufficient food source and calm water. The upwelling of cold currents around 12 °C brings an ample supply of phytoplankton and zooplankton, a key food source.	0
	C Algal blooms in the high latitudes at 60° north provide the ideal circumstances for coral reef formation. Deep water coral is found off the east coast of Australia – the Great Barrier Reef.	0
	D Coral is found anywhere on the planet. Provided the water is free from pollution and well sheltered from strong currents, some coral will form. It will not form in warm sea water.	0

box

Figure 11, on the insert, shows data related to Main Trophic Index (MTI) in selected sea areas around Europe between 1950 and 2004. MTI indicates the percentage change in top marine predators. **Figure 12**, on the insert, shows data related to the status of fish stocks in selected

	fishing regions around Europe in 2008.	
0 6.5	Analyse the data shown in Figure 11 and Figure 12.	[6 marks]
	-	
	Question 6 continues on the next page	


0 6.6	Analyse the human and ecological inter-relationships which lead to the development of a plagioclimax.	Do not write outside the box
	[9 marks]	
		<u> </u>
		W.W.
		ww.wisesprodi.co.dx
		2
		38
		7% 日 (文 中 (名
		, H2:
		₩ ₩ ₩
		ᆍᇮᆂᇸᆓ(ᄣᆑᄭᄰᅪᅏᄝᇽ
		1 1 1 1 1 1
		791)

		Do not write
0 6.7	Assess the importance of global governance in securing the long-term health and survival of coral reefs.	outside the box
	[9 marks]	
		Tina
		rers
		onal -
		utor
		Trom
		*
		Wises
		prou
		Find Personal Lutor from www.wisesprout.co.uk
		^
		<u>አ</u> ከ
		分
		· 出
		小早线
		h
		# () ()
		¤1≡ 1≡01
		(微信小连矛四名)
		<u>1</u>
	Question 6 continues on the next page	

0 6 . 8	'It is simply not possible to find a true balance between biodiversity and sustainable economic development in savanna grasslands. Economic development will always come at the expense of biodiversity.'	
	To what extent do you agree with this view? [20 mark	ks]
		
		

END OF QUESTIONS	
	48
	-
	-
	-
	-
	-
	-
	-
	-
	_
	_
	=
	_
	=
	=
	_
	-
	-
	-
	_
	-
	-
	_ b

box



For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

40