

Please write clearly in	block capitals.			
Centre number		Candidate number		
Surname			_	
Forename(s)				
Candidate signature				/

GCSE BIOLOGY

H

Higher Tier Paper 2H

Monday 11 June 2018

Morning

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- · Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	



0 1	Many human actions are reflexes.
0 1.1	Which two of the following are examples of reflex actions?
	Tick two boxes. [2 marks]
	Jumping in the air to catch a ball
	Raising a hand to protect the eyes in bright light
	Releasing saliva when food enters the mouth
	Running away from danger
	Withdrawing the hand from a sharp object
	Figure 1 shows how the size of the pupil of the human eye can change by reflex action.
	Figure 1
	A Pupil B
0 1.2	Name one stimulus that would cause the pupil to change in size from A to B , as shown in Figure 1 . [1 mark]




0 1.3	Structure Q causes the change in size of the pupil.
	Name structure Q. [1 mark]
0 1.4	Describe how structure Q causes the change in the size of the pupil from A to B . [1 mark]

Question 1 continues on the next page



0 1 . 5 Figure 2 shows some structures involved in the coordination of a reflex action. Figure 2 Spinal cord Neurone A Neurone C Neurone B Receptor Effector Describe how the structures shown in **Figure 2** help to coordinate a reflex action. [6 marks]








Many scientists think that global air temperature is related to the concentration of carbon dioxide in the atmosphere.

Figure 3 shows changes in global air temperature and changes in the concentration of carbon dioxide in the atmosphere.

Figure 3



0 2 . 1 Complete Table 1.

Use information from Figure 3.

[2 marks]

Choose answers from the box.

You may use each answer once, more than once or not at all.

constant	decreasing	increasing
----------	------------	------------

Table 1

	1960 – 1977	1977 – 2003	2003 – 2015
Trend in carbon dioxide concentration	Increasing		
Trend in air temperature			




	Many scientists think that an increase in carbon dioxide concentration in the
	atmosphere causes an increase in air temperature.
0 2.2	How would an increase in the concentration of carbon dioxide in the atmosphere
	cause an increase in air temperature? [1 mark]
0 2.3	Evaluate evidence for and against the theory that an increase in the concentration of carbon dioxide in the atmosphere causes an increase in air temperature.
	Use data from Figure 3 and your own knowledge. [4 marks]





	In each year, the concentration of carbon dioxide in the atmosphere is higher in the winter than in the summer.
0 2.4	Give one human activity that could cause the higher concentration of carbon dioxide in the winter. [1 mark]
0 2.5	Give one biological process that could cause the lower concentration of carbon dioxide in the summer. [1 mark]
0 2.6	Give two possible effects of an increase in global air temperature on living organisms. [2 marks]
	2









It is important to maintain water balance in the body.

Figure 4 shows how much water a person gained and lost by different methods in one day.

Figure 4 Water gained by the body Water lost from the body 1600 1600 1500 1500 1400 1400 1300 1300 1200 1200 1100 1100 1000 1000 900 900 Volume Volume 800 800 in cm³ in cm³ 700 700 600 600 500 500 400 400 300 300 200 200 100 100 0 0 Drink Metabolism Skin Food Urine Faeces Breathing

Method




Method

	When water is balanced, the volume of water taken in by the body is equal to the volume of water lost from the body.
0 3.1	Calculate the volume of water the person lost in one day in faeces.
	Use information from Figure 4. [2 marks]
	Volume lost in faeces = cm ³
0 3.2	Figure 4 shows that one method of gaining water is by metabolism.
	Which metabolic process produces water?
	Tick one box.
	Breakdown of protein to amino acids
	Changing glycogen into glucose
	Digestion of fat
	Respiration of glucose
	Question 3 continues on the next page



The next day, the person ran a 10-kilometre race.	
The volume of water lost from the body through the skin and by breathing inc	reased.
0 3. Explain why more water was lost through the skin during the race.	2 marks]
0 3.4 Explain why more water was lost by breathing during the race.	[3 marks]










Some students investigated the size of a population of dandelion plants in a field.

Figure 5 shows the field.

Figure 5



The students:

- placed a 1 m x 1 m square quadrat at 10 random positions in the field
- · counted the number of dandelion plants in each quadrat.

Table 2 shows the students' results.

Table 2

Quadrat number	Number of dandelion plants
1	6
2	9
3	5
4	8
5	0
6	10
7	2
8	1
9	8
10	11



© 4. 2 Estimate the total number of dandelion plants in the field. Calculate your answer using information from Figure 5 and Table 2. Give your answer in standard form. [5 marks] Total number of dandelion plants =	0 4.1	Why did the students place the quadrats at random positions?	[1 mark]
	0 4.2	Calculate your answer using information from Figure 5 and Table 2.	[5 marks]
Question 4 continues on the next page		Total number of dandelion plants =	
		Question 4 continues on the next page	



	Quadrats 5, 7 and 8 were each placed less than 10 metres from the woodland.	
	These quadrats contained low numbers of dandelion plants.	
	The students made the hypothesis:	
	'Light intensity affects the number of dandelion plants that grow in an area.'	
0 4.3	Plan an investigation to test this hypothesis. [6 marks	3]
		_



0 4.4	Light is an environmental factor that affects the growth of dandelion plants.	Do not write outside the box
	Give two other environmental factors that affect the growth of dandelion plants. [2 marks]	
	1	
	2	

Turn over for the next question



Find Personal Tutor from www.wisesprout.co.uk

找名校导师,用小草线上辅导(微信小程序同名)

- 0 5 Cell division is needed for growth and for reproduction.
- 5 . 1 Table 3 contains three statements about cell division.

Complete Table 3.

Tick one box for each statement.

[2 marks]


Table 3

	Sta	atement is true	for
Statement	Mitosis only	Meiosis only	Both mitosis and meiosis
All cells produced are genetically identical			
In humans, at the end of cell division each cell contains 23 chromosomes			
Involves DNA replication			



Bluebell plants grow in woodlands in the UK.	
 Bluebells can reproduce sexually by producing seeds. 	
Bluebells can also reproduce asexually by making new bulbs.	
One advantage of asexual reproduction for bluebells is that only one is needed.	parent
Suggest two other advantages of asexual reproduction for bluebells.	[2 marks]
1	
2	
D 5 . 3 Explain why sexual reproduction is an advantage for bluebells.	[4 marks]





To prevent the growth of mould on the roots

To prevent water affecting the direction of root growth



Apparatus B is a control.	
Apparatus B rotates slowly.	
How does apparatus B act as a control?	1 mark]
	Apparatus B rotates slowly. How does apparatus B act as a control?

Table 4 shows the students' results.

One student stated:

Table 4

	Apparatus A			Apparatus B						
Seedling number	1	2	3	4	5	1	2	3	4	5
Length at start in mm	35	41	32	33	39	30	33	29	28	31
Length after 2 days in mm	49	57	43	45	54	45	45	44	29	44
Length change in mm	14	16	11	12	15	15	12	15	1	13
Mean length change in mm	14						11			


	'The mean length change for the seedlings in apparatus B is not valid.'	
	Suggest the reason for the student's statement.	[1 mark]
0 6.4	Suggest one improvement the students could make to obtain a more valid me length change for the seedlings in apparatus B .	ean [1 mark]




0 6 . 3

0 6 . 5 Figure 7 shows the students' drawings of two seedlings at the end of the 2 days.

Figure 7





Seedling from Apparatus A

Seedling from Apparatus B

A plant hormone is made in the root tip.

The hormone diffuses from the tip into the tissues of the root.

Explain how the hormone causes the appearance of the seedlings in **Figure 7** to be different.

You should refer to both seedlings in your answer.

[3 marks]



0 6. In horticulture plant hormones are used for controlling plant growth.

Draw **one** line from each plant hormone to the correct use of that hormone.

[3 marks]

Plant hormone

To reduce the time taken for tomatoes to ripen

Use of hormone

Auxin

To slow down the growth of plant stems

Ethene

To promote seed germination

Gibberellin


To stimulate root growth in plant cuttings

Turn over for the next question

Figure 8 shows:

- a food chain for organisms in a river
- the biomass of the organisms at each trophic level.

Figure 8



0 7 . 1


Draw a pyramid of biomass for the food chain in Figure 8 on Figure 9.

You should:

- use a suitable scale
- label the x-axis
- label each trophic level.

[4 marks]

Figure 9






7 . 2 Calculate the percentage of the biomass lost between the algae and the large fish	1.
Give your answer to 2 significant figures. [3 magestate of the content of the co	arks]
Developtions loss -	
Percentage loss =	
. 3 Give one way that biomass is lost between trophic levels.	nark]
Question 7 continues on the next page	



0 7.4	A large amount of untreated sewage entered the river. Many fish died.	
	Untreated sewage contains organic matter and bacteria.	
	Explain why many fish died.	
		[5 marks]
		-
		-










0 8 Scientists want to breed cows that produce milk with a low concentration of fat.

Figure 10 shows information about the milk in one group of cows.

The cows were all the same type.

Figure 10



0 8 . 1 In **Figure 10** the mean percentage of fat in the milk is equal to the modal value.

Give the mean percentage of fat in the milk of these cows.

[1 mark]

Mean percentage =

0 8 . 2 A student suggested:

'The percentage of fat in milk is controlled by one dominant allele and one recessive allele.'

How many different phenotypes would this produce?

[1 mark]

Tick one box.



3







0 8.3	Give the evidence from Figure 10 which shows the percentage of fat i controlled by several genes.	n the milk is [1 mark]
8.4	One of the genes codes for an enzyme used in fat metabolism.	
	A mutation in this gene causes a reduction in milk fat.	
	The mutation changes one amine said in the enzyme malegula	
	The mutation changes one amino acid in the enzyme molecule.	
	Explain how a change in one amino acid in an enzyme molecule could enzyme working.	stop the
	Explain how a change in one amino acid in an enzyme molecule could	stop the [3 marks]
	Explain how a change in one amino acid in an enzyme molecule could	
	Explain how a change in one amino acid in an enzyme molecule could	
	Explain how a change in one amino acid in an enzyme molecule could	
	Explain how a change in one amino acid in an enzyme molecule could	
	Explain how a change in one amino acid in an enzyme molecule could	




The scientists found one cow with a mutation.

The cow's milk contained only 2.9% fat.

Figure 11 shows the percentage of fat in the milk of cattle related to the cow with the mutation.

The values for male cattle are the mean values of their female offspring.



Key

Female with low-fat milk

Male whose female offspring have low-fat milk

Female with high-fat milk

Male whose female offspring have high-fat milk



The mutation in animal 7 produced a dominant allele for making low-fat milk. Give evidence from Figure 11 that animal 7 is heterozygous. [1 mark] Animals 7 and 8 produced 11 offspring. These offspring were produced by in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. Use the following symbols: D = dominant allele for making low-fat milk d = recessive allele for making high-fat milk			_
Give evidence from Figure 11 that animal 7 is heterozygous. [1 mark] Animals 7 and 8 produced 11 offspring. These offspring were produced by in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk	0 8.5	Animal 8 is homozygous.	E
[1 mark] O 8. 6 Animals 7 and 8 produced 11 offspring. These offspring were produced by in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] O 8. 7 Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk		The mutation in animal 7 produced a dominant allele for making low-fat milk.	
O 8 . 6 Animals 7 and 8 produced 11 offspring. These offspring were produced by in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk		Give evidence from Figure 11 that animal 7 is heterozygous.	
in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk		[1 mark]	
in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
in vitro fertilisation (IVF). The embryos from IVF were transferred into 11 other cows. Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk	0 8 6	Animals 7 and 8 produced 11 offspring. These offspring were produced by	
Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk		The embryos from IVF were transferred into 11 other cows	
to mate naturally. [1 mark] Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk		·	
Draw a Punnett square diagram to show a cross between animals 7 and 8. Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks] Use the following symbols: D = dominant allele for making low-fat milk			
Use the following symbols: D = dominant allele for making low-fat milk	0 8.7	Draw a Punnett square diagram to show a cross between animals 7 and 8.	
Use the following symbols: D = dominant allele for making low-fat milk			
D = dominant allele for making low-fat milk		<u> </u>	
d = recessive allele for making high-fat milk			
		d = recessive allele for making high-fat milk	



I	
I	¥
I	だ位気中
	Ż
	4
	Ę
	`
	4
	五二叶龙
	71.
	ام ا
	上畫山
	4
	Ë
	夏
	任工工
	4
	七四位
	П
	_

0 8 . 8	The scientists want to produce a type of cattle that makes large volumes of low-fat milk.				
	The scientists will selectively breed some of the animals shown in Figure 11.				
	Describe how the scientists would do this.				
	[4 marks]				



0 9

Figure 12 shows a ring-tailed lemur.





Table 5 shows part of the classification of the ring-tailed lemur.

Table 5

Classification group	Name
Kingdom	Animalia
Phylum	Chordata
	Mammalia
	Primates
	Lemuroidea
Genus	Lemur
	catta

0 9. **1** Complete **Table 5** to give the names of the missing classification groups.

[2 marks]

0 9 . **2** Give the binomial name of the ring-tailed lemur.

Use information from Table 5.

[1 mark]





Lemurs are only found on the island of Madagascar.

Madagascar is off the coast of Africa.


Scientists think that ancestors of modern lemurs evolved in Africa and reached Madagascar about 50-60 million years ago.

Today there are many species of lemur living on Madagascar.

Figure 13 shows information about water currents.

Figure 14 shows the distribution of three species of lemur on Madagascar.

Figure 13 Figure 14



0 9 . 3 Suggest how ancestors of modern lemurs reached Madagascar.

[1 mark]



ersonal Tutor from www.wisesprout.co.uk
找名校导师,用小
 ,用小

0 9.4	Describe how the ancestors of modern lemurs may have evolved into the sp shown in Figure 14 .	pecies
		_

END OF QUESTIONS



There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

