

AS BIOLOGY 7401/2

Paper 2

Mark scheme

June 2022

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aga.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2022 AQA and its licensors. All rights reserved.

Mark scheme instructions to examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- · the typical answer or answers which are expected
- extra information to help the examiner make his or her judgement and help to delineate what
 is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area
 in which a mark or marks may be awarded.

The extra information in the 'Comments' column is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- **2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for the same mark are indicated by the use of **OR**. Different terms in the mark scheme are shown by a/; eg allow smooth/free movement.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of errors/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (often prefaced by 'Ignore' in the 'Comments' column of the mark scheme) are not penalised.

3.2 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown.

However, if the answer is incorrect, mark(s) can usually be gained by correct substitution/working and this is shown in the 'Comments' column or by each stage of a longer calculation.

3.3 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.4 Errors carried forward, consequential marking and arithmetic errors

Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ECF or consequential in the mark scheme.

An arithmetic error should be penalised for one mark only unless otherwise amplified in the mark scheme. Arithmetic errors may arise from a slip in a calculation or from an incorrect transfer of a numerical value from data given in a question.

3.5 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.6 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.7 Ignore/Insufficient/Do not allow

Ignore or insufficient is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

| Question | Marking Guidance | Mark | Comments |
|----------------|--|--------------------|---|
| 01.1 | A sequence of <u>DNA</u> (nucleotide) <u>bases</u> that codes for a polypeptide; | 1 (AO1) | Ignore codes for a protein. Accept 'codes for a functional RNA' or 'codes for rRNA/tRNAs' or 'codes for a sequence of amino acids/primary structure' |
| Question | Marking Guidance | Mark | Comments |
| | Pre-mRNA (only) produced in eukaryote (cell); Splicing (only) occurs in eukaryote (cell); | | |
| 01.2 | 3. Introns removed in eukaryote (cell) | 2 max (2 x AO1) | |
| | OR | | |
| | Introns not present in prokaryote (cell); | | |
| Question | Marking Guidance | Mark | Comments |
| | | | |
| 01.3 | 1. PNA is complementary to DNA OR PNA forms base pairs with DNA; 2. Preventing/reducing RNA polymerase activity/binding OR Prevents RNA nucleotides binding OR Reducing/stopping transcription; | 2 (2 x AO2) | |
| 01.3 Question | OR PNA forms base pairs with DNA; 2. Preventing/reducing RNA polymerase activity/binding OR Prevents RNA nucleotides binding OR | | Comments |

| Question | Marking Guidance | Mark | Comments |
|----------|--|--------------------|--|
| 02.1 | Isomer(ism); | 1 (AO1) | Accept phonetic spelling Ignore structural |
| Question | Marking Guidance | Mark | Comments |
| 02.2 | High(er) absorbance (has more sugar) OR Low(er) transmission (has more sugar); | 1 (AO2) | Accept a description of absorbance or transmission |
| Question | Marking Guidance | Mark | Comments |
| 02.3 | Benedict's (solution) volume; Benedict's (solution) concentration; (Fruit) juice volume; (Water bath/water/solution) temperature; Duration of heating (in water bath); | 2 max (2 x AO2) | Accept examples of volumes and concentrations and temperatures |
| Question | Marking Guidance | Mark | Comments |
| 02.4 | Correct answer for 2 marks = 12;; Accept for 1 mark, 30 (correct mass of apple core) OR 150 (correct mass of apple flesh) OR 0.08 / 8/100 × incorrect mass calculated using the ratio OR 14.4 (correct mass in whole apple); | 2 (2 x AO2) | |

| Question | Marking Guidance | Mark | Comments |
|----------|--|----------------|---|
| 02.5 | Starch hydrolysed; Maltose is soluble, (so reduces Ψ) OR Starch is insoluble; | 2 (2 x AO2) | Accept glucose for maltose Ignore sugar |

| Question | Marking Guidance | Mark | Comments |
|----------|---|--------------------|---|
| 03.1 | 1. Microvilli increase surface area for diffusion/facilitated diffusion/active transport/co-transport OR Microvilli increase surface area for (more) channel/carrier proteins; 2. (Many) mitochondria release energy/ATP for active transport; | 2 (2 x AO2) | 1. Accept folded cell (surface) membrane or brush border for microvilli 1. Accept high/large for 'increased' 1. Accept 'they' for microvilli 2. Accept 'uptake' for 'transport' 2. Accept 'cotransport' for 'active transport' |
| Question | Marking Guidance | Mark | Comments |
| 03.2 | Correct answer for 2 marks, 40–41(:1);; Accept for 1 mark, 0.32–0.33 (correct surface area of a microvillus) OR 321–322 (correct cell surface area) OR Ratio not simplified e.g. 321:8; | 2 (2 x AO2) | |
| Question | Marking Guidance | Mark | Comments |
| 03.3 | ZO-1 is located in cell (surface) membrane; Antibody is complementary (to ZO-1); (So) binds/attaches to the ZO-1/protein; (Cells identified with) dye/stain/fluorescent marker linked to antibody; | 3 max (3 x AO2) | and 3. Reject 'active site' once Accept 'forms antigen-antibody complex' Accept attachment of coloured substance to antibody, but 'colour production' on its own is insufficient. 'Marker' on its own is insufficient. |

| Question | Marking Guidance | Mark | Comments |
|----------|--|--------------------|---|
| 04.1 | 1. DNA replication (during late interphase); 2. Two divisions; 3. Separation of homologous chromosomes (in first division); 4. Separation of (sister) chromatids (in second division); 5. Produces 4 (haploid) cells/nuclei; | 4 max (4 x AO1) | 2. Accept for 'two divisions', meiosis I and meiosis II OR examples of stages, e.g. anaphase I and anaphase II 2. Accept description that clearly indicates two divisions Ignore references to stage names (except above) 2, 3. and 4. Accept annotated diagrammatic representations 3 and 4. Reject 'diploid cells' once. 4. Accept 'chromosomes' for 'chromatids' but reject homologous chromosomes 5. Accept 'gametes' for cells |
| Question | Marking Guidance | Mark | Comments |
| 04.2 | Correct answer for 2 marks, 18–19;; Accept for 1 mark, 0.06–0.07 / (½) ⁴ / $\frac{1}{16}$ (correct probability) OR 16 (correct number of arrangements); | 2 (2 x AO2) | |

| Question | Marking Guidance | Mark | Comments |
|----------|------------------------------------|------------|--|
| 04.3 | Four chromosomes shaded correctly; | 1 (AO2) | Accept chromosomes in any order Reject evidence of 2 chromatids per chromosome |
| Question | Marking Guidance | Mark | Comments |

| Question | Marking Guidance | Mark | Comments |
|----------|------------------|-------|----------|
| 04.4 | Mitosis; | 1 | |
| 04.4 | | (AO2) | |

| Question | Marking Guidance | Mark | Comments |
|----------|--|--------------------|--|
| 05.1 | 1. Hierarchy (of groups) with no overlaps OR (smaller) groups within (larger) groups with no overlaps; 2. (Grouped) according to evolutionary origins/relationships/history; | 2 (2 x AO1) | 2. Accept 'common ancestry' |
| Question | Marking Guidance | Mark | Comments |
| 05.2 | Perissodactyla; | 1 (AO2) | Accept incorrect spellings provided the word looks close to Perissodactyla Ignore upper/lowercase letters Accept 'order' |
| Question | Marking Guidance | Mark | Comments |
| 05.3 | Oval/shape drawn inside the <i>Rhinoceros</i> oval and not overlapping the <i>unicornus</i> oval or the <i>Rhinoceros</i> oval; | 1 (AO2) | |
| 05.4 | (Genetic) variation/difference (exists) between Indian rhinos; Indian rhinos most/more related to Javan rhinos; Indian rhinos least/less related to White/Black rhinos; Comparisons only made to one Indian rhino OR Sample size (of other rhinos) not known; Cannot conclude anything about relationship between other species (with each other) OR (same) percentage differences may not refer to same base sequences; | 4 max (4 x AO3) | 2. Accept more recent common ancestor for 'most/more related' 3. Ignore 'Sumatran' 4. Ignore 'sample size too small' |

| Question | Marking Guidance | Mark | Comments |
|----------|---|-----------|--|
| | (Likely) either White or Black (rhinoceros) as identical/same/14 percentage OR | | |
| | OR | | |
| | Not from Indian/Javan (rhinoceros) as (very) different percentages | | |
| | OR | | |
| | Cannot be certain as White, Black and Sumatran have similar percentages; | | |
| | Use a different reference (species of) rhinoceros | | Accept black/white rhino, but reject Javan/Sumatran if named |
| 05.5 | OR | 2 | |
| | Use a different gene/protein | (2 x AO3) | |
| | OR | | |
| | Use more than one gene | | |
| | OR | | |
| | Compare (DNA) base sequence (not percentage differences) | | |
| | OR | | |
| | Compare amino acid sequences | | 2. Ignore amino acid |
| | OR | | sequence of cyt b |
| | Compare mRNA sequences; | | |
| | | | |

| Question | Marking Guidance | Mark | Comments |
|----------|---|----------------|---|
| | Accept for 2 marks, three correct responses, one of which MUST be MP1. Accept for 1 mark, any two correct responses. | | More than one correct answer can be given in each cell row |
| | | | Ignore wear safety glasses OR gloves |
| | Carry with blade protected | | Ignore 'no running' |
| | OR Do not commutificate to be incided. | | Ignore washing OR disinfecting |
| | Do not carry if likely to be jostled; | | hands/surfaces |
| | 2. Cut away from body; | 0 | Ignore taking care OR act safely OR keep |
| 06.1 | 3. Cut onto hard surface; | 2 | away from fingers |
| | 4. Use sharp blade;5. Disinfect/dispose of used scalpel (blade) as instructed; | (2 x AO1) | Accept for 'protected', e.g. in tray OR pointing down |
| | | | 3. Accept for 'hard surface', e.g. board OR tile. Ignore 'flat' |
| | | | 5. Accept for 'as instructed', e.g. in tray/beaker/as directed (by teacher) |
| Question | Marking Guidance | Mark | Comments |
| | Accept for 2 marks, 6150;; | | |
| | Accept for 1 mark, | | |
| | 82 (correct blood volume pumped in one heartbeat) | | |
| | OR | | |
| 06.2 | Evidence of 120 and 38 (correct readings from graph) | 2 (2 x AO2) | |
| | OR | , , | |
| | 75 (correct heart rate, bpm) | | |
| | OR | | |
| | e.c.f. from graph, e.g. $120 - 40 = 80$ and $80 \times 75 = 6000$; | | |

| Question | Marking Guidance | Mark | Comments |
|----------|--|--------------------|-------------------------------------|
| 06.3 | Treatment 2 reduces bp/risk more (than treatment 1) OR Treatment 2 is more effective (than treatment 1) Neither treatment achieves ideal bp OR Neither treatment achieves low(est) risk; With treatment 1, patients (still) have high bp/20.3 bp so (still) at high risk With treatment 2, patients in pre-high bp/18 bp so (still) at higher risk than normal; No statistics test so do not know if changes/differences (in bp) are significant OR No statistics test so do not know if changes/differences (in bp) are due to chance; Unknown side effects of treatment(s); Unknown duration of treatments; Large sample size so results representative; | 4 max (4 x AO3) | 5. Reject 'results are significant' |

| Question | Marking Guidance | Mark | Comments |
|----------|--|----------------|--|
| | Four bands (upper epidermis, palisade, spongy, lower epidermis); | | 1. and 2. ignore waxy cuticle and vascular bundle/xylem/phloem |
| | 2. Band widths must look similar to photograph; | | Give benefit of doubt for use of printed box as borderlines of drawing bands. |
| | | | Reject if cells drawn |
| | | | Reject if lines are overlapping OR sketched |
| | 3. Correct label of one tissue; | 3 (3 x AO2) | Ignore stomata and air spaces |
| 07.1 | | | Must be at least 3 bands shown |
| | | | 3. Accept (upper/lower) epidermis/palisade mesophyll/spongy mesophyll/ vascular bundle/ xylem/phloem |
| | | | 3. Accept cells for mesophyll |
| | | | 3. Reject stoma |
| | | | 3. Reject waxy cuticle |
| | | | 3. Reject cell |

| Question | Marking Guidance | Mark | Comments |
|----------|---|----------------|---|
| 07.2 | SDs do not overlap for (mean) shelf life OR SDs do not overlap for (mean) transpiration rate OR SDs do overlap for (mean) number of stomata; Shelf life significantly longer/different in April; No significant difference in (mean) number of stomata so unlikely/not linked to shelf life; Significant difference in (mean) transpiration rate so (likely) linked with shelf life; | 4 (4 x AO3) | 2. Accept converse for December 2. 3. and 4. Accept equivalent statements to significance in terms of chance, e.g. for 4. 'difference in (mean) transpiration rate is not due to chance' If no marks awarded, allow 1 mark max for (mean) transpiration rate affects shelf life |

| Question | Marking Guidance | Mark | Comments |
|----------|---|--------------------|---|
| 07.3 | Mark in groups of either 1., 2. and 3. OR 4., 5. and 6. 1. Reduce light intensity; 2. Stomata close; 3. (So) decreased (rate of) evaporation/transpiration; 4. Increase humidity OR Prevent/reduce air movement (around cut flowers); 5. Reduces water potential gradient (between plant and air); 6. (So) decreased (rate of) evaporation/transpiration; | 3 max (3 x AO3) | Accept a description of reducing light intensity, e.g. use a cupboard OR turn off lights Accept description of reducing air movement e.g. close windows Accept Ψ symbol for water potential |

| Question | Marking Guidance | Mark | Comments |
|----------|--|----------------|--|
| 08.1 | Mating/courtship/sexual behaviour; | 1 (AO2) | Ignore breeding/ reproduction |
| Question | Marking Guidance | Mark | Comments |
| 08.2 | Repeat (the investigation) without stones OR Repeat (the investigation) with uniformly | 2 (2 x AO3) | Accept dull/grey/one/same for uniformly coloured |
| | coloured stones; 2. Presence of stones has no effect on behaviour OR Colour of stones has no effect on behaviour`; | | |
| Question | Marking Guidance | Mark | Comments |
| 08.3 | Directional; Fish with more spots are more likely to be predated; Alleles for (more) spots not passed on; (So) frequency of (more) spots alleles decreases; | 4 (4 x AO2) | 2. 3. and 4. Accept converse 2. Accept killed/eaten for 'predated' 2. Accept more of them killed/eaten, for 'more likely' 3. and 4. Reject 'gene' once 4. Accept 'proportion' for frequency Ignore 'number of alleles decreases' |

| Question | Marking Guidance | Mark | Comments |
|----------|---|--------------------|--|
| 09.1 | Spiracles, tracheae, tracheoles; Spiracles allow <u>diffusion</u> (of oxygen) | 5 max (5 x AO1) | Reference to these 3 structures anywhere in answer = 1mark |
| | OR (Oxygen) <u>diffusion</u> through tracheae/tracheoles; | | If whole answer refers to MPs 1–5 only, award MAX 4 marks |
| | Tracheoles are highly branched so large surface area (for exchange); | | Accept 'network' or 'large number' for highly branched |
| | Tracheole (walls) thin so short diffusion distance (to cells) | | 3., 4. and 5. If tracheae/tracheoles confused, penalise once only4. Allow 'next/close to' for enter cells |
| | OR | | |
| | Highly branched tracheoles so short diffusion distance (to cells) | | |
| | OR | | |
| | Tracheoles enter cells so short diffusion distance; | | |
| | 5. Tracheole permeable to oxygen/air; | | |
| | Cuticle/chitin/exoskeleton (impermeable) so reduce water loss; | | 6. Allow prevents water loss |
| | 7. Spiracles (can) close so no/less water loss | | |
| | OR | | |
| | Spiracles have valves so no/less water loss; | | |
| | 8. Hairs around spiracles reduce water loss; | | |
| | | | |

| | Breathing in | | |
|------------|---|--------------------|--|
| | Diaphragm (muscles) contract and diaphragm flattens; External intercostal muscles contract and ribcage pulled up/out; (Causes) volume increase and pressure decrease in thoracic cavity (to below atmospheric pressure); | 5 max (5 x AO1) | Accept pulled/moved down'r for flattens. and 6. Accept lungs or thorax for 'thoracic cavity' Reject 'chest' once |
| E 4 | Breathing out 4. Diaphragm (muscles) relaxes and diaphragm moves up; 5. External intercostal muscles relax and ribcage moves down/in; 6. (Causes) volume decrease and pressure increase in thoracic cavity (to above | | 4. Accept 'returns to domed shape' for moves up 5. Accept internal intercostal muscles contract |