

Monday 22 May 2023 - Morning

GCSE (9–1) Combined Science (Chemistry) A (Gateway Science)

J250/09 Paper 9 (Higher Tier)

Time allowed: 1 hour 10 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Combined Science (Chemistry) A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink	Do not write in the barcodes.	
Centre number	Candidate number	
First name(s)		
Last name		

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 60.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 20 pages.

ADVICE

· Read each question carefully before you start your answer.

© OCR 2023 [601/8687/2] DC (ST/CB) 333838/8 **R**

OCR is an exempt Charity

Turn over

Section A

You should spend a **maximum** of **20 minutes** on this section.

Write your answer to each question in the box provided.

1	Wh	ich substance is described as pure by a scientist?	
	Α	A solution of sodium chloride	
	В	An alloy	
	С	Dilute sulfuric acid	
	D	Distilled water	
	You	ır answer	[1]
2	Am	netal oxide has the formula \mathbf{X}_2 O, where \mathbf{X} is a Group 1 metal.	
	The	e relative formula mass of the metal oxide is 94.2.	
	Rel	ative atomic mass (A_r) : O = 16.0	
	Wh	at is the name of X ?	
	Α	Lithium	
	В	Potassium	
	С	Rubidium	
	D	Sodium	
	You	ır answer	[1]


3	Whi	ch gas bleac	hes damp litmus paper?			
	Α	Carbon diox	ide			
	В	Chlorine				
	С	Hydrogen				
	D	Oxygen				
	You	r answer			[1]]
4	Сор	per carbonat	e reacts with dilute hydroc	hloric acid to form copper	chloride, water and a gas.	
	Wha	at is the form	ula of the gas?			
	Α	С				
	В	СО				
	С	CO ₂				
	D	CO ₃				
	You	r answer			[1]]
5	Whi	ch row lists t	he material that has the we	eakest intermolecular for	ces?	
		Material	Structure	Melting point (°C)		
		Α	giant covalent	1713		
	1				1	


Material	Structure	Melting point (°C)
Α	giant covalent	1713
В	ionic compound	801
С	metal	98
D	polymer	105


Your answer	[1
your answer	լ1


Turn over © OCR 2023

6 Which diagram shows the correct equipment diagram for simple distillation?










Your answer [1]

7 Which scientist developed this model of the atom?



- A Bohr
- **B** Dalton
- **C** Rutherford
- **D** Thomson

Your answer	[1]
Tour answer	113

 ${\bf 8} \qquad \text{Lead, Pb, and dilute nitric acid, HNO}_3 \ \text{react.}$

$$\mathrm{Pb} \; + \; \mathbf{x} \mathrm{HNO}_{3} \; \longrightarrow \; \mathrm{Pb} (\mathrm{NO}_{3})_{2} \; + \; \mathbf{y} \mathrm{NO}_{2} \; + \; \mathbf{z} \mathrm{H}_{2} \mathrm{O}$$

Which row correctly balances the equation?

	x	У	z
Α	2	4	2
В	4	2	4
С	4	2	2
D	4	4	2

Your answer	[1]
-------------	-----

9 This is the symbol for helium.

2 **He** 4.0


What is the mass of one atom of helium?

The Avogadro constant = 6.02×10^{23}

- **A** 3.32×10^{-24} g
- **B** 6.64×10^{-24} g
- **C** 1.51×10^{23} g
- **D** 3.01×10^{23} g

Your answer [1]

10 The diagram shows the particle model for the condensation of a gas into a liquid.



Which is a limitation of the particle model?

- **A** It does not show the arrangement of the particles.
- **B** It does not show the movement of the particles.
- **C** It does not take account of the energy of the particles.
- **D** It does not take account of the forces between particles.

Your answer [1]

7 BLANK PAGE


PLEASE DO NOT WRITE ON THIS PAGE

Section B

11 Atoms of the same element can have different structures.

Fig. 11.1 shows the structure of two different atoms, Y and Z, of the same element.

Fig. 11.1



(a)	what name is given to different atoms of the same element such as f and Z ?
	[1]

(b)	Write the number	er of protons,	neutrons and	electrons in	an atom of Z .
-----	------------------	----------------	--------------	--------------	-----------------------

Number of protons =

Number of neutrons =

Number of electrons =[2]

(c) Write the mass number of an atom of Z.

Mass number of an atom of **Z** =[1]

(d) Write the name of the element that contains atoms of Y and Z.


Use the Periodic Table.

.....[1

(e) Atoms of sodium react with atoms of Y to form an ionic compound.

Fig. 11.2 shows the ions formed when an atom of sodium reacts with an atom of Y.

Fig. 11.2



(i) Complete Fig. 11.2 to show the arrangement of electrons in the ions. [2]

(ii) What is the formula of the ionic compound formed when atoms of sodium react with atoms of **Y**?

Tick (✓) one box.

NaY ₂	
Na ₂ Y	
Na ₂ Y ₂	

[1]

(iii) Why does sodium react with Y and Z in a similar way?

Tick (✓) one box.

Atoms of **Y** and **Z** have the same number of electrons.

Atoms of **Y** and **Z** have the same number of neutrons.

Atoms of **Y** and **Z** have the same number of protons.

[1]

	ra
	Explain why. Use ideas about structure and bonding.
(IV)	The ionic compound formed in Fig. 11.2 has a high melting point.

11


BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

12 Thin layer chromatography (TLC) is used to analyse and identify unknown samples.

Fig. 12.1 shows the apparatus used for thin layer chromatography.


Fig. 12.1



	Propanone		Sample
(a)	Identify the stationary phase an	d mobile phase shown in Fig. 12.1.	
	Stationary phase		
	Mobile phase		
			[2]
(b)	What determines how far the sa	ample travels up the TLC plate?	
	Tick (✓) one box.		
	The amount of sample used.		
	The size of the TLC chamber.		
	The type of solvent used.		[1]
			ניו

(c) Fig. 12.2 shows the final TLC plate for a sample.

Fig. 12.2



(i) Calculate the $R_{\rm f}$ value for the sample.

Give your answer to 2 decimal places.

(ii) The table shows the $R_{\rm f}$ values for four different substances.

Substance	R _f value
Α	0.23
В	0.57
С	0.30
D	0.18


Use your answer to (i) to identify which substance, A, B, C or D, is the sample.

Tick (✓) one box.

The sample is substance A B C D [1]

13 Diamond and graphite are different forms of the same element.

The diagrams show the structures of diamond and graphite.



(a) Describe and explain one property of graphite that is different from diamond.

	Property	
	Explanation	
		. [3]
(b)	Describe and explain one property that is similar for both diamond and graphite.	
	Property	
	Explanation	
		. [3]
(c)	A student thinks that the models used to represent diamond and graphite have limitations	
	Give one reason why they are correct.	
		. [1]

14* Copper sulfate solution, CuSO₄, contains copper ions, Cu²⁺, and sulfate ions, SO₄²⁻.

A student extracts copper from copper sulfate solution using electrolysis.

They use the following equipment:

- a power pack
- a small glass beaker
- crocodile clips
- carbon electrodes
- wires.

Describe and explain how the student extracts copper from the copper sulfate solution using the equipment provided.

Include a labelled diagram of how the equipment is used.

	•	
	,	
	,	


			16
15	(a)	Desc	cribe the difference between a strong acid and a weak acid.
			[1]
	(b)	Hydı	rochloric acid, $HCl(aq)$, is an example of a strong acid.
		The	graph shows the pH of a dilute hydrochloric acid solution at different concentrations.
		рН	2 0 0 0.02 0.04 0.06 0.08 0.10 Concentration of dilute hydrochloric acid solution (mol/dm³)
		(i)	Write the formula of the ion that gives the dilute hydrochloric acid solution the pH shown on the graph.
			[1]
			The pH of the dilute hydrochloric acid solution can be measured using either universal indicator or a pH meter.
			Explain which method would be better to use for measuring the pH shown on the graph

.....[2]

(c)	Describe how the pH changes with the concentration of dilute hydrochloric acid solution on the graph.
	[2]
(d)	As the concentration of the dilute hydrochloric acid solution increases by a factor of ten, the pH of the solution decreases by one.
	Use data from the graph to show that this statement is true .
	[2]
(e)	Calculate the mass of hydrochloric acid, HCl , in $100\mathrm{cm^3}$ of solution that gives a pH 1.5.
	Use data from the graph.
	Give your answer to 2 significant figures.
	Relative molecular mass (M_r) : HC l = 36.5

© OCR 2023 Turn over

16 The reaction between nitrogen, N₂, and hydrogen, H₂, to form ammonia, NH₃, is an exothermic reaction which is shown in this equation.



The table shows some bond energies.

Bond	Bond energy (kJ/mol)
N≡N	945
H–H	435
N–H	390

(a) (i) Calculate the total energy transferred to break all the bonds in the reactants.

Energy transferred to break all the bonds =kJ/mol [1]

(ii) Calculate the total energy transferred when all the bonds in the products are made.


Energy transferred when all the bonds are made = kJ/mol [1]

(iii) Use your answers to parts (i) and (ii) to calculate the energy change for the reaction.

Energy change = kJ/mol [1]

(b) Complete the reaction profile for the exothermic reaction of nitrogen, N_2 , and hydrogen, H_2 , to form ammonia, NH_3 .

Label the energy change in the reaction and the activation energy.



END OF QUESTION PAPER

[3]

20

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).		
•••••		
•••••		
•••••		
	<u> </u>	



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

 ${\sf OCR} \ is \ part \ of \ Cambridge \ University \ Press \ \& \ Assessment, \ which \ is \ itself \ a \ department \ of \ the \ University \ of \ Cambridge.$