

Please write clearly in	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

# GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Physics Paper 1F

Wednesday 20 May 2020 Afternoon Time allowed: 1 hour 15 minutes

### **Materials**

For this paper you must have:

- a ruler
- · a scientific calculator
- the Physics Equations Sheet (enclosed).

### Instructions


- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.


### Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use						
Question	Mark					
1						
2						
3						
4						
5						
6						
TOTAL						









0 1.3	Which variable is the dependent variable?  [1 mark]  Tick (✓) one box.
	The current in the wire
	The length of the wire being tested
	The resistance of the wire
	The thickness of the wire
0 1.4	The student took repeat readings of potential difference for a 30 cm length of the wire.
	The readings were:
	0.16 V 0.17 V 0.15 V
	Calculate the mean potential difference.  [2 marks]
	Mean potential difference =V
	Question 1 continues on the next page



	The length of the wire was increased to 60 cm	
	The current in the wire was 0.50 A	
	The mean potential difference across the wire was 0.32 V	
0 1.5	Calculate the resistance of the 60 cm length of wire.	
	Use the equation:	
	resistance = potential difference current	[2 marks]
	Resistance =	Ω
0 1 . 6	Calculate the power dissipated in the 60 cm length of wire.	
	Use the equation:	
	power = potential difference × current	
		[2 marks]
	Power =	W



Calculate the charge flow when there is a current of 0.50 A in the wire for 17 s


Use the equation:

charge flow = current × time

[2 marks]

Charge flow = C

0 1 8 Figure 2 is a sketch graph of the results.



The student repeated the investigation using a thicker wire made from the same metal. For the same length, the thicker wire has a lower resistance.

Draw a line on **Figure 2** to show how the resistance of the thicker wire varies with length.

[1 mark]

Turn over for the next question

Turn over ▶

0 2

Between 1951 and 1992 the USA tested nuclear weapons in a desert.

- 0 2 . 1
- Complete the sentence.

Choose the answer from the box.

[1 mark]


contamination	irradiation	ionisation	decay

Radioactive dust from the nuclear weapons testing settled on the desert. This is called radioactive

The desert now contains radioactive tritium.

**Figure 3** shows how the activity of the tritium in a sample taken from the desert changed with time.

Figure 3





0 2 . 2	The sample was collected from the desert in 1992.	
	Determine the activity of the tritium in the sample in 2007.	[2 marks]
	Activity =	Bq
0 2.3	How much time did it take for the activity of the tritium in the sample to decrease from 80 Bq to 40 Bq?	[1 mark]
	Time =	years
	What is the half-life of tritium?	
0 2 . 4	what is the hall-life of thitum?	[1 mark]
	Half-life =	years
0 2 . 5	The sample started with 45 billion atoms of tritium.	
	After 4 years the sample had 36 billion atoms of tritium.	
	Calculate the percentage of the tritium in the sample that remained after 4	years. [2 marks]
	Percentage of tritium remaining =	%





0 2.6 A scientist determined the activity of a sample of tritium every minute for 3 minutes.

Table 1 shows the results.

Table 1

Time in minutes	Activity in Bq
0	149
1	151
2	148
3	152

	Why do the activity readings in <b>Table 1</b> vary?  Tick (✓) <b>one</b> box.	[1 mark]
	Radioactive decay is a random process.	
	Temperature changes affect the radioactive decay.	
	The number of radioactive nuclei keeps increasing and decreasing.	
0 2 . 7	What safety precaution should scientists take when working with radioactin a laboratory?	
	Tick (✓) one box.	[1 mark]
	Tie long hair back before handling the materials.	
	Use long tongs to handle the materials.	
	Wear safety goggles when handling the materials.	



0 2.8	Studies show that child more likely to develop	dren born near the area of the desert containing tritium were cancer.	Do not outsid bo
	It is important that the	results from these studies are checked by other scientists.	
	What is this process ca	alled?	o rlel
	Tick (✓) <b>one</b> box.	[1 me	ark]
	Experiment review		
	Peer review		
	Results review		
	Test review		10

Turn over for the next question


Turn over ►

0 3

An eco-house is designed to be environmentally friendly.

Figure 4 shows a picture of an eco-house.

Figure 4



0 3 . 1	The solar panels and a wind turbine are used to generate electricity for
	the eco-house.

Solar and wind are both renewable energy resources.

What does renewable energy resource mean?

Tick (✓) one box.

[1 mark]

It can be replenished as it is used.	
It is unreliable.	
It has no fuel costs.	
It was divised as a green being green	
It produces no greenhouse gases.	



(	0	3	1.	2	Biomass,	nuclear	and	natural	gas	are t	hree	other	enerav	resou	rces.
,	•	J	- 1	_	Biomaco,	Hadioai	unu	Hatarai	guo	uio t		Othioi	chickgy	10000	000.

Complete the table to show whether each energy resource is renewable or non-renewable.

[2 marks]

Tick  $(\checkmark)$  one box for each energy resource.

Energy resource	Renewable	Non-renewable
Biomass		
Nuclear		
Natural gas		

**0 3**. **3** Moving air makes the wind turbine spin.

The wind turbine generates electricity which is used to charge a battery.

Complete the sentences.

Choose answers from the box.

[2 marks]

chemical	electrical	gravitational	kinetic
When the wind turbine	spins faster there is	s an increase in its	
energy.			
Charging the battery in battery.	creases the	store	of energy of the

Question 3 continues on the next page



Turn over ▶

0 3.4	The roof of the eco-house is covered with soil.
	Covering the roof with soil decreases the thermal conductivity of the roof.
	What are the advantages of having a roof with a lower thermal conductivity?
	Tick (✓) two boxes.
	Less energy is needed to heat the house.
	The rate of energy transfer by conduction is greater.
	The roof is a better insulator.
	The roof is less likely to leak.
	Weather will have a greater effect on the temperature of the house.
0 3 . 5	The average power transferred to the solar panels by sunlight is 26 000 W
	Calculate the average energy transferred to the solar panels in 30 seconds.
	Use the equation:
	energy transferred = power × time [2 marks]
	Average energy transferred to solar panels = J



ut.co.uk
找名校导师,用
用小草线上辅导(
微信小程序同名)

0 3.6	Write down the equation that links efficiency, total power input and useful power output.	Do not write outside the box
	[1 mark]	
0 3.7	The solar panels on the roof of the eco-house have an efficiency of 0.15  The average power input to the solar panels is 26 000 W	
	Calculate the average useful power output from the solar panels.  [3 marks]	
		THE COURT AND THE COURT WAS AND THE COURT OF
	Average useful power output =W	78 E.18 27 16 17 17 17 17 17 18 18 27 18 18 18 18 18 18 18 18 18 18 18 18 18
0 3.8	Explain why it is a good idea for the eco-house to have both a wind turbine and solar panels.  [2 marks]	\$ H ## 4 / \$ # E
		15





0 4	A scientist had a balloon which was filled	with air.
0 4 . 1	Which statement describes how air partic	les move? [1 mark]
	Tick (✓) <b>one</b> box.	[1
	At random speeds in random directions	
	At random speeds in the same direction	
	At the same speed in random directions	
	At the same speed in the same direction	
	The temperature of the air was 19 °C	
	The scientist dipped the balloon into liquid	d nitrogen.
	The temperature of the liquid nitrogen was	s −196 °C
0 4.2	Which thermometer could be used to mea	asure the temperature of the liquid nitrogen? [1 mark]
	Tick (✓) <b>one</b> box.	[1 mark]
	**C	### ### ### ##########################



0 4.3	The scientist wore special insulating gloves when putting the balloon into the liquid nitrogen.	
	Suggest why.	-7
	[1 mark	(]
		_
		_
0 4.4	When the balloon was put into liquid nitrogen the temperature of the air in the balloon decreased.	
	Complete the sentences.	
	Choose answers from the box.	
	Each answer may be used once, more than once or not at all.  [2 marks	;]
	decreased stayed the same increased	
	As the air in the balloon cooled down, the speed of the particles	
	This is because the kinetic energy of the	
	particles	
	Question 4 continues on the next page	



0 4.5	The air in the balloon had a mass of 0.00320 kg	
	The temperature of the air in the balloon decreased by 215 °C	
	The change in thermal energy of the air in the balloon was 860 J	
	Calculate the specific heat capacity of the air in the balloon.	
	Use the Physics Equations Sheet. [3 mag	
	Specific heat capacity =	J/kg°C
0 4 . 6	The liquid nitrogen boiled.	
	What happens to the temperature of nitrogen as it boils?	
	Tick (✓) <b>one</b> box.	[1 mark]
	Temperature decreases	
	Temperature increases	
	Temperature stays the same	




	找名校导师,
	,用小草线上辅导
	(微信小程序同名
	位 (位
13	

	The scientist recorded measurements to calculate the specific latent heat of vaporisation of nitrogen.	
0 4.7	What is meant by vaporisation?  [1 mark]  Tick (✓) one box.	
	A change of state from liquid to gas	
	A change of state from solid to gas	
	A change of state from solid to liquid	
0 4.8	The mass of nitrogen that vaporised was 0.0072 kg	
	1440 J of energy was transferred to the nitrogen as it vaporised.	
	Calculate the specific latent heat of vaporisation of nitrogen.	
	Use the Physics Equations Sheet.  [3 marks]	
	Specific latent heat of vaporisation = J/kg	
	Turn over for the next question	



**0 5 Figure 5** shows the inside of a plug.





0	5	. 1	The plug is <b>not</b> wired	correctly.
---	---	-----	------------------------------	------------

What should be done to connect the wires in the plug correctly?

[1 mark]



	The correctly wired plug and cable connects a washing machine to the mains electricity supply.
0 5.2	Give the potential difference and frequency of the mains electricity supply in the UK.  [2 marks]
	The potential difference isV
	The frequency is Hz
0 5.3	The washing machine is switched on.  What is the potential difference between the neutral wire and the earth wire?  [1 mark]
	Potential difference =V
0 5.4	The plug has a fuse.  Draw the circuit symbol for a fuse in the space below.  [1 mark]

Question 5 continues on the next page



9

	The washing machine has a metal case.	
	A fault causes the live wire to make an electrical connection with the metal causehing machine.	ase of the
0 5.5	The earth wire is <b>not</b> connected to the metal case of the washing machine.	
	Explain why it would not be safe for a person to touch the metal case.	[2 marks]
0 5.6	The court wire is now connected to the most of second the weeking machine	
	The earth wire is now connected to the metal case of the washing machine.	
	Explain why it would now be safe for a person to touch the metal case, even wire touches the metal case.	if the live
	Explain why it would now be safe for a person to touch the metal case, even wire touches the metal case.	
	Explain why it would now be safe for a person to touch the metal case, even wire touches the metal case.	
	Explain why it would now be safe for a person to touch the metal case, even wire touches the metal case.	
	Explain why it would now be safe for a person to touch the metal case, even wire touches the metal case.	
	Explain why it would now be safe for a person to touch the metal case, even wire touches the metal case.	



Different radioactive isotopes emit different types of nuclear radiation.

A polonium-210 (Po) nucleus emits an alpha particle ( $\alpha$ ) and turns into a lead (Pb) nucleus.

This can be represented by the equation:

$$^{210}_{84}Po \longrightarrow ^{A}_{Z}Pb + \alpha$$

0 6.1 What is the value of A in the equation?

[1 mark]

Tick (✓) one box.

0 6. 2 What is the value of Z in the equation?

[1 mark]

Tick (✓) one box.

Question 6 continues on the next page



0 6.3	A strontium-89 nucleus (Sr) of yttrium nucleus (Y).	emits a beta particle (β	3) and turns into an	
	This can be represented by t	he equation:		
		$^{89}_{38}$ Sr $\longrightarrow ^{A}_{Z}$	′ + β	
	What are the values of A and	d Z in the equation?		[2 marks]
			A =	
			Z =	_
0 6 . 4	Gamma radiation is another	type of nuclear radiation	on.	
	What does gamma radiation	consist of?		
	Tick (✓) <b>one</b> box.			[1 mark]
	High energy neutrons			
	Electromagnetic waves			
	Particles with no charge			
	Positively charged ions			




	找名校导师,用小草线上辅!
	事
11	、微信小
	微信小程序同名)

0 6 . 5	Explain the differences between the properties of alpha, beta and gamma radiations.  [6 marks]

# **END OF QUESTIONS**







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

## Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.



