

Please check the examination details below before entering your candidate information

Candidate surname		Other names	
Centre Number		Candidate Number	
Pearson Edexcel Level 1/Level 2 GCSE (9–1)			
Wednesday 12 June 2019			
Morning (Time: 1 hour 45 minutes)		Paper Reference 1CH0/2F	
Chemistry Paper 2 Foundation Tier			
You must have: Calculator, ruler			Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must **show all your working out** with **your answer clearly identified** at the **end of your solution**.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- In questions marked with an **asterisk (*)**, marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- A periodic table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P56428A

©2019 Pearson Education Ltd.

1/1/1/1/1/1/1/




Pearson

Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box ☐. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☐.

- 1** (a) Plants release oxygen into the atmosphere.

What is the name of the process that releases oxygen into the atmosphere?

(1)

- ☐ **A** combustion
- ☐ **B** oxidation
- ☐ **C** photosynthesis
- ☐ **D** polymerisation

- (b) The atmosphere contains 21% of oxygen.

- (i) Figure 1 shows an incomplete bar chart of the main gases in the atmosphere.




Figure 1

Complete the bar chart by showing the percentage of oxygen in the atmosphere.

(1)



(ii) Calculate the volume of oxygen present in 300 cm^3 of air.

(volumes are measured under the same conditions of temperature and pressure)

(2)

volume of oxygen = cm^3

(c) An atom of an element has an atomic number and a mass number.

Draw one straight line from each of these to the numbers of subatomic particles it shows to be present in an atom.

(2)

number of subatomic particles in an atom

atomic number

number of protons

number of neutrons

total number of protons and electrons

mass number

total number of protons and neutrons

total number of protons, neutrons and electrons

(d) Which test shows a gas is oxygen?

(1)

- ☒ **A** a few drops of limewater will turn cloudy when shaken with the gas
- ☒ **B** a glowing splint will relight when placed in the gas
- ☒ **C** a lighted splint placed in the gas will cause a pop
- ☒ **D** a piece of damp red litmus paper will turn blue when placed in the gas

(Total for Question 1 = 7 marks)



P 5 6 4 2 8 A 0 3 3 2

2 (a) Complete the following sentences.

(i) The name given to group 7 in the periodic table is (1)

(ii) The name given to group 0 in the periodic table is (1)

(b) Which of the following rows gives the colours of the group 7 elements chlorine and bromine at room temperature? (1)

	chlorine	bromine
☐ A	red-brown	purple
☐ B	yellow-green	grey
☐ C	yellow-green	red-brown
☐ D	grey	red-brown

(c) Figure 2 shows the melting and boiling points of bromine and iodine.

element	melting point in °C	boiling point in °C
bromine	-7	59
iodine	114	184

Figure 2

Using the information in Figure 2, which row shows the physical states of these elements at 50 °C? (1)

	bromine	iodine
☐ A	liquid	gas
☐ B	solid	liquid
☐ C	gas	solid
☐ D	liquid	solid



(d) The densities of some elements in group 0 are shown in Figure 3.

name	density in g cm^{-3}
helium	0.15
neon	1.2
argon	1.4
krypton	
xenon	3.5

Figure 3

Use the information in Figure 3 to suggest the density of krypton.

(1)

density of krypton = g cm^{-3}

(e) For many years, argon was used to fill filament light bulbs.

A filament light bulb is shown in Figure 4.




Figure 4

When the bulb is in use the metal filament becomes extremely hot.

Explain why argon, rather than air, was used to fill filament light bulbs.

(2)

.....

.....

.....

.....

.....

(Total for Question 2 = 7 marks)



3 Polymer molecules can be made by joining together large numbers of small molecules called monomers.

(a) Figure 5 shows the names and structures of some polymers and the monomers used to make them.

Complete the table using the information given.

(3)

name of polymer	structure of polymer molecule	name of monomer	structure of monomer molecule
poly(ethene)		ethene	$\begin{array}{c} \text{H} & & \text{H} \\ & \diagdown & / \\ & \text{C}=\text{C} \\ & / & \diagdown \\ \text{H} & & \text{H} \end{array}$
poly(chloroethene)	$\left[\begin{array}{cc} \text{H} & \text{Cl} \\ & \\ -\text{C} & -\text{C}- \\ & \\ \text{H} & \text{H} \end{array} \right]_n$	chloroethene	
	$\left[\begin{array}{cc} \text{F} & \text{F} \\ & \\ -\text{C} & -\text{C}- \\ & \\ \text{F} & \text{F} \end{array} \right]_n$	tetrafluoroethene	$\begin{array}{c} \text{F} & & \text{F} \\ & \diagdown & / \\ & \text{C}=\text{C} \\ & / & \diagdown \\ \text{F} & & \text{F} \end{array}$

Figure 5

(b) Plastics are polymers.

State **two** problems caused by the disposal of polymers.

(2)

- 1
- 2



(c) A molecule of propene has the structure shown in Figure 6.








Figure 6

Which of the following shows the structure of part of a poly(propene) molecule?

(1)



(d) Calculate the relative formula mass of the poly(propene) molecule made from joining together 24 600 molecules of propene, C_3H_6 .
(relative formula mass: $C_3H_6 = 42.0$)

Give your answer to three significant figures.

(2)

.....

.....

.....

relative formula mass =

(Total for Question 3 = 8 marks)



P 5 6 4 2 8 A 0 7 3 2

- 4 A student poured 50 cm^3 water into a beaker and measured the water's temperature.




Figure 7

The student added 1.00 g calcium chloride to the water, stirred the mixture and then recorded the temperature.

- (a) Give the name of the apparatus that could be used to measure 1.00 g of calcium chloride.

(1)

- (b) The student's results were

temperature of water at start	= 21°C
temperature of mixture after stirring	= 32°C

Explain, using these results, the type of heat energy change that occurs when calcium chloride dissolves in water.

(2)



(c) Calcium chloride is hazardous to health.

(i) Which hazard symbol would be expected to be seen on a container of calcium chloride?

(1)

☐ A



☐ B



☐ C



☐ D



(ii) Give a safety precaution that the student should take during the experiment.

(1)

(d) State **one** way in which the apparatus could be changed to reduce the amount of heat energy lost during the experiment.

(1)



(e) The concentration of a calcium chloride solution is 12 g dm^{-3} .

Calculate the volume of this solution, in cm^3 , that contains 9.0 g of calcium chloride.

You must show your working.

(3)

.....

.....

.....

.....

.....

volume of solution = cm^3

(Total for Question 4 = 9 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

BLANK PAGE



- 5 (a) Propene can be produced by the cracking of some hydrocarbons obtained from crude oil.

The equation shows the cracking of one molecule of decane to produce one molecule of butene and one molecule of another product.



- (i) Calculate the values of x and y in C_xH_y .

(2)

x = y =

- (ii) State the total mass of products formed if 25 g of decane is cracked in this way.

(1)

- (b) The structure of a molecule of ethene is shown in Figure 8.




Figure 8

- (i) Figure 9 shows the incomplete dot and cross diagram for a molecule of ethene.




Figure 9

Complete Figure 9 to show the electrons of the $\text{C}=\text{C}$ double bond.

(1)

- (ii) The incomplete combustion of ethene in air produces water as one of the products.

Give the name of another product of the incomplete combustion of ethene.

(1)



- (c) Substance X is an unsaturated hydrocarbon.
The structure of a molecule of substance X is shown in Figure 10.




Figure 10

Explain how the structure of substance X shows that it is an **unsaturated hydrocarbon**.
(2)

.....

.....

.....

.....

.....

- (d) Two liquid hydrocarbons, **A** and **B**, were tested with bromine water.
One hydrocarbon was known to be an alkane.
The other hydrocarbon was known to be an alkene.

Each hydrocarbon was shaken with a few drops of bromine water.

The results of the tests were

hydrocarbon A + bromine water: the mixture turned from orange to colourless.

hydrocarbon B + bromine water: the orange colour remained.

Explain these results.

(2)

.....

.....

.....

.....


.....

(Total for Question 5 = 9 marks)



P 5 6 4 2 8 A 0 1 3 3 2

6 The word equation for the reaction between magnesium and dilute hydrochloric acid is



The reaction was carried out using the apparatus shown in Figure 11.




Figure 11

A strip of magnesium ribbon was placed in the conical flask.
100 cm³ of dilute hydrochloric acid was added to the conical flask.

The mass of the flask and contents was measured at regular intervals.
The loss in mass was calculated.

Figure 12 shows a graph of the results.




Figure 12



- (a) Name the apparatus that could be used to measure out 100 cm^3 of dilute hydrochloric acid. (1)

- (b) Explain why there is a loss in mass of the flask and contents. (2)

- (c) The graph shows that the rate of reaction slows as the reaction takes place.

Explain, in terms of particles, why the rate of reaction between magnesium ribbon and dilute hydrochloric acid slows as the reaction takes place. (3)

- (d) The experiment was repeated using the acid at a higher temperature.
All other conditions were kept the same.

State the effect of the higher temperature on the mass loss after two minutes. (1)

- (e) The original experiment was repeated using the same mass of magnesium powder instead of the magnesium ribbon.
All other conditions were kept the same.

Sketch, on the graph in Figure 12, the line you would expect for this experiment. (2)



(f) Some reactions are affected by the presence of a catalyst.

(i) State the effect of a catalyst on a reaction.

(1)

(ii) Devise a simple experiment to find out what happens to the mass of a solid catalyst during a reaction.

(3)

(Total for Question 6 = 13 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 7 (a) Qualitative tests are carried out on ionic substances to identify the ions present in the substances.

The test for a given ion must be unique to that ion.

- (i) Explain why the test for a given ion must be unique to that ion.

(2)

.....

.....

.....

- (ii) In the test for the carbonate ion, CO_3^{2-} , dilute hydrochloric acid is added to the solid being tested.

State the name of the gas produced in the test if carbonate ions are present.

(1)

.....

- (iii) Tests for three ions are described.

Draw one straight line from the test for each ion to the observation that shows that ion to be present.

Each observation may be correct for one test, more than one test, or for none of the tests.

(3)

description of test

observation

test for chloride ion:
add dilute nitric acid followed by
silver nitrate solution

● green precipitate

test for iodide ion:
add dilute nitric acid followed by
silver nitrate solution

● red precipitate

● white precipitate

test for sulfate ion:
add dilute hydrochloric acid followed by
barium chloride solution

● yellow precipitate



*(b) A white solid is known to be a chloride in which the metal ion is sodium, potassium, calcium or aluminium.

A chemist was told to carry out a test for each metal ion that could be present in this white solid.

Describe tests to show the presence of each of these metal ions.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

19

P 5 6 4 2 8 A 0 1 9 3 2

8 Most of the fuels used today are obtained from crude oil.

(a) Which statement about crude oil is correct?

(1)

- ☐ A crude oil is a compound of different hydrocarbons
- ☐ B crude oil is a mixture of hydrocarbons
- ☐ C crude oil contains different hydrocarbons, all with the same molecular formula
- ☐ D crude oil is an unlimited supply of hydrocarbons

(b) Crude oil is separated into several fractions by fractional distillation.
Two of these fractions are kerosene and diesel oil.

(i) State a use for each of these fractions.

(2)

kerosene

diesel oil

(ii) Figure 13 shows where the fractions kerosene and diesel oil are produced in the fractionating column.




Figure 13

Kerosene is obtained higher up the column than diesel oil.
Kerosene and diesel oil fractions have slightly different properties.

Choose a property.

State how this property for kerosene compares with the property for diesel oil.

(1)

property

comparison



- (c) Figure 14 shows the formulae of a molecule of butane and of a molecule of pentane. Butane and pentane are neighbouring members of the same homologous series.




Figure 14

- (i) Explain, using these formulae, why butane and pentane are neighbouring members of the same homologous series.

(2)

- (ii) Butane has the formula C_4H_{10} .

Calculate the mass of carbon in 100 g of butane.

Give your answer to three significant figures.

(relative atomic masses: $\text{H} = 1.00$, $\text{C} = 12.0$;
relative formula mass: $\text{C}_4\text{H}_{10} = 58.0$)

You must show your working.

(3)

mass of carbon = g

- (iii) Butane burns completely in air to form carbon dioxide and water.

Write the word equation for this reaction.

(2)

(Total for Question 8 = 11 marks)



P 5 6 4 2 8 A 0 2 1 3 2



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE




- 9 (a) An aluminium atom has the atomic number 13 and the mass number 27.

Which row shows the numbers of subatomic particles present in an aluminium ion, Al^{3+} ?

(1)

	protons	neutrons	electrons
☐ A	13	14	13
☐ B	13	14	10
☐ C	14	13	10
☐ D	14	13	17

- (b) Magnesium burns in excess oxygen to form magnesium oxide.
The balanced equation for this reaction is



Starting with 1.35g of magnesium, calculate the maximum mass of magnesium oxide that could be formed in this reaction.
(relative atomic masses: O = 16.0, Mg = 24.0)

You must show your working.

(3)

.....

.....

.....

.....

.....

mass of magnesium oxide = g

- (c) Chlorine reacts with hydrogen to form hydrogen chloride.

Write the balanced equation for this reaction.

(3)

.....

.....



*(d) Sodium chloride is an ionic compound, containing sodium ions, Na^+ , and chloride ions, Cl^- .

Figure 15 shows the electronic configuration of sodium and chlorine.

electron configuration	
sodium	2.8.1
chlorine	2.8.7

Figure 15

Explain how sodium and chlorine atoms form the ions in sodium chloride and how the ions are arranged in the solid sodium chloride.

You may wish to use diagrams in your answer.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

25

P 5 6 4 2 8 A 0 2 5 3 2



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



- 10 (a)** Ethanol is made by fermentation of a carbohydrate dissolved in water, in the presence of yeast.

The reaction is carried out at 30 °C.

Explain why the reaction is carried out at a temperature of 30 °C rather than at a temperature of 80 °C.

(2)

.....

.....

.....

.....

- (b)** Ethanol, C₂H₅OH, can be converted into ethanoic acid, CH₃COOH.

(i) In this reaction ethanol is

(1)

- ☐ **A** hydrated
- ☐ **B** oxidised
- ☐ **C** polymerised
- ☐ **D** reduced

(ii) Draw the structure of a molecule of ethanoic acid, CH₃COOH, showing all covalent bonds.

(2)



- (c) (i) The apparatus in Figure 16 can be used to investigate the temperature rise produced in a known mass of water when a sample of ethanol is burned.




Figure 16

The first steps of the method are

1. put 100cm³ of water into a beaker
2. determine the mass of the burner containing ethanol
3. measure the initial temperature of the water
4. place the burner under the beaker of water
5. light the wick

Describe the remaining steps of the method that are needed to determine the mass of ethanol required to raise the temperature of the water by 30 °C.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




- (ii) In a different experiment, separate samples of the alcohols methanol, ethanol, propanol, butanol and pentanol were burned to determine the mass of each alcohol that needs to be burned to raise the temperature of 100 cm^3 water by 10°C .

alcohol	number of carbon atoms in one molecule of alcohol	mass of alcohol burned in g
methanol	1	0.37
ethanol	2	0.28
propanol	3	0.25
butanol	4	0.23
pentanol	5	0.22

Draw a graph of the mass of each alcohol required to raise the temperature of 100 cm^3 of water by 10°C against the number of carbon atoms in one molecule of that alcohol.

(3)

mass of alcohol
burned in g



number of carbon atoms in
one molecule of alcohol

(Total for Question 10 = 11 marks)

TOTAL FOR PAPER = 100 MARKS





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



P 5 6 4 2 8 A 0 3 1 3 2

The periodic table of the elements

1	2	Key					3	4	5	6	7	0																							
		relative atomic mass atomic symbol name atomic (proton) number																																	
7	Li lithium 3	9	Be beryllium 4									11	B boron 5	12	C carbon 6	14	N nitrogen 7	16	O oxygen 8	19	F fluorine 9	20	Ne neon 10												
23	Na sodium 11	24	Mg magnesium 12									27	Al aluminium 13	28	Si silicon 14	31	P phosphorus 15	32	S sulfur 16	35.5	Cl chlorine 17	40	Ar argon 18												
39	K potassium 19	40	Ca calcium 20	45	Sc scandium 21	48	Ti titanium 22	51	V vanadium 23	52	Cr chromium 24	55	Mn manganese 25	56	Fe iron 26	59	Co cobalt 27	59	Ni nickel 28	63.5	Cu copper 29	65	Zn zinc 30	70	Ga gallium 31	73	Ge germanium 32	75	As arsenic 33	79	Se selenium 34	80	Br bromine 35	84	Kr krypton 36
85	Rb rubidium 37	88	Sr strontium 38	89	Y yttrium 39	91	Zr zirconium 40	93	Nb niobium 41	96	Mo molybdenum 42	[98]	Tc technetium 43	101	Ru ruthenium 44	106	Pd palladium 46	112	Cd cadmium 48	108	Ag silver 47	112	Cd cadmium 48	115	In indium 49	119	Sn tin 50	122	Sb antimony 51	128	Te tellurium 52	127	I iodine 53	131	Xe xenon 54
133	Cs caesium 55	137	Ba barium 56	139	La* lanthanum 57	178	Hf hafnium 72	181	Ta tantalum 73	184	W tungsten 74	186	Re rhenium 75	190	Os osmium 76	192	Ir iridium 77	195	Pt platinum 78	197	Au gold 79	201	Hg mercury 80	204	Tl thallium 81	207	Pb lead 82	209	Bi bismuth 83	[209]	Po polonium 84	[210]	At astatine 85	[222]	Rn radon 86

1 H hydrogen 1

relative atomic mass atomic symbol name atomic (proton) number

* The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

