

GCSE (9–1)

Chemistry B (Twenty First Century Science)

J258/04: Depth in chemistry (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for November 2020

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2020

Annotations

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry B:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

Question		Answer	Marks	AO element	Guidance
1	(a)	Any two from: (Symbol) can (easily) separate / can identify / gives recycling instructions ORA ✓ symbol is international / people overseas can read it / people might not know what symbol means ✓ ORA ✓ don't need words / no need to read / name very long / visual symbols are easier to read ORA ✓	2	2.1	
	(b)	(i) UV does not go through glass / is absorbed by glass ✓	1	2.1	ALLOW reflects off glass
		(ii) chlorine / Cl ₂ ✓	1	1.1	ALLOW ozone DO NOT ALLOW chloride
	(c)	(i) Stage 3 / shredding and separation ✓	1	2.1	
		(ii) Stage 2 / washing and drying ✓	1	2.1	
	(d)	Links reusing as a bottle (to clean water)/using the bottles again <u>and</u> recycling to padding/using it to make it into different product ✓ Reusing uses the bottle in its same form idea / not changed / recycled polymer is processed/shredded/melted/shaped ✓	2	1.1 2.1	IGNORE wear jacket several times
	(e)	Any two from: Using bottles to treat water does not need any processing / process is different / only need washing (and drying) / padding has been processed/shredded/melted/shaped ✓ Different life spans ✓ Bottles reused many times ✓	2	2.1	

Question			Answer	Marks	AO element	Guidance
			Jackets thrown away after use ✓ Different disposal or waste implications / different waste produced / more packaging for jackets ✓ Different energy use ✓ Different water use ✓			

Question			Answer	Marks	AO element	Guidance
2	(a)	(i)	Copper chloride: (Positive electrode -) chlorine (gas) AND (negative electrode -) copper (metal) ✓ Sodium sulfate: (Positive electrode -) oxygen (gas) ✓ (Negative electrode -) hydrogen (gas) ✓	3	2.1	DO NOT ALLOW one mark for any other permutation DO NOT ALLOW chloride ALLOW correct formula i.e. Cl_2 , Cu, O_2 , H_2
		(ii)	✓✓ Gas chlorine oxygen hydrogen Test and result relights a glowing splint makes a lighted splint go 'pop' turns lime water milky turns blue litmus paper red and then bleaches it turns red litmus paper blue and then bleaches it	2	1.2	All correct = 2 marks 2 correct = 1 mark
		(iii)	Idea that copper is less reactive (than hydrogen) ORA ✓ Sodium is more reactive <u>than hydrogen</u> ORA ✓	2	2.1	ALLOW (1) for copper is less reactive than sodium / copper is unreactive

Question			Answer	Marks	AO element	Guidance
	(b)		2 correctly labelled apparatus: electrodes, battery, beaker, solution ✓ Shows battery connected to leads connected to electrodes AND electrodes are at least partially submerged into solution ✓	2	1.2 3.3a	ALLOW anode and cathode for electrodes ALLOW NaCl (aq) for solution ALLOW correct symbol for battery without label DO NOT ALLOW circuit unless current can flow

Question			Answer	Marks	AO element	Guidance
3	(a)		Crude oil contains hydrocarbons which are used as fuels. ✓ Compounds from crude oil are used as a feedstock for petrochemicals. ✓	2	1.1	
	(b)		Any three from: propane has a lower boiling point than octane / ORA ✓ propane has a shorter chain/fewer carbon atoms/is a smaller molecule ORA ✓ propane has weaker intermolecular forces than octane / ORA / less energy is needed to break the intermolecular forces in propane / ORA ✓ octane condenses ✓ idea that molecules with higher boiling points condense at higher temperatures ✓	3	1.2	ALLOW propane has less intermolecular forces IMFs than octane / ORA
	(c)	(i)	cyclooctane ✓ cyclobutane ✓	2	2.1	ALLOW one mark for 'oct' and 'but' used in names
		(ii)	C_nH_{2n} ✓ $C_nH_{(2n+1)}OH$ ✓	2	2.1	ALLOW $C_nH_{2n+2}O$
		(iii)	Carbon forms four covalent bonds. ✓ Carbon atoms can join together in chains and rings. ✓	2	1.1	

Question			Answer	Marks	AO element	Guidance
4	(a)		zinc chloride ✓ 2HCl AND H ₂ ✓	2	1.1 2.1	
	(b)		gas syringe with label / burette or measuring cylinder over water with label ✓ no leaks and no seals to prevent gas flow ✓	2	1.2 3.3a	
	(c)	(i)	answer = 210-220 ✓ Shows correct working based on a triangle or coordinates or readings from graph ✓	2	1.2	ALLOW both marks if answer is correct
		(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 1.13-1.19 award 2 marks Evidence of 250/their gradient ✓ Answer between 1.13-1.19 ✓	2	2.2	ALLOW ECF on incorrect gradient ALLOW answers to 2 sig figs 1.1 - 1.2
	(d)	(i)	All five points correctly plotted ✓ Appropriate best fit single line goes through origin ✓	2	2.2	
		(ii)	Rate of reaction is higher for sulfuric acid ✓ Because concentration of hydrogen ions is higher / sulfuric acid is dibasic or diprotic / produces more hydrogen ions ✓	2	3.1a	ALLOW gradient of line is steeper

Question	Answer	Marks	AO element	Guidance
5 (a)*	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Relates number of atoms/ions in formula to number of electrons lost and gained for both compounds OR Relates number of atoms/ions in formula to charge on ions in both compounds. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i> Level 2 (3–4 marks) Discusses number of electrons gained or lost for two or more ions. OR Relates number of outer shell electrons to ionic charge for two or more ions. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i> Level 1 (1–2 marks) Gives a basic description of what happens when ionic bonds form <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i> 0 marks <i>No response or no response worthy of credit.</i>	6	2 x 1.1 4x2.1	Demonstrates knowledge and understanding of what happens when ionic bonds are formed AO1.1 Description of what happens • electrons are transferred between atoms • magnesium and sodium lose electrons. • oxygen gains electrons • to form a full shell/complete shell. Applies knowledge and understanding to explain electronic changes shown on the diagram and relates this to the formulae of the compounds AO2.1 Number of electrons gained or lost. • Na has one electron in its outer shell and forms a +1 ion / Na loses ONE electron to form an ion • Mg has two electrons in its outer shell and forms a +2 ion / Mg loses TWO electrons to form an ion • O has six electrons in its outer shell and forms a -2 ion / gains TWO electrons to form an ion Formulae of compounds. • In Na₂O sodium ion has a +1 charge and O has 2- charge / sodium loses one electron and oxygen needs to gain two • In MgO magnesium ion has a +2 charge and O has 2- charge / magnesium loses two electrons and oxygen needs to gain two • idea that charges / electrons need to balance • two sodium ions per oxygen ion • one magnesium ion per oxygen ion

Question			Answer	Marks	AO element	Guidance
	(b)		Their boiling points are $> 100^{\circ}\text{C}$. ✓ They conduct electricity when molten. ✓	2	1.1	

Question			Answer	Marks	AO element	Guidance
6	(a)		To make sure the reaction has finished / Mg reacts fully ✓	1	3.3b	
	(b)		Magnesium because it is in the shortest supply / limitless oxygen idea / limited <u>amount</u> / gets used up ✓	1	2.1	ALLOW 'Mg is limited' alone.
	(c)		1.2 ✓ 0.8 ✓ 2.0 ✓	3	2.2	IGNORE 2 ALLOW ECF on mass of magnesium oxide if first two answers are incorrect
	(d)		Idea that overall mass/number of atoms does not change / law of conservation of mass means matter is not created or destroyed / total mass of products and reactants are equal ✓ In the experiment mass only (apparently) increases / does not really increase ✓ This is due to oxygen from the air / idea that mass of oxygen needs to be taken into account ✓	3	1.1 3.1b 2.1	ALLOW 'gas'
	(e)	(i)	32 <u>and</u> 0.1 ✓ 0.2 ✓	2	2.1	ALLOW 0.19851.... (from use of Mg as 24.3)
		(ii)	In the equation 2 mols Mg react with 1 mol O ₂ (to form 2 moles MgO) / table shows 0.2 mols Mg react with 0.1 mol O ₂ (to form 0.2 mols MgO) ✓ The ratios in the table agree with the ratios in the equation ✓	2	2.1	ALLOW ECF from incorrect moles in (i) leading to an answer of 'no because the ratios in the table do not agree with the ratios in the equation'

Question			Answer	Marks	AO element	Guidance
7	(a)	(i)	Any two from: NH_4^+ (& NO_3^-) ions have single positive and negative charges ✓ calcium has a +2 charge which is not represented in the diagram ✓ There is a 1:1 ratio for ammonium nitrate ✓ There needs to be a 1:2 ratio for calcium nitrate ✓	2	3.1b	
		(ii)	Any two from: Ions are not inelastic (spheres) ✓ Ions are not spherical ✓ Vibration of ions is not shown ✓ there are many more ions in a real ionic compound ✓ ions in an ionic compound are arranged in 3D ✓ ions contain multiple atoms ✓	2	1.1	

Question		Answer	Marks	AO element	Guidance
	(b)*	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Describes differences between the energy changes on the diagrams and explains the differences in terms of energy changes when bonds break <u>and</u> form. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i> Level 2 (3–4 marks) Describes differences between the energy changes on the diagrams and explains one energy change when bonds break <u>or</u> form. OR Describes a difference between the energy changes on the diagrams and correctly links this to the energy change when bonds break <u>or</u> form <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i> Level 1 (1–2 marks) Describes a difference between the energy changes on the diagrams <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i> 0 marks <i>No response or no response worthy of credit.</i>	6	2 x 3.1a 2 x 1.1 2 x 2.1	AO3.1a Interprets the diagrams to identify differences. • Activation energy (E_a) is higher for calcium nitrate ORA • Energy change of reaction has a larger value for calcium nitrate / more energy given out ORA • Energy change of reaction is negative for calcium nitrate/ is exothermic • Energy change of reaction for ammonium nitrate is positive/is endothermic AO2.1 – Applies knowledge and understanding to explains the differences in the two diagrams • energy is taken in to break bonds / energy is given out when bonds form • more energy is taken in to break bonds in calcium nitrate (to provide E_a) • more energy is given out when bonds form when calcium nitrate dissolves AO1.1 – Recalls differences between exothermic and endothermic reactions • overall reaction is exothermic for calcium nitrate because overall more energy is given out (when bonds form) than is taken in (when bonds break) • overall reaction is endothermic for ammonium nitrate because overall less energy is given out (when bonds form) than is taken in (when bonds break) For L1 IGNORE incorrect statements
	(c)	$\text{Ca}_3(\text{PO}_4)_2$ <u>and</u> KNO_3 ✓	1	1.1	

Question		Answer	Marks	AO element	Guidance
8	(a)	Neutral solution: F Alkali solution: E ✓	1	1.2	Both answers required for the mark
	(b)	4(.0) ✓	1	1.2	
	(c)	The higher the concentration of hydrogen ions, the lower the pH ✓	1	3.2b	
	(d)	pH meter 1 is most accurate because the readings are closest to the actual pH / within 0.1 ✓ pH meter 2 is not accurate because all of the readings are too high / up to 0.4 difference ✓ pH meter 3 less accurate than 1 or 2 because readings furthest from the actual pH / up to 0.7 / both above and below ✓	3	3.2b	ALLOW 1 mark for pH meter 1 is most accurate and pH meter 3 is least accurate, if no other mark awarded.
	(e)	wash the pH meter between readings / use separate pH meters for each sample ✓	1	3.3b	

Question			Answer	Marks	AO element	Guidance
9	(a)		there is a correlation between the air temperature and the concentration of sulfur dioxide in the air / as the air temperature increases, so does the concentration / concentration is reduced by (heavy) rain/wind ✓ Fri/19°C has a higher concentration but a lower temperature than Tues/20°C / Tues/20°C has a lower concentration than Wed/21°C ✓ sulfur dioxide is not produced in the air / it is produced in the power station / correlation is not cause idea / cause is due to another factor ✓	3	3.2a 2.1 1.1	
	(b)		Saturday 0-3.4 ✓ Lower than Thursday / compare with Thursday but windy / heavy rain and wind (both decrease concentration) / heavy rain and wind will be lower than heavy rain with no wind ✓ Sunday 9.5 – 24.0✓ Lower than Monday / similar to Monday but windy / similar to Friday or Tuesday but no rain / higher than Friday/Tuesday / concentration will be lower than (no rain and) no wind / higher than light rain, wind ✓	4	2.2 3.2a 2.2 3.2a	DO NOT ALLOW explanation marks for links to air temperature due to previous question disproving cause link between sulfur dioxide and temperature IF no comparison marks are awarded, ALLOW (1) mark for stating weather conditions in both 'Heavy rain and wind (Sat) and no rain and windy (Sun)
	(c)		needs to measure at intervals of 20 mins or less ✓ take a mean for each hour, each day and over the year ✓ idea of comparing data to the target values ✓	3	3.3a	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored