

Please write clearly in	า block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Biology Paper 1F

Tuesday 12 May 2020 Afternoon Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Question Mark 1 2 3 4 5 6 TOTAL

For Examiner's Use

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.



Do not write outside the box

0 1	Being overweight can affect the health and life expectancy of a person.
0 1.1	What is one lifestyle change a person could make to help them lose body mass?
	Tick (✓) one box. [1 mark]
	Drink more alcohol
	Eat less fatty food
	Stop smoking
0 1 . 2	Exercise has many health benefits.
	Give two health benefits of regular exercise.
	Do not refer to losing body mass in your answer. [2 marks]
	1
	2



둦
找名校导师,用小草线上辅导
(微信小程序同名)

	During exercise, breathing rate increases to provide more oxygen for aerobic respiration.	
0 1.3	What is the equation for aerobic respiration?	[1 mark]
	Tick (✓) one box.	
	carbon dioxide + water → glucose + oxygen	
	glucose + oxygen → carbon dioxide + water	
	oxygen + water → glucose + carbon dioxide	
0 1.4	Figure 1 shows the human breathing system.	
	Figure 1	
	AA	
	B	
	C	
	Where does gas exchange take place?	
	Tick (//) and box	[1 mark]
	Tick (✓) one box.	
	A	





A scientist investigated the effect of exercise on the breathing rate of four people.

This is the method used.

- 1. Measure the resting breathing rate.
- 2. Exercise for 10 minutes.
- 3. Measure the breathing rate as soon as exercise stops.
- 4. Record the time taken for the breathing rate to return to the resting rate.

Table 1 shows the results.

Table 1

Person	Resting breathing rate in breaths per minute	Breathing rate after exercise in breaths per minute	Increase in breathing rate in breaths per minute	Time for breathing rate to return to resting rate in minutes
A	12	45	33	5.5
В	10	28	18	4.0
С	11	35	24	6.5
D	13	52	39	10.0

Give two reasons that support the scientist's conclusion	on.
Use Table 1 .	[2 marks]
1	
2	

The scientist concluded that person **B** was the fittest.



0 1.6	Suggest two reasons why the scientist's conclusion may not be valid. [2 marks]
	1
	2
0 1.7	Give two changes that happen in the body during aerobic exercise.
	Do not refer to increased breathing rate in your answer. [2 marks]
	1
	2
0 1.8	Muscles respire anaerobically during vigorous exercise.
	Complete the sentences.
	Choose answers from the box. [2 marks]
	amino acids carbon dioxide glucose
	lactic acid oxygen
	Muscles respire anaerobically if they do not have
	enough
	Anaerobic respiration of glucose produces






New drugs are tested before they can be licensed for use with patients.

Figure 2 shows how much time the different stages of testing took for one new drug.





0 2 . 1 Preclinical testing is done in a laboratory.

What is the drug tested on in a laboratory?

Give **one** example.

[1 mark]

0 2. How many years did the clinical trials take for the drug in **Figure 2**?

[1 mark]

Time for clinical trials = years



0 2.3	During Phase 1 clinical trials, the drug is tested on healthy volunteers using low doses.			
	What is the main purpose of Phase 1 testing?	[1 mark]		
	Tick (✓) one box.	[i iliai k]		
	To find the best dose to use.			
	To see if the drug is safe to use.			
	To see if the drug works.			
	During clinical trials, half of the patients are given a placebo in a double blind t	rial.		
0 2.4	What is a placebo?	[1 mark]		
0 2.5	Who knows which patients are given the placebo and which patients are given drug in a double blind trial?	the		
	· · · · · · · · · · · · · · · · · · ·	[1 mark]		
	Not the patients or the doctors			
	The patients and the doctors			
	The patients but not the doctors			





Find Personal Tutor from www.wisesprout.co.uk

找名校导师,用小草线上辅导(微信小程序同名)

Paracetamol and ibuprofen are two medicines used to reduce a high body temperature.

Doctors investigated which medicine was more effective at reducing high body temperature in 200 children who were ill.

The children were put into two groups, which were matched for:

- age
- gender
- body mass.

Each group had 100 children.

This is the method used.

- 1. Measure the body temperature of each child before any medicine is given.
- 2. Give children in Group 1 paracetamol.
- 3. Give children in Group 2 ibuprofen.
- 4. Measure the body temperature of each child every hour after the medicine is given.

0 2 . 6	Give two control variables in this investigation.	ro
		[2 marks]
	1	
	2	




	9
0 2 . 7	None of the children was given a placebo.
	Suggest one reason why. [1 mark]
	Question 2 continues on the next page


Turn over ▶



Figure 3

Figure 3 shows the results.






Mean body temperature = _____ °C



0 2 . 9	The doctors concluded that children with a high body temperature should be given ibuprofen and not paracetamol.	
	Give two reasons for the doctors' conclusion.	
	Use Figure 3. [2 marks	s]
	1	_
	2	_

Turn over for the next question





0 3	Water is lost from the leaves of plants through pores called stomata.	
0 3.1	What is the loss of water from a leaf called?	[1 mark]
	Tick (✓) one box.	[· mank]
	Osmosis	
	Respiration	
	Transpiration	
0 3.2	Which cells control the size of stomata?	[1 mark]
	Tick (✓) one box.	[i iliai k]
	Guard cells	
	Phloem cells	
	Xylem cells	
	Question 3 continues on the next page	





Do not write

A student investigated the water loss when different surfaces of leaves were covered in grease.

The grease blocks the stomata.

This is the method used.

- 1. Remove four similar leaves from one plant.
- 2. Put grease on different surfaces of the leaves as shown in Figure 4.
- 3. Record the mass of each leaf and attach the four leaves to a string.
- 4. After 24 hours record the mass of each leaf again.

Figure 4




Table 2 shows the results.

Table 2

Leaf	Surfaces covered with grease	Mass of leaf at start in grams	Mass of leaf after 24 hours in grams	Loss in mass after 24 hours in grams
Α	Upper and lower	2.01	1.97	x
В	Only upper	2.00	1.87	0.13
С	Only lower	2.01	1.96	0.05
D	None	1.98	1.83	0.15




0 3.3	Calculate value X in Table 2.	ark]
	Value X =	g
0 3.4	The loss in mass of water was measured after 24 hours.	
	Calculate the mass of water lost in grams per hour for leaf D . [2 main	rks]
	Mass of water lost per hour =	g
	The student concluded:	
	'More water is lost from the lower surface of a leaf than from the upper surface.'	
0 3.5	What evidence is there in Table 2 to support the student's conclusion? [1 magestable]	ark]
0 3.6	What do the results in Table 2 show about the number of stomata on the surfaces of a leaf? Tick (✓) one box.	ark]
	There are more stomata on the lower surface.	
	There are more stomata on the upper surface.	
	There are the same number of stomata on both surfaces.	



0 3.7	The investigation was done at 20 °C		
	How would the mass of water lost be different if the investigation was done at 25 °C?		
	Give a reason for your answer. [2 marks]		
	Difference		
	Reason		



Do not write outside the



Turn over ▶



0 4	Pathogens cause infectious diseases.		
0 4.1	Draw one line from each disease to the	type of pathogen that causes the	disease. [2 marks]
	Disease	Type of pathogen	
		Bacterium	
	Gonorrhoea	Fungus	
	Measles	Protist	
		Virus	
	The body defends itself against pathoge		
0 4 . 2	Give two ways that the body prevents p		[2 marks]
	1		
	2		



0 4.3	If pathogens do enter the body the immune system tries to destroy the pathoge	ens.
	Describe how the immune system defends the body against disease. [6	marks]
	Question 4 continues on the next page	





0 4 . 4	Give one reason why antibiotics cannot be used to treat HIV infections.	[1 mark]
0 4 . 5	Give two ways to prevent the spread of HIV. 1	[2 marks]
	2	
0 4.6	Some people with a HIV infection develop AIDS. Some people with AIDS may die from a different type of infection, such as a chest infection.	
	Why do people with AIDS die from a different type of infection? Tick (✓) one box.	[1 mark]
	HIV damages the immune system.	
	Pathogens enter the body more easily.	
	People with AIDS are immune to HIV.	



0 5	A student investigated the effect of different concentrations of sugar solution on pieces of potato.		
	This is the method used.		
	1. Cut five pieces of potato.		
	2. Record the starting mass of each piece of potato.		
	3. Place each piece of potato in a different concentration of sugar solution	١.	
	4. After 24 hours remove the pieces of potato from the solutions.		
	5. Record the final mass of each piece of potato.		
	6. Calculate the change in mass for each piece of potato.		
0 5 . 1	What is the independent variable?	[1 mark]	
	Tick (✓) one box.	[1 mark]	
	Change in mass of the pieces of potato		
	Concentration of the sugar solution		
	Length of time the pieces of potato are in the solution		
	Starting mass of the pieces of potato		
	Question 5 continues on the next page		



Table 3 shows the results.

Table 3

Concentration of sugar solution in mol/dm³	Mass of potato at start in grams	Mass of potato after 24 hours in grams	Change in mass in grams
0.0	7.94	10.14	2.20
0.1	7.95	9.10	1.15
0.2	7.96	8.21	0.25
0.3	7.93	7.53	-0.40
0.4	7.93	7.18	-0.75
0.5	7.95	7.00	-0.95

0 5 . 2	Explain why the potato in 0.0 mol/dm ³ sugar solution increased in mass.		



Do not write

0 5 . 3 Complete Figure 5.


Some of the results have been plotted for you.

You should:

- plot the data from Table 3
- draw a line of best fit through all the points.

[2 marks]

Figure 5



0 5 . 4 The mass of a piece of potato does **not** change when:

concentration of solution inside cells = concentration of solution outside cells

Determine the concentration of sugar solution inside the potato cells.

Use Figure 5.

[1 mark]

Concentration = mol/dm³

Turn over ▶



Table 3 is repeated below.

Table 3

Concentration of sugar solution in mol/dm³	Mass of potato at start in grams	Mass of potato after 24 hours in grams	Change in mass in grams
0.0	7.94	10.14	2.20
0.1	7.95	9.10	1.15
0.2	7.96	8.21	0.25
0.3	7.93	7.53	-0.40
0.4	7.93	7.18	-0.75
0.5	7.95	7.00	-0.95

0 5 . 5 Calculate the percentage change in mass for the potato in 0.2 mol/dm³ sugar s	solution
---	----------

Use Table 3.

Use the equation:

percentage change in mass =
$$\frac{\text{change in mass}}{\text{mass of potato at start}} \times 100$$

Give your answer to 3 significant figures.	[3 marks]

Percentage change in mass (3 significant figures	s) = %
--	--------



rout.co.uk
找名校导师,
用小草线上辅导(
(微信小程序同名

0 6	Starch is digested to form sugar molecules in the digestive system.	
0 6 . 1	What is the name of the enzyme that digests starch?	[1 mark]
0 6 . 2	Where are most food molecules absorbed?	
	Tick (✓) one box.	[1 mark]
	rick (*) One box.	
	Large intestine	
	Liver	
	Small intestine	
	Stomach	
	Siomach	
	Question 6 continues on the next page	
	Question o continues on the next page	






Figure 6 shows two villi.

Figure 6 also shows one cell on the surface of a villus as seen using an electron microscope.

Figure 6



Give one advantage of using an electron microscope compared with using a light microscope.

[1 mark]




0 6.4	What type of blood vessel is labelled X ? Tick (✓) one box.	[1 mark]
	Artery	
	Capillary	
	Vein	
0 6 . 5	The real length of one villus is 0.8 mm	
	Calculate the image length if the villus is viewed at a magnification of ×20	
	Use the equation:	
	$magnification = \frac{size \text{ of image}}{size \text{ of real object}}$	
	Size of real object	[3 marks]
	Image length =	mm
	Question 6 continues on the next page	



There are sugar molecules inside and next to each cell.

Figure 7



0 6 . 6 Name the process by which sugar moves into cell A.

[1 mark]


0 6 . 7 Name the process by which sugar moves into cell **B**.

[1 mark]

0 6 8 Give one use of sugar in the body.

[1 mark]


0 6.9 Figure 6 is repeated below.



Explain how villi are adapted for efficient absorption of sugar molecules.	[4 marks]

END OF QUESTIONS







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information
	For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.
	Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.
	Copyright © 2020 AQA and its licensors. All rights reserved.



