

F

Thursday 9 June 2022 – Afternoon GCSE (9–1) Physics A (Gateway Science)

J249/01 Paper 1 (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Physics A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



| arly in | hlack | cink | Do no | st writ | e in the harcodes | | | | |
|----------|---------|---------------|--------------------|---------------------------------|---------------------------------------|--|--|--|---|
| arry irr | Diaci | X II IIX. | DO IIC | JC WIII | e iii tile barcodes. | | | | |
| | | | | | Candidate number | | | | |
| | | | | | | | 1 | | ı |
| | | | | | | | | | |
| | arly in | arly in black | arly in black ink. | arly in black ink. Do no | arly in black ink. Do not writ | arly in black ink. Do not write in the barcodes. Candidate number | arly in black ink. Do not write in the barcodes. Candidate number | | |

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for a correct method, even if the answer is wrong.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 28 pages.

ADVICE

· Read each question carefully before you start your answer.

© OCR 2022 [601/8651/3] DC (ST/SG) 301216/6

OCR is an exempt Charity

Turn over

SECTION A


Answer **all** the questions.


You should spend a maximum of 30 minutes on this section.

Write your answer to each question in the box provided.

| 1 | 10 g | g of ice melts and then evaporates. | |
|---|------|---|-----|
| | Wha | at is the mass of the gas produced? | |
| | Α | 0 g | |
| | В | 1 g | |
| | С | 10 g | |
| | D | 11 g | |
| | You | ır answer | [1] |
| 2 | Whi | ich is a contact force? | |
| | Α | Electrostatic | |
| | В | Gravity | |
| | С | Magnetism | |
| | D | Upthrust | |
| | You | ar answer | [1] |
| 3 | All | objects have a gravitational field that causes attraction. | |
| | Whi | ich property affects the gravitational field strength of an object? | |
| | Α | Charge | |
| | В | Mass | |
| | С | Specific heat capacity | |
| | D | Temperature | |
| | You | ar answer | [1] |

4 Which graph shows the relationship between temperature and resistance for a NTC thermistor?





5 A bird flies at an average speed of 5.0 m/s for 240 s.

What is the distance travelled by the bird?

Use the equation: distance travelled = speed × time

- **A** 0.8 m
- **B** 20 m
- **C** 48 m
- **D** 1200 m

Your answer [1]

© OCR 2022 Turn over

[1]

6 A student places a magnet next to a copper rod and then an iron rod.

| | Copper rod | Iron rod |
|---|-----------------|----------|
| Α | attracts | attracts |
| В | attracts | repels |
| С | nothing happens | attracts |
| D | nothing happens | repels |

Which row in the table describes what happens?

| | Υοι | ur answer | [1] |
|---|-----|--|-----|
| 7 | Wh | y does atmospheric pressure decrease as the height above the Earth's surface increases | ? |
| | Α | The distance from the equator decreases. | |
| | В | The number of air molecules above you decreases. | |
| | С | The temperature of the air increases. | |
| | D | The weight of each air molecule increases. | |
| | Υοι | ur answer | [1] |

8 A student is studying examples of physical and chemical changes.

| | Chemical change | Physical change |
|---|-----------------|-----------------|
| Α | boiling water | frying an egg |
| В | boiling water | melting ice |
| С | burning wood | frying an egg |
| D | burning wood | melting ice |

| M/hich | row in the table shows | a correct evample of | a chemical | change and | a physical | change? |
|--------------|------------------------|----------------------|------------|------------|------------|----------|
| V V I IIGI I | TOW IT THE LADIE SHOWS | a correct example or | a chemicai | change and | a DHVSICAL | CHanue : |

| Your answer | | | [1] |
|-------------|--|--|-----|

9 Mercury has a melting point of -40 °C and a boiling point of 357 °C.

| | State at –20 °C | State at 300 °C |
|---|-----------------|-----------------|
| Α | solid | gas |
| В | solid | liquid |
| С | liquid | liquid |
| D | liquid | gas |

| 1 A /I · I | | 4.1 | 4 1 1 | | |
|----------------|-----------|-------|-------|----|----------|
| Which | row ir | 1 the | tahle | 10 | correct? |
| V V I II C I I | I O VV II | | Labic | 10 | COLLCCL |

| Your answer | [1] |
|-------------|-----|

10 A student rubs two objects together. The two objects become **charged**.


| | Type of objects | Charges which move |
|---|-----------------|--------------------|
| Α | two insulators | positive |
| В | two insulators | negative |
| С | two metals | positive |
| D | two metals | negative |

Which row in the table is correct?

| Your answer | r11 |
|-------------|--------|
| rour answer | ַן יין |

11 The diagram shows a gas in a sealed syringe.

The plunger is pushed half-way into the syringe. The gas temperature stays constant.




| | Volume | Pressure |
|---|---------|----------|
| Α | doubles | halves |
| В | doubles | doubles |
| С | halves | doubles |
| D | halves | halves |

Which row in the table describes what happens to the volume and pressure of the gas?

| Your answer | [1] |
|-------------|-----|
| | L |

12 A student with a weight of 500 N sits on the left-hand side of a see-saw, 0.8 m from the pivot point. Another student then sits on the right-hand side of the pivot point.




Which student will balance the see-saw when they sit on the right-hand side of the pivot point?

Use the equation: moment of a force = force × distance (normal to direction of the force)

| | Moment of the student's weight (N) |
|---|------------------------------------|
| Α | 40 |
| В | 62.5 |
| С | 400 |
| D | 625 |

| Your answer | | [1] |
|-------------|--|-----|
|-------------|--|-----|





What is the value of the current flowing through the fixed resistor?

- **A** 1.5A
- **B** 3.5A
- **C** 5.0A
- **D** 8.5A

Your answer [1]

14 What is an induced magnet?

- **A** A permanent magnet which is always magnetic.
- **B** A permanent magnet with two identical poles.
- **C** A temporary magnet which is only magnetic when it is within a magnetic field.
- **D** A temporary magnet with two identical poles.

Your answer [1]

15 A dog has a mass of 10 kg and runs at a speed of 14 m/s.

What is the kinetic energy of the dog?

Use the equation: kinetic energy = $0.5 \times \text{mass} \times (\text{speed})^2$


- **A** 70 J
- **B** 196 J
- **C** 980J
- **D** 1960 J

Your answer [1]

SECTION B

Answer all the questions.

16 (a) The diagram shows a simple model of an atom.




Answer the questions using words from the list.

| | е | lectron | negative | neutrai | neutron | nucieus | proton |
|----|--------------|------------|---------------------|-------------------------|-------------------|---------|--------|
| | (i) | What is th | ne name of the par | t of the atom la | belled Q ? | | |
| | | | | | | | [1] |
| | (ii) | Which two | o particles are fou | nd within part C |) ? | | |
| | | | | an | ıd | | [2] |
| | (iii) | | ne name of the par | | | | |
| | <i>(</i> : \ | | | | | | [1] |
| | (iv) | | ne overall charge o | | | | F41 |
| b) | Suc | | he model of the at | | | | [1] |
| ω, | | , | no model of the de | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | [2] |

17 A teacher investigates the resistance of a filament lamp.

Fig. 17.1 shows the circuit the teacher uses.

Fig. 17.1



(a) The teacher takes measurements of the current through the filament lamp and the potential difference across it.

In which position, **J**, **K** or **L**, should the teacher place the ammeter and voltmeter?

Ammeter position: Voltmeter position: [2]

(b) Four students discuss the purpose of the component in this circuit.

Student A says: "It is used to change the current flowing in the circuit."

Student **B** says: "It is used to change the resistance of the cell."

Student **C** says: "It is used to change the potential difference of the cell."

Student **D** says: "It is used to change the total resistance of the circuit."


Which **two** students have made a correct statement about the component?

Tick (✓) **two** boxes.

(c) The teacher records their results in the table and plots the graph shown in Fig. 17.2.

| Potential difference (V) | Current (A) |
|--------------------------|-------------|
| 0.0 | 0.0 |
| 2.0 | 1.6 |
| 4.0 | 2.4 |
| 6.0 | 3.1 |
| 8.0 | 3.6 |
| 10.0 | 4.0 |

Fig. 17.2



- (i) Plot the **two** missing points on **Fig. 17.2** and draw a line of best fit. [2]
- (ii) Calculate the power dissipated by the filament lamp when the potential difference is 5.0 V.


Use **Fig. 17.2** and the equation: power = potential difference × current

| Power = | | W | [2] | |
|---------|--|---|-----|--|
|---------|--|---|-----|--|

(iii) Calculate the energy transferred if the filament lamp is used for 2 minutes.

Use your answer from (b)(ii) and the equation: energy transferred = power × time

18 A fridge magnet is used to hold pieces of paper onto a metal fridge.



A student tests the strength of three square fridge magnets using this method:

- Place pieces of paper between each magnet and the fridge
- Increase the amount of pieces of paper until the magnets no longer stick to the fridge.

(a) Suggest two variables that the student should keep the same for this experiment.

| 1 | | | |
|---|------|------|----|
| | | | |
| 2 | | | |
| | | | [: |

(b) The student tests three different magnets A, B and C and puts their results into a table.


| Magnet | Maximum number of pieces of paper held by the magnet |
|--------|--|
| Α | 24 |
| В | 20 |
| С | 26 |

| 14/1 . 1 | 4 . | 4.1 | 1 10 | \circ | | • | | |
|----------|-----------|-----|------------|---------|--------|-----|------|---------|
| vvnich | magnet is | tne | strongest? | Give a | reason | tor | vour | answer. |

| Magnet: | | | |
|---------|------|------|-----|
| Reason: | | | |
| | | | |
| | | | [1] |

(c) The front and back faces of the fridge magnets are the poles.

The student draws four magnetic field line diagrams for a fridge magnet.



- (i) Which diagram, A, B, C or D, shows the correct magnetic field around a fridge magnet?

 [1]

 (ii) How does this diagram show the direction of the magnetic field?

 [1]
- (d) The student writes a method to plot the magnetic field around a bar magnet using a plotting compass.
 - 1 Join the dots together on the paper to show the field line.
 - 2 Move the compass so that the opposite end of its arrow points to the dot you have just drawn.
 - 3 Place the magnet on a piece of paper and draw around the magnet.
 - 4 Place the compass near to one end of the bar magnet and mark where the compass arrow points to with a dot.
 - 5 Draw another dot on the paper for the new compass position and repeat.

The student has written their method steps in the wrong order.

Write down the correct order for their method.



[2]

19* A group of students investigate the resistance of an LDR.

The students change the distance between the LDR and the lamp and measure the resistance of the LDR.

The results are plotted on a graph.

Fig. 19.1 shows the experiment set-up and Fig. 19.2 shows the graph of the students' results.

Fig. 19.1





Fig. 19.2



| Describe the trend shown by the graph in Fig. 19.2 . Use data from the graph in your ans Suggest how the students could improve the accuracy and precision of their results. | swer. |
|--|-------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |


20 A student investigates density using cubes made of different types of material.

Each cube has dimensions of 5 cm × 5 cm × 5 cm.

(a) Calculate the volume of **one** cube.

(b) The table and the bar chart show the student's results.

| Material | Density (kg/m³) |
|--------------|-----------------|
| carbon fibre | 1800 |
| oak | 760 |
| pine | 520 |
| plastic | 1100 |



(i) The student makes a mistake when drawing one of the bars. Identify the mistake that the student has made.

| | | |
|------|------|-----|
| | | [1] |

(ii) Water has a density of $1000\,\text{kg/m}^3$. Draw a bar for water in space **E** on the bar chart.

| | | ss of ticles | particle arrangement | position on Earth | specific heat capacity | [2] |
|-----|-------|--------------------------|-------------------------------|------------------------|------------------------|-----|
| | Put | a ring around th | e two correct answers. | | | |
| (c) | Whi | ch two properties | s affect the density of an o | bject? | | |
| | | | | | | [2] |
| | | Explanation: | | | | |
| | | Material: | | | | |
| | | Suggest which n | naterial the student should | l use. Explain your an | swer. | |
| | (iii) | The student wan | its to make a simple solid | toy boat which can ca | rry a heavy load. | |

21 The diagram shows a swimmer in a pool.




(a) Their forward force is 50 N and the resistive force is 50 N.

(i) Describe the motion of the swimmer.

| | [1] |
|------|--|
| (ii) | Explain what happens to the swimmer if their forward force increases but the resistive force remains constant. |
| | |
| | |

.....[2]


- **(b)** The swimmer swims from one end of the pool to the other end at a constant speed. They then turn round and swim back at the same constant speed.
 - (i) Here are 4 displacement–time graphs, P, Q, R and S.



Which displacement–time graph shows the swimmer swimming to the end of the pool and back several times?

.....[1]

(ii) Here are 4 velocity-time graphs, W, X, Y and Z.



Which velocity–time graph shows them swimming to the end of the pool and back several times?

.....[1]

(c) The swimmer has a mass of 75 kg. Calculate their weight.

Use the equation: gravitational force = mass × gravitational field strength

Weight = N [3]

22 A climber investigates how a rope stretches with different forces. The climber's results are shown in the table.

| Force (N) | Extension (m) |
|-----------|---------------|
| 0 | 0.00 |
| 10 | 0.15 |
| 20 | 0.3 |
| 30 | 0.45 |
| 40 | 0.60 |


| | | 40 | 0.60 | | | |
|-----|------|---------------|---------------------------|------------------------|---------------------------------|----------------|
| (a) | The | e climber ha | as made a mistake v | when recording their r | results. | |
| | Ide | ntify the mis | stake and suggest h | now it could be correc | ted. | |
| | Mis | take: | | | | |
| | Cor | rection: | | | | [2 |
| (b) | (i) | Calculate | the spring constant | for the rope. | | |
| | | Give your | answer to two sign | ificant figures. | | |
| | | Use the e | quation: force = ext | ension × spring const | ant | |
| | | | | | | |
| | | | | Spring constant = | Ν | 1/m [4 |
| | (ii) | Calculate | the energy transfer | red when the rope is | stretched with a force of 40 N. | |
| | | Use the D | ata Sheet. | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | (iii) | A 200 N force is attached to the rope. | |
|-----|-------|---|---------------|
| | | Suggest what extension the rope would have if it does not exceed its elastic limit. | |
| | | | . [1] |
| (c) | Wh | en a force of 500 N is applied, the rope exceeds its elastic limit. | |
| | Exp | plain what this means. | |
| | | | |
| | | | |
| | | | |
| | | | . [2] |

23 Two students decide to determine the mean speed of cars passing outside their school.

| (a) | Describe how the students will take the measurements they need to be able to calculate the mean speed of a car. |
|-----|---|
| | |
| | |
| | |
| | |
| | |
| | |

(b) The students also investigate the motion of two battery-powered toy cars, **A** and **B**. The velocity–time graph shows their results.



(i) Which toy car, A or B, has the greater acceleration? Explain your answer.

| Car |
|-----|
|-----|


Reason

[1]

(ii) Use the graph to calculate the acceleration of car ${\bf B}$.

| | Acceleration =m/s ² [3] |
|-------|--|
| (iii) | Both cars have the same mass. |
| | Suggest why it takes different amounts of time for them to reach their top speeds. |
| | [1] |

24 A scientist sets up an electrical circuit.



The lamp and the resistor each have a resistance of $5.0\,\Omega$ so that the total resistance in the circuit is $10.0\,\Omega$.

(a) (i) Calculate the current in the circuit when the switch is open. Use the Data Sheet.

| | | Current = A [3] |
|-----|-------|---|
| | (ii) | State the potential difference across the resistor when the switch is open. |
| | | Potential difference = |
| (b) | The | switch is now closed . |
| | (i) | Describe how the current through the resistor changes. Explain your answer. |
| | | |
| | | |
| | | [2] |
| | (ii) | Describe how the potential difference across the resistor changes. Explain your answer. |
| | | |
| | | |
| | | [2] |
| | (iii) | State the potential difference across the lamp when the switch is closed. |

Potential difference = V [1]

25

ADDITIONAL ANSWER SPACE

| If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s). | | |
|---|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| • | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.