

Please write clearly in	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

# GCSE CHEMISTRY

F

Foundation Tier Paper 1

Thursday 14 May 2020 Morning Time allowed: 1 hour 45 minutes

#### **Materials**

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

### Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use				
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
TOTAL				



This question is about the elements in Group 7 of the periodic table.

**Table 1** shows the melting points and boiling points of some of the elements.

Table 1

Element	Melting point in °C	Boiling point in °C	
Fluorine	-220	-188	
Chlorine	-101	<b>–35</b>	
Bromine	<b>-7</b>	59	

0 1.1	What is the state	of bromine at 100 °C?	
	Use <b>Table 1</b> .		[4 mark]
	Tick (✓) one box		[1 mark]
	Gas		
	Liquid		
	Solid		



ës
pro
Ë.
esprout.co.uk
ᆕ
扙
找名校评师
苡
41
급
-
用小草线上辅导
宁
中
拟
ļΤ
₩
4[[
$\overline{}$
驱
微信小程序同
Z
崜
4
쁘

0 1 . 2	What temperature does chlorine gas condense at to form a liquid?	
	Use <b>Table 1</b> .	[1 mark]
	Temperature = °C	
0 1.3	Complete the sentences.	[2 marks]
	Going down Group 7 the melting points	_·
	This is because the size of the molecules increases so the	
	intermolecular forces	


Question 1 continues on the next page



A teacher investigated the reaction of iron with chlorine.

Figure 1 shows the apparatus used.

Figure 1



0 1 . 4	Why did the teacher do the investiga	ation in a fume cupboard?	[1 mark]		
	Tick (✓) one box.		[]		
	Chlorine gas is coloured.				
	Chlorine gas is flammable.				
	Chlorine gas is toxic.				



The word equation for the reaction is:
iron + chlorine $\rightarrow$ iron chloride
Iron chloride is a solid.
The teacher weighed the glass tube and contents:
before the reaction
after the reaction.
What happened to the mass of the glass tube and contents during the reaction?  Give <b>one</b> reason for your answer.  [2 marks]
The mass of the glass tube and contents
Reason

Question 1 continues on the next page



0 1 . 5

The teacher repeated the investigation with bromine gas and with iodine gas.

Table 2 shows the results.

Table 2

Element	Observation
Chlorine	Iron burns vigorously with an orange glow
Bromine	Iron burns with an orange glow
lodine	Iron slowly turns darker

0	1		6	Fluorine is above chlorine in (	Group <sup>*</sup>	7.
---	---	--	---	---------------------------------	--------------------	----

Predict what you would observe when fluorine gas reacts with iron.

Use Table 2.

[1 mark]

[1 mark]

$$2\text{Fe} \text{ + } \underline{\hspace{1cm}} \text{Br}_2 \, \rightarrow \, 2\text{FeBr}_3$$

**0** 1.8 Calculate the relative formula mass (
$$M_r$$
) of FeBr<sub>3</sub>

Relative atomic masses ( $A_r$ ): Fe = 56 Br = 80

[2 marks]

Relative formula mass 
$$(M_r) =$$


11



0 2	This question is about models of the atom.	
0 2 . 1	Atoms were first thought to be tiny spheres that could not be divided.  Which particle was discovered to change this model of the atom?  Tick (✓) one box.  Electron	[1 mark]
	Proton	

0 2 . 2 Figure 2 shows another model of the atom.

Figure 2



What is the name of this model of the atom?

[1 mark]



Turn over ▶

0 2.3	A scientist fired particles at gold atoms.	
	Some of these particles were scattered.	
	The results led to a different model of the atom.	
	Which type of particle was fired at the gold atoms?	
	Tick (✓) one box.	K]
	Alpha	
	Electron	
	Neutron	
	Proton	
0 2.4	Which scientist first suggested that electrons orbit the nucleus at specific distances?	<b>k</b> ]
	Tick (✓) <b>one</b> box.	
	Bohr	
	Chadwick	
	Mendeleev	



0 2 . 5	The model of the atom used today has three subatomic particles:	L.
	• electrons	
	• neutrons	
	• protons.	
	Complete the sentences. [3 marks]	
	Atoms of the same element have the same atomic number because they have the same number of	
	Atoms of the same element can have different mass numbers because they have different numbers of	
	Atoms have no overall charge because they have the same number of and	
0 2 . 6	The radius of a nucleus is approximately $1 \times 10^{-14}$ m  The radius of an atom is approximately $1 \times 10^{-10}$ m  A teacher uses a ball of radius 1 cm to represent the nucleus.	
	What could represent the atom on the same scale?  [1 mark]  Tick (✓) one box.	
	A ball of radius 10 cm	
	A sports arena of radius 100 m	
	An island of radius 10 km	
	A planet of radius 1000 km	8





This question is about chemical reactions and energy.

Hydrogen reacts with oxygen to produce water.


This reaction releases energy.

0 3 . 1

Complete the word equation for the reaction.

[1 mark]

0 3. 2 Figure 3 shows a reaction profile for the reaction between hydrogen and oxygen.



What do the labels **W**, **X**, **Y** and **Z** represent?

Choose answers from the box.

activation energy

[4 marks]

overall energy change

	products	progress of reaction	reactants
<b>w</b>			
<b>x</b>			
Υ			
<b>z</b>			

energy



0 3.3	The reaction between hydrogen and oxygen is used in a hydrogen fuel cell.	outsi b
	What is the reason for using this reaction in a fuel cell?	
	Tick (✓) one box.	
	To produce a change of state	
	To produce a potential difference	
	To produce a temperature change	
0 3.4	A student investigated the voltage produced by a chemical cell.	
	The student used different metals as the electrodes in the cell.	
	The metals used were:	
	• copper	
	• iron	
	magnesium.	
	Which <b>two</b> metal electrodes would produce the greatest voltage when used in the chemical cell?	
	Give <b>one</b> reason for your answer.	
	[2 marks]	
	Metals and	
	Reason	
		8






This question is about electrolysis.

A student investigated the hypothesis:

'The electrolysis of a salt solution produces a metal at the negative electrode and a gas at the positive electrode.'

Figure 4 shows the apparatus used.

Figure 4



0 4.1	What observation would be made at each electrode if the hypothesis is corre	ect? [2 marks]
	Observation if metal produced at the negative electrode	
	Observation if gas produced at the positive electrode	



# Table 3 shows the student's results.

## Table 3

Salt solution	Product at the negative electrode	Product at the positive electrode		
Copper chloride	Copper	Chlorine		
Potassium nitrate	Hydrogen	Oxygen		
Silver nitrate	Silver	Oxygen		

0 4 . 2	Which salt solution in <b>Table 3</b> does <b>not</b> match the student's hypothesis?	
	Give <b>one</b> reason why.	[2 marks]
	Salt solution	
	Reason	
0 4.3	Give <b>two</b> reasons why graphite is used for the electrodes.	[2 marks]
	1	
	2	









Figure 5 shows the apparatus.

## Figure 5



The purple crystal contained:

- colourless positive ions
- purple coloured negative ions.

The purple crystal dissolved in the electrolyte solution.

Give one reason for your answer.

Tick (✓) one box.

The ions do not move.

The ions move towards the negative electrode.


The ions move towards the positive electrode.

Reason

8



[2 marks]







0 5	This question is about alum  Aluminium is a metal.  Draw <b>one</b> line from each process.	operty of aluminium to the correct reason for that	property. [2 marks]
	Property	Reason	
		Aluminium has delocalised electrons	
С	onducts electricity	Aluminium has layers of atoms which can slide	
		Aluminium has strong metallic bonds	
H	High melting point	Aluminium has weak intermolecular forces	
		Aluminium has a random arrangement of atoms	
0 5. 2	Aluminium can be used to n	nake alloys.	
	What is meant by an 'alloy'?	?	[1 mark]




0 5 . 4 The waste material from the bauxite is stored in lakes of mud.

The lakes of mud are held in place by dams.

Figure 6 shows one of these lakes.

Figure 6



					material		

[2 marks]

2			





	Aluminium is extracted by electrolysis.
	The aluminium oxide is mixed with cryolite and melted.
	The mixture is then electrolysed.
0 5.5	The formula of cryolite is Na <sub>3</sub> AlF <sub>6</sub>
	Give the total number of atoms in the formula.  [1 mark]
	Number of atoms =
0 5.6	What is the reason for adding cryolite to the aluminium oxide?
	Tick (✓) one box. [1 mark]
	To increase the amount of aluminium extracted
	To lower the melting point of the mixture
	To reduce the amount of aluminium oxide needed



0 5 . 7	Complete the sentences.		
	Choose answers from the box	<b>C</b> .	[2 marks]
	aluminium	carbon	fluorine
	охус	gen	sodium
	at the positive electrode is	ositive electrode bed	exture is electrolysed the product cause the positive electrode is
5.8	A sample of bauxite contains  Calculate the maximum mass the sample of bauxite.		an be extracted from 300 000 kg of
	Give your answer in standard	form.	[3 marks

Maximum mass (in standard form) = \_

Turn over ▶

kg



This question is about citric acid.

Figure 7 represents one molecule of citric acid.

Figure 7

0 6. 1 Complete the molecular formula of citric acid.

Use Figure 7.

[1 mark]

C<sub>6</sub>H \_\_ O \_\_

0 6. 2 What type of bonding is shown in Figure 7?

[1 mark]

Tick (✓) one box.

Covalent

Ionic

Metallic



0 6. 3 Figure 8 shows two representations of one molecule of citric acid, A and B.

Figure 8

B

Give **two** advantages of representation **A** compared with representation **B**.

[2 marks]

Advantages of <b>A</b> :			
1			
2_			

Turn over ▶



Α

A student investigated the temperature change during the reaction between citric acid and sodium hydrogencarbonate solution.

Citric acid is a solid.

This is the method used.

- 1. Pour 25 cm³ of sodium hydrogencarbonate solution into a polystyrene cup.
- 2. Measure the temperature of the sodium hydrogencarbonate solution.
- 3. Add 0.25 g of citric acid to the cup.
- 4. Stir the solution.
- 5. Measure the temperature of the solution.
- 6. Repeat steps 3 to 5 until a total of 2.00 g of citric acid has been added.

Table 4 shows some of the student's results.

Table 4

Mass of citric acid added in g	Temperature of solution in °C
0.00	22.6
0.25	22.2
0.50	21.8
0.75	21.4
1.00	21.0
1.25	20.6

0 6.4	How do the results in <b>Table 4</b> show that the reaction is endothermic?	[1 mark]



0 6. Three of the student's results are plotted on Figure 9.

A line of best fit for these points is drawn.


Complete Figure 9.

You should:

- plot the data from Table 4 on Figure 9
- · draw a line of best fit through the points you have plotted
- extend your line of best fit to meet the line of best fit already drawn on Figure 9.

[4 marks]

Figure 9



0 6. Determine the overall temperature change for the reaction.

Use <b>Figure 9</b> .	
-----------------------	--

[2 marks]

Overall temperature change = °(



			Do not write outside the
0 6 . 7	What is the dependent variable in this investigation?	[1 mark]	box
	Tick (✓) <b>one</b> box.		
	Mass of citric acid		
	Temperature of solution		
	Volume of solution		12
			ind Persc
			nal Tutoi
			from w
			vw.wisesp
			Find Personal Tutor from www.wisesprout.co.uk
			找名校导帅,用小草线上辅导(微信小程序问名)
			市,用小道
			<b>草线上</b> 辅
			卯 ( ) ( ) ( )
			小程序同



0 7	This question is about acids, bases and salts.	
	Zinc nitrate is a salt.  A student produces zinc nitrate using an acid and a base.	
0 7.1	Which acid should the student use to produce zinc nitrate?  Tick (✓) one box.	[1 mark]
	Hydrochloric acid	
	Nitric acid	
	Sulfuric acid	
0 7.2	Which is a base the student could use to produce zinc nitrate?  Tick (✓) one box.  Zinc chloride  Zinc oxide  Zinc sulfate	[1 mark]
0 7.3	Name the salt with the formula MgBr <sub>2</sub>	[1 mark]






A student investigated how pH changes during a titration.

This is the method used.

- 1. Pour 25.0 cm<sup>3</sup> of hydrochloric acid into a beaker.
- 2. Measure the pH of the hydrochloric acid with a pH probe.
- 3. Add 1.0 cm<sup>3</sup> of sodium hydroxide solution from a burette.
- 4. Swirl the mixture.
- 5. Measure the pH of the mixture.
- 6. Repeat steps 3 to 5 until a total of 30.0 cm<sup>3</sup> of sodium hydroxide solution has been added.

Figure 10 shows the student's results.







vw.wisesprout.co.uk	
找名校导师,用小草线上辅导(微信小程序同名	
微信小程序同名)	

0 7.4	Describe how the pH of the mixture changes as sodium hydroxide solution is added to hydrochloric acid.	
	Use data from <b>Figure 10</b> in your answer.	
	[3 marks]	
0 7.5	What volume of sodium hydroxide solution is needed to neutralise 25.0 cm <sup>3</sup> of	
<u> </u>	hydrochloric acid?	
	Use Figure 10.	
	[1 mark]	
	Volume = cm <sup>3</sup>	
0 7 . 6	Figure 11 shows the colour of universal indicator at different pH values.	
	Figure 11	
	rigule i i	
←——F	Red → Orange → Yellow → Green → Blue Purple → Purple	
0 1	2 3 4 5 6 7 8 9 10 11 12 13 14	
	The student could have used universal indicator instead of a pH probe.	
	Determine the colour of universal indicator when 10.0 cm <sup>3</sup> of	
	sodium hydroxide solution has been added to 25.0 cm <sup>3</sup> of hydrochloric acid.	
	Use Figure 10 and Figure 11. [1 mark]	
	Colour =	
	Colour =	






0 7 . 7 The student used a pipette to measure 25.0 cm<sup>3</sup> of hydrochloric acid. Figure 12 shows a pipette. Figure 12 **Pipette** The pipette is labelled 25.0 ± 0.06 cm<sup>3</sup> Calculate the percentage uncertainty in the volume measured using this pipette. Use the equation: uncertainty percentage uncertainty = × 100 volume measured [2 marks] Percentage uncertainty = 0 7 8 Give one advantage of using a pipette rather than using a measuring cylinder to

measure the volume of hydrochloric acid.

[1 mark]









0 8	This question is about structure and bonding.		
0 8.1	Which <b>two</b> substances have intermolecular forces between particles?		
	Tick (✓) <b>two</b> boxes. [2 marks]		
	Diamond		
	Magnesium		
	Poly(ethene)		
	Sodium chloride		
	Water		

0 8. 2 Table 5 shows the structures of three compounds.

Table 5

Diagrams not to scale

Compound	Structure
Carbon dioxide	<b>Key</b>
Magnesium oxide	<b>Key</b> O <sup>2</sup> -  Mg <sup>2</sup> +
Silicon dioxide	Key O Si



找名校导师,,
用小草
草线上辅导
( 微信小
小程序同
位

<ul> <li>carbon dioxide</li> </ul>	
<ul> <li>magnesium oxide</li> </ul>	
• silicon dioxide.	
	Ī
-	

Turn over for the next question



0 9	This question is about metals and the reactivity series.
0 9.1	Which <b>two</b> statements are properties of most transition metals?  [2 marks]  Tick (✓) two boxes.
	They are soft metals.
	They form colourless compounds.
	They form ions with different charges.
	They have high melting points.
	They have low densities.
0 9 . 2	A student added copper metal to colourless silver nitrate solution.
	The student observed:
	pale grey crystals forming
	the solution turning blue.
	Explain how these observations show that silver is less reactive than copper.  [3 marks]



0 9 . 3	A student is given three metals, <b>X</b> , <b>Y</b> and <b>Z</b> to identify.
	The metals are magnesium, iron and copper.
	Plan an investigation to identify the three metals by comparing their reactions with dilute hydrochloric acid.
	Your plan should give valid results.  [4 marks]

Question 9 continues on the next page



0 9.4

Metal **M** has two isotopes.

**Table 6** shows the mass numbers and percentage abundances of the isotopes.

Table 6


Mass number	Percentage abundance (%)
203	30
205	70

Calculate the relative atomic mass  $(A_r)$  of metal **M**.

Relative atomic mass (1 decimal place) =

Give your answer to 1 decimal place.	[2 marks]

Do not write outside the







1 0 This question is about silver iodide.

Silver iodide is produced in the reaction between silver nitrate solution and sodium iodide solution.

The equation for the reaction is:

$$AgNO_3(aq) + Nal(aq) \rightarrow Agl(s) + NaNO_3(aq)$$

1 0 . 1 A student investigated the law of conservation of mass.

This is the method used.

- 1. Pour silver nitrate solution into a beaker labelled A.
- 2. Pour sodium iodide solution into a beaker labelled B.
- 3. Measure the masses of both beakers and their contents.
- 4. Pour the solution from beaker B into beaker A.
- 5. Measure the masses of both beakers and their contents again.

Table 7 shows the student's results.

Table 7

	Mass before mixing in g	Mass after mixing in g
Beaker <b>A</b> and contents	78.26	108.22
Beaker <b>B</b> and contents	78.50	48.54

Explain how the results demonstrate the law of conservation of mass.

You should use data from Table 7 in your answer.

[2 mar	ks]
--------	-----




1 0.2	Suggest how the student could separate the insoluble silver iodide from the r the end of the reaction.	mixture at
	the end of the reaction.	[1 mark]
	The student purified the separated silver iodide.	
	This is the method used.	
	1. Rinse the silver iodide with distilled water.	
	2. Warm the silver iodide.	
1 0.3	Suggest <b>one</b> impurity that was removed by rinsing with water.	[1 mark]
10.4	Suggest why the student warmed the silver iodide.	[1 mark]
	Question 10 continues on the next page	



1 0 . 5	Calculate the percentage atom economy for the production of silver iodide in this reaction.	
	The equation for the reaction is:	
	$AgNO_3(aq) + Nal(aq) \rightarrow Agl(s) + NaNO_3(aq)$	
	Give your answer to 3 significant figures.	
	Relative formula masses ( $M_r$ ): AgNO <sub>3</sub> = 170 NaI = 150 AgI = 235 NaNo	O <sub>3</sub> = 85
	Į.	4 marks]
	Percentage atom economy (3 significant figures) =	%
	, , , <u> </u>	70
1 0 . 6	Give <b>one</b> reason why reactions with a high atom economy are used in industr	·V.
		[1 mark]

## **END OF QUESTIONS**







Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

## Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.



