

F

Monday 23 November 2020 – Morning GCSE (9–1) Physics B (Twenty First Century Science)

J259/02 Depth in physics (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- · a ru er (cm/mm)
- the Data Sheet for GCSE (9-1) Phys cs B (ns de th s document)

You can use:

- · a sc ent f c or graph ca ca cu ator
- an HB penc



| Please write clearly in | n black ink. D | o not writ | e in the barcodes. | | |
|-------------------------|----------------|------------|--------------------|--|--|
| Centre number | | | Candidate number | | |
| First name(s) | | | | | |
| Last name | | | | | |

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 28 pages.

ADVICE

· Read each question carefully before you start your answer.


© OCR 2020 [601/8685/9] DC (MS/CT) 198546/6

OCR s an exempt Charty

Turn over

Answer all the questions.

- 1 Nina does an experiment to show the refraction of a ray of white light through a glass block.
 - (a) Which diagram, A, B, C or D, shows the correct path of the ray of white light through the glass block?




Tick (✓) one box.

| Α | |
|---|--|
| В | |
| С | |
| D | |

[1]

(b) Nina then shines the ray of white light through a triangular prism, and observes that the white light spreads out into a band of colours, as shown in Fig. 1.1.



What is the correct scientific name for the band of colours?

Put a (ring) around the correct answer.

Dispersion Rainbow Reflection Spectrum [1]

(c) When white light passes through the prism, the different colours of white light refract by different amounts, which forms the band of colours shown in Fig. 1.1.

(i) Which colour of white light refracts the most?

Tick () one box.

Red

Green

Violet

Yellow

[1]

(ii) Which colour of white light refracts the least?

Tick (✔) one box.

Red

Green

Violet

Yellow

[1]

Turn over

2 Jamal does an investigation to see how two bar magnets behave when they are brought close to each other.

Fig. 2.1 shows how the two bar magnets are arranged.




Fig. 2.1

(a) The table shows the possible positions of the north and south poles for the two bar magnets.

Complete the table to show the expected results for the investigation.

Use words from the list.

You may use each word once, more than once or not at all.

Attract No effect Repel

The first one has been done for you.

| Pole A | Pole B | Expected Result |
|--------|--------|-----------------|
| N | S | Attract |
| N | N | |
| S | S | |
| S | N | |

[2]

(b) Fig. 2.2 shows the magnetic field around a bar magnet.




Fig. 2.2

- (i) Draw **four** arrows on **Fig. 2.2** to show the direction of the magnetic field around the bar magnet. [1]
- (ii) Complete the sentence about Jamal's observations.

Use words from the list.

You can use each word once, more than once, or not at all.

| | stronger | weaker | closer together | further apart | |
|-----|---------------------|-------------------|---------------------------|---------------------|--------------|
| | Jamal observes | that when the | two bar magnets are attra | acted to one anothe | r, the |
| | magnetic force | of attraction ne | ar the poles is | , | because this |
| | is where the ma | gnetic field line | es are | | [2] |
| (c) | Which statement abo | out magnetism | is correct? | | |
| | Tick (✓) one box. | | | | |

An induced magnet loses its magnetism when removed from a magnetic field.

A permanent magnet loses its magnetism when removed from a magnetic field.

Induced magnets produce their own magnetic field.

Permanent magnets do **not** produce their own magnetic field.

[1]


3

| Bet | th is a | skydiver. Skydivers freefall before opening a parachute. | |
|-----|---------|--|--------|
| (a) | (i) | After falling for a small period of time, balanced forces act on Beth. | |
| | | Describe Beth's movement when these balanced forces act. | |
| | | | |
| | | [| 1] |
| | (ii) | Draw two labelled arrows on the diagram to identify these balanced forces acting of Beth. | nc |
| | | | |
| | | [| 2] |
| (b) | Bet | h has a mass of 60 kg. | |
| | Cal | culate Beth's weight. | |
| | Use | the equation: weight = mass × gravitational field strength | |
| | Gra | vitational field strength = 10 N/kg | |
| | | Weight = N [| 21 |
| (c) | Mas | ss is a scalar quantity. Weight is a vector quantity. | -1 |
| (0) | (i) | Give one other example of a vector quantity. | |
| | (-) | | 11 |
| | (ii) | What is the difference between a vector quantity and a scalar quantity? | |
| | | | 11 |

7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

4 Li does an experiment to find the spring constant of a spring.



Li measures the extension of the spring when different weights are added, and records the results in the table.

| Weight (N) | Extension (cm) |
|------------|----------------|
| 0 | 0 |
| 1.0 | 1.5 |
| 2.0 | 3.0 |
| 3.0 | 4.5 |
| 4.0 | 6.0 |
| 5.0 | 7.5 |






Fig. 4.1

| (ii) | Describe | the relationship | between | weight | and the | extension | of the s | spring |
|------|----------|------------------|---------|--------|---------|-----------|----------|--------|
| | | | | | | | | |

[1]

(iii) Calculate the spring constant of the spring.

Show your working on Fig. 4.1.

Use the equation: spring constant = force ÷ extension

Give your answer to 2 significant figures.

Spring constant = N/cm [3]

(b) Fig. 4.2 shows Li's results for another elastic material.




Fig. 4.2

Complete the following statements about Fig. 4.2.

Put a (ring) around the correct choices.

The relationship for the elastic material is **linear / non-linear**.

The elastic material could be a rubber band / metal wire.

[2]

5 Nuclear Physicists use atomic numbers and mass numbers to identify isotopes.

The table shows data on three atoms, **Atom A**, **Atom B**, and **Atom C**.

| | Atom A | Atom B | Atom C |
|--------------------|--------|--------|--------|
| Atomic number | 6 | 6 | |
| Mass number | 12 | 14 | 14 |
| Number of neutrons | | 8 | 7 |
| Stable | Yes | No | Yes |

(a) Complete the **two** missing values in the table.

[1]

(b) Isotopes of an element are atoms with the same number of protons but a different number of neutrons.

Which two atoms are isotopes of the same element?

Put a (ring) around the **two** correct answers.

Atom A Atom B Atom C

[1]

(c) Carbon-14 is an unstable isotope which decays to nitrogen-14.

$$^{14}_{6}C \rightarrow ^{14}_{7}N$$
 + Decay particle

What is the decay particle emitted when carbon-14 decays?

Put a (ring) around the correct answer.

Alpha particle Beta particle Gamma ray Neutron

[1]

Amaya builds an electrical circuit to investigate the relationship between current and potential 6 difference for a fixed resistor.





Fig. 6.1 shows Amaya's results for the fixed resistor.



(a) Calculate the resistance of the fixed resistor.

Use the equation: resistance = potential difference ÷ current

Show your working on Fig. 6.1.

Give your answer to 1 decimal place and the unit for resistance.

Resistance = Unit [4] Turn over

(b) Amaya repeats the investigation, but replaces the fixed resistor with a filament lamp. Her results are shown in Fig. 6.2.





Fig. 6.2

Amaya says:



Sarah is investigating how to measure the speed of sound, and knows that sound is produced when there is a lightning flash during a thunder storm.

Sarah It takes approximately 4 seconds after I see the lightning flash for me to hear the thunder sound. If I know the thunder storm is approximately 1 km away, I can use this information to calculate the speed of sound.

Explain why Sarah's method is inaccurate, and suggest one other method Sarah can use to accurately measure the speed of sound.

The speed of sound in air is approximately 340 m/s.


Use the equation: speed = distance ÷ time

© OCR 2020

You may include a diagram to support your answer.

| | [6] Turn over |
|---------|------------------|
| CR 2020 | rurn over |

8 The diagrams show a model for the arrangement of particles in three states of matter.



(a) Complete the following statements about the three states of matter.


Use words from the list.

You may use each word once, more than once, or not at all.

| | condensation | evaporation | freezing | melting | sublimation | |
|----|--------------------|----------------------|-----------------|---------------|------------------|-----|
| | The physical char | nge from a gas to | a liquid is cal | lled | | |
| | The physical char | nge from a solid to | o a gas is call | ed | | |
| | The physical chan | nge from a liquid t | to a gas is cal | lled | | [3] |
| b) | Explain why the d | ensity of ice is hig | gher than the | density of wa | ater vapour. | |
| | Use ideas from the | e particle model, | and the diagr | ams to supp | ort your answer. | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | [2] |

9 Layla took a bus journey to a town 16 km away.

The distance-time graph shows her bus journey.



(a) (i) How many times during the journey was the bus stationary?

.....[1]

(ii) How does the graph show that the bus was slower between 15–30 minutes than 35–45 minutes?

.....[1]

(b) Calculate the average speed of the bus between 35 and 45 minutes.


Use the equation: distance = speed × time

Show your working on the graph.

Average speed = km/min [2]

10 Kai wants to buy solar panels for his house.

A local solar panel company has provided him with **data** on the amount of energy he can **expect** to generate per month from a 4kW solar panel system, based on average sunshine over the last 30 years.



Kai's friend Amir has owned solar panels for a year, and has recorded the energy his 4kW solar panel system has generated over twelve months, as shown in the table.

| Month | Energy generated (kWh) |
|-----------|------------------------|
| January | 150 |
| February | 160 |
| March | 170 |
| April | 210 |
| May | 350 |
| June | 400 |
| July | 300 |
| August | 380 |
| September | 360 |
| October | 180 |
| November | 160 |
| December | 40 |

| (a) | (i) | Give one similarity and one difference between the data from the local solar pacompany, and Amir's data. | anel |
|-----|-----|--|-------|
| | | Similarity | |
| | | | |
| | | Difference | |
| | | | . [2] |

| p | panel company's data. | | |
|--------|--|--------------------------------------|--|
| 1 | 1 | | |
| | | | |
| 2 | 2 | | |
| , | | | |
| | | | |
| Kai re | equires a system that will de | liver a minimum power of 380 | 0W to his house. |
| | nust also buy storage batter able. These cost £250. | ries to provide electricity whe | en solar or wind power is |
| | | One wind turbine | One solar panel |
| Max | kimum power output (W) | 1250 | 350 |
| Volt | tage (V) | 12 | 12 |
| Cos | st (£) per item | 1500 | 415 |
| | Calculate the total cost to de panels. | eliver a minimum power of 380 | 00 W to his house, using s |
| | | eliver a minimum power of 380 | 00 W to his house, using s |
| | | Poliver a minimum power of 380 | 00 W to his house, using s |
| ŗ | | | 00 W to his house, using s |
| (ii) k | panels. Kai has £5000 to spend. | | |
| (ii) k | panels. Kai has £5000 to spend. | Total cost = £ | |
| (ii) | panels. Kai has £5000 to spend. Which system should Kai us | Total cost = £ | |
| (ii) k | Mind turbines | Total cost = £ | |
| (ii) k | Mai has £5000 to spend. Which system should Kai us Wind turbines Solar panels | Total cost = £ | |
| (ii) k | Mai has £5000 to spend. Which system should Kai us Wind turbines Solar panels | Total cost = £ | |
| (ii) k | Mai has £5000 to spend. Which system should Kai us Wind turbines Solar panels | Total cost = £ | |

11 Water is used as a coolant in heating systems because it has a high specific heat capacity.

Nina does an experiment to find the specific heat capacity of water, by heating 1kg of water in a 2.4kW kettle.

The kettle takes several minutes to heat the water to its boiling point.

Nina

I can use a balance to accurately measure the 1 kg mass of water in the kettle.



| (a) | State two other pieces of equipment that Nina needs to use in her experiment. |
|-----|--|
| | 1 |
| | 2 |
| | [2 |
| /L\ | The CALAN heather taken 2 minutes to be at the content from more temporary as to be different into |

(b) The 2.4 kW kettle takes 3 minutes to heat the water from room temperature to boiling point.
Calculate the total energy supplied by the kettle.

Use the equation: energy = power × time

Energy = J [4]

| (c) | | useful energy transferred to heat the water from room temperature (20°C) to boiling at, 100°C is 345600 J. |
|-----|------|--|
| | (i) | Calculate the efficiency of the kettle. |
| | | Use your answer to (b) . |
| | | Use the equation: efficiency = useful energy transferred ÷ total energy transferred |
| | | |
| | | |
| | | |
| | | Efficiency =[2] |
| | (ii) | Calculate the specific heat capacity of the water from Nina's experiment. |
| | | Use the equation: change in internal energy = mass × specific heat capacity × change in temperature |
| | | |
| | | |
| | | |
| | | Specific heat capacity = |
| (d) | (i) | Suggest why the energy supplied by the 2.4kW kettle is more than the energy transferred to the 1kg of water. |
| | | [1] |
| | (ii) | Suggest one way in which the experiment to find the specific heat capacity of water could be improved. |
| | | [1] |

| 12 | James is an astronomer a | d he observes | light from dista | nt galaxies on Earth. |
|----|--------------------------|---------------|------------------|-----------------------|
|----|--------------------------|---------------|------------------|-----------------------|

The diagram shows the spectral lines of hydrogen in the visible part of the electromagnetic spectrum, as seen on Earth, and for two galaxies at different distances away from Earth.

| | aware that third to identify and | acknowledge | | ce. Item re | | | |
|-----|-------------------------------------|--------------------|-----------------|----------------|--------------|------------------|----------|
| (a) | James makes a c | onclusion from tl | his data. | | | | |
| | Complete the sen | tences to finish | James's conc | lusion. | | | |
| | Use words from the | ne list. | | | | | |
| | You can use each | word once, mor | re than once, | or not at all. | | | |
| | further | nearer | more | less | red | blue | |
| | wavelength | frequency | faster | slower | | | |
| | The | away | the galaxies | are from Ea | ırth, the | | |
| | the spectral lines | are shifted towa | rds the | | end | d of the spectru | ım. |
| | This suggests tha | t the | | of the light o | oming fro | m galaxies furt | her away |
| | is stretched. I can | conclude that m | nore distant ga | alaxies must | be movin | ng away from th | ne |
| | Earth | , tha | an galaxies th | at are close | to Earth, | which suggest | :S |
| | that the universe | is expanding. | | | | | [4] |
| (b) | James discovers | a new galaxy an | d writes an ar | ticle about i | t in a scieı | ntific journal. | 1.7 |
| | Before it is publisl | ned it must be pe | eer reviewed. | | | | |
| | Explain why and h | now the article is | peer review | ed. | | | |

Why

13 Electricity is transferred from power stations to consumers by the National Grid, as shown in Fig. 13.1.




Fig. 13.1

(a) The National Grid uses a step-up transformer to increase the potential difference from 25 000 V to 400 000 V before the current is sent along the transmission cables.

The current in the primary coil of the step-up transformer is 2000A.

Calculate the current flowing in the secondary coil of the step-up transformer.

Use the Data Sheet.

Current = A [3]

(b) Fig. 13.2 shows the UK's demand for electricity during a 24 hour period, and the base load.

The base load is the amount of electricity which is constantly generated.




Fig. 13.2

| (i) | What is the value of the base load? | |
|------|--|-----|
| | MW | [1] |
| (ii) | At which approximate time of the day is the demand for electricity the greatest? | |
| | | [1] |

(iii) At which approximate time of the day does the demand for electricity become greater than the base load?

Put a ring around the correct answer.

2.30am 7am 4pm 10.30pm [1]

(c)* The UK uses many types of power stations to meet electrical demand.

The table shows information about four types of power station.

| Type of power station | Start-up time | Maximum power generated (MW) |
|-----------------------|---------------|------------------------------|
| Wind | 10 minutes | 14000 |
| Fossil fuel | 1 to 2 days | 38 000 |
| Solar | Instant | 5000 |
| Hydroelectric | 1 minute | 5000 |

Describe the **advantages** and **disadvantages** of these four types of power station and **conclude** how these four types of power station could be used to meet electrical demand during the 24-hour period shown in **Fig. 13.2**.

| Use your own knowledge of these four types of power station in your answer. |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| [a] |

END OF QUESTION PAPER

24

ADDITIONAL ANSWER SPACE

| If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s). | | |
|---|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| • | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

26 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

27 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials OCR has attempted to identify and contact all copyright holders whose work is used in this paper of avoid the issue of disclosure of answer-related in ormation to candidates all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet his is produced or each series of examinations and is reely available to download from our public website (www.ocr.org.uk) a ter the live examination series

OCR has unwittingly ailed to correctly acknowledge or clear any third-party content in this assessment material OCR will be happy to correct its mistake at the earliest possible opportunity

For queries or urther in ormation please contact he OCR Copyright eam he riangle Building Sha tesbury Road Cambridge CB2 8EA

OCR is part of the Cambridge Assessment Group Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES) which is itself a department of the University of Cambridge