

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE CHEMISTRY

F

Foundation Tier Paper 1

Thursday 16 May 2019 Morning Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		




Answer all questions in the spaces provided.

0 1 This question is about atomic structure.

Figure 1 represents an atom of element Z.

Figure 1



0 1 . 1 Name the parts of the atom labelled A and B.

Choose answers from the box.

electron

[2 marks]

proton

Δ.				
				_

neutron

nucleus



0 1.2	Which particle ha	as the lowest mass?			
	Choose the answ	ver from the box.			[1 mark]
	electron	neutron	nı	ıcleus	proton
0 1.3	Which group of the	ne periodic table conta	ins element 2	Z ?	
	Use Figure 1 .				[1 mark]
	Group				
0 1.4	Give the atomic r	number and the mass	number of ele	ement Z .	
	Use Figure 1.				
	Choose answers	from the box.			[2 marks]
	1	5	6	11	16
	Atomic number				
	Mass number				
	Ω	uestion 1 continues	on the next :	page	
	Q		on the next	- ~ 3 ~	





	7
	=
	ring reisonal
	_
	ユ
	<u>α</u>
	Tel sollal
	C
	=
	$\overline{\sigma}$
	מנכו
	≒
	C
	_
	=
	C
	ĭ
	=
	S
	2
	۶
	?
	S
	⋛
	ä
	ö
•	Ć
	Ξ
	\leq
	Ξ
	۵
	۲
	⋍
	ator from www.wisesprout.co.ur

	۰
4	
戈伯汶ル号	
ľ	۱
℟	
di	1
7	
Ξ	
•	
五二叶及二锥	
Ξ	
í	
111	
11	١
Н	
#	
#	
4	
_	۰
Ħ	
気にしい	
Ú	
5	
-	

	4/1
	-
	Ę
	Į.
	おう十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二
	₹
	-1, r, = 1, m, l
	<u> </u>
	ū
	-
	-#
	Ë
	Ì
	H
2	۲
,	١
	_

	Bromine has two different types of atom.	
	The atoms have a different number of neutrons but the same number of protons.	
0 1.5	What is the name for this type of atom? [1 mark] Tick (✓) one box.	
	Compound Ion Isotope Molecule	
0 1.6	The different types of bromine atom can be represented as $^{79}_{35}$ Br and $^{81}_{35}$ Br The relative atomic mass (A_r) of bromine is 80 Which statement is true about the number of each type of atom in bromine? [1 mark] Tick (\checkmark) one box.	
	There are fewer $^{79}_{35}$ Br atoms than $^{81}_{35}$ Br atoms. There are more $^{79}_{35}$ Br atoms than $^{81}_{35}$ Br atoms.	
	There are the same number of $^{79}_{35}$ Br atoms and $^{81}_{35}$ Br atoms.	



0 2	This question is about compounds of oxygen and hydrogen.
	Figure 2 represents the structure of hydrogen peroxide.
	Figure 2
	H $-O$ $-O$ $-H$
0 2 . 1	What is the correct formula of hydrogen peroxide?
	[1 mark] Tick (✓) one box.
	H2O2
	HO ₂
	H^2O^2
	H_2O_2
0 2.2	Which type of bonding is shown in Figure 2 ? Tick (✓) one box.
	Covalent
	Ionic
	Metallic






0 2 . 3	Hydrogen peroxide de	ecomposes in the presence of a catalyst.	
	Which elements are o	ften used as catalysts?	[1 mark]
	Tick (✓) one box.		[Timark]
	Alkali metals		
	Halogens		
	Transition metals		

Figure 3 shows the reaction profile for the decomposition of hydrogen peroxide.

The word equation for this reaction is:

hydrogen peroxide \rightarrow water + oxygen





	Labels A, B, C and D each represent a different part of the reaction profile.	
	Use Figure 3 to answer Questions 02.4 and 02.5	
0 2.4	Which label shows the activation energy?	ark1
	Tick (✓) one box.	
	A B C D	
0 2.5	Which label shows the energy of hydrogen peroxide?	ark1
	Tick (✓) one box.	uing
	A	
0 2.6	The decomposition of hydrogen peroxide gives out energy to the surroundings.	
	What type of reaction is this? [1 m	ark]
	Tick (✓) one box.	
	Displacement	
	Endothermic	
	Exothermic	
	Neutralisation	
	Question 2 continues on the next page	





0 2.7 Hydrogen and oxygen form water.

A hydrogen atom contains one electron.


An oxygen atom contains six electrons in the outer shell.

Complete Figure 4 to show a dot and cross diagram for a water molecule.

Show the outer electrons only.

[2 marks]

Figure 4





0 3	This question is about elements, compounds and mixtures.
	Figure 5 shows five different substances, A, B, C, D and E.
	○ and ● represent atoms of different elements.
	Figure 5
	A B C D E
	Use Figure 5 to answer Questions 03.1 to 03.3
0 3.1	Which substance is only one compound? [1 mark] Tick (✓) one box.
	TICK (▼) OTTE DOX.
	A B C D E
0 3.2	Which substance is a mixture of elements?
	Tick (✓) one box. [1 mark]
	A
0 3 . 3	Which substance is a mixture of an element and a compound?
	Tick (✓) one box.
	A



Substances are separated from a mixture using different methods.

0 3 . 4

Draw **one** line from each method of separation to the substance and mixture it would separate.

[2 marks]

Method of separation

Substance and mixture

blue food colour from a mixture of food colours

chromatography

copper from an alloy of copper and zinc

copper sulfate from copper sulfate solution

crystallisation

ethanol from a mixture of ethanol and water



0 3.5

Sand does not dissolve in water. A student separates a mixture of sand and water by filtration.

Draw a diagram of the apparatus the student could use.

You should label:

- where the sand is collected
- where the water is collected.

[3 marks]


Diagram

Question 3 continues on the next page

0 3.6 A student distils a sample of salt solution to produce pure water.

Figure 6 shows the apparatus.

Figure 6



What temperature would you expect the thermometer to show?

[1 mark]

Tick (✓) one box.

0 °C	
10 °C	
50 °C	
100 °C	



0 3.7	Describe how the process of distillation shown in Figure 6 produces pure water from salt solution.				
	[4 marks]				

Turn over for the next question




This question is about chemical cells and batteries.

A student investigated the voltage produced by different chemical cells.

Figure 7 shows the apparatus.

Figure 7



This is the method used.

- 1. Use cobalt metal as electrode X.
- 2. Record the cell voltage.
- 3. Repeat steps 1 and 2 using different metals as electrode X.

0 4 . 1	Suggest two variables the student should keep the same to make the investigation	
	valid.	
	[2 mark	s]

1			-	_
2				



Do not write outside the box

Table 1 shows the student's results.

Table 1

Electrode X	Voltage of the cell in volts
cobalt	0.62
magnesium	2.71
zinc	1.10

0 4.2	Write the three metals used for electrode X in order of reactivity. Use Table 1 .	[1 mark]
	Most reactive	
	Least reactive	
0 4 . 3	Copper is used as electrode X in Figure 7 . Predict the voltage of this cell. Give one reason for your answer.	[2 marks]
	Voltage =volts	
	Reason	






0	

0 4.4	Describe how to make a 12 V battery using 1.5 V cells. [2 marks]
0 4 . 5	Which is the most suitable use for a non-rechargeable cell? [1 mark]
	Tick (✓) one box.
	Electric toy
	Laptop computer
	Mobile phone
0 4.6	Hydrogen fuel cells or rechargeable cells can be used to power electric vehicles. Suggest one advantage and one disadvantage of using a hydrogen fuel cell compared with a rechargeable cell. [2 marks]
	Advantage of hydrogen fuel cell
	Disadvantage of hydrogen fuel cell



Do not write outside the







A student investigated the reaction between lumps of calcium carbonate and dilute hydrochloric acid.

This is the method used.

- 1. Pour 100 cm³ of dilute hydrochloric acid into a conical flask.
- 2. Place the conical flask on a balance.
- 3. Add 2 g of calcium carbonate lumps to the conical flask.
- 4. Wait until the calcium carbonate stops reacting.
- 5. Record the decrease in mass of the conical flask and contents.
- 6. Repeat steps 1 to 5 three more times.

The equation for the reaction is:

$$CaCO_3(X) + 2HCl(aq) \rightarrow CaCl_2(aq) + CO_2(g) + H_2O(I)$$

0 5 . 1

What is the state symbol **X** in the equation?

[1 mark]

Tick (✓) one box.

aq

g

ı

s



Table 2 shows the student's results.

Table 2

	Result	Result	Result	Result
	1	2	3	4
Decrease in mass of the conical flask and contents in g	0.84	0.79	0.86	0.47

0 5.2	Why does the mass of the conical flask and contents decrease during the reaction?		
	Tick (✓) one box.		
	A gas escapes.		
	A new solution is made.		
	The dilute hydrochloric acid is used up.		
	The calcium carbonate lumps decrease in size.		
0 5.3	What is the range of the four results in Table 2 ?	[1 mark]	
	From g to	g	
0 5.4	Calculate the mean decrease in mass of the conical flask and contents. Do not include the anomalous result.		
	Use Table 2 .		
	OSE Table 2.	[2 marks]	
	Mean decrease in mass =	g	




A teacher demonstrated the investigation.

The teacher used different masses of calcium carbonate.

Figure 8 shows the teacher's results.





0 5.5	What type of variable is	s the mass of calcium carbonate?	[1 mark]
	Tick (✓) one box.		
	Control		
	Dependent		
	Independent		



找名校事师	
用小草线上辅导	
(微信小程序同名)	1

	Use Figure 8 to answer Questions 05.6 and 05.7
0 5.6	Complete the sentence. [1 mark]
	As the mass of calcium carbonate used increases, the decrease in mass of
	the conical flask and contents
0 5 . 7	What is the decrease in mass of the conical flask and contents when a 3 g sample of calcium carbonate is used? [1 mark]
	Decrease in mass = g

Turn over for the next question



- 0 6 This question is about the extraction of metals.
- 0 6 . 1 Tungsten is a metal.

The symbol of tungsten is W

Tungsten is produced from tungsten oxide by reaction with hydrogen.

The equation for the reaction is:

$$WO_3 + 3H_2 \rightarrow W + 3H_2O$$

Calculate the percentage atom economy when tungsten is produced in this reaction.

Use the equation:

percentage atom economy =
$$\frac{184}{(M_r \text{ WO}_3) + (3 \times M_r \text{ H}_2)} \times 100$$

Relative formula masses (M_r): WO₃ = 232 H₂ = 2

[2 marks]

Percentage atom economy =	%



	Aluminium is extracted from aluminium oxide.	
0 6.2	38% of a rock sample is aluminium oxide.	
	Calculate the mass of aluminium oxide in 40 kg of the rock sample.	
		[2 marks]
	Mass of aluminium oxide =	kg
	The formula of aluminium evide is ALO	
0 6 . 3	The formula of aluminium oxide is Al ₂ O ₃	
	Calculate the relative formula mass (M_r) of aluminium oxide.	
	Relative atomic masses (A_r) : O = 16 Al = 27	[2 marks]
	Dolotivo formula mass (M) =	
	Relative formula mass $(M_r) =$	
	Question 6 continues on the next page	






0 6.4	60.0 kg of aluminium oxide produces a maximum of 31.8 kg of aluminium.
	In an extraction process only 28.4 kg of aluminium is produced from 60.0 kg of aluminium oxide.
	Calculate the percentage yield.
	Give your answer to 3 significant figures.
	Use the equation:
	percentage yield = $\frac{\text{mass of product actually made}}{\text{maximum theoretical mass of product}} \times 100$ [3 marks]
	Percentage yield = %
0 6 . 5	Extracting metals by electrolysis is a very expensive process.
	Explain why aluminium is extracted using electrolysis and not by reduction with carbon.
	[2 marks]
	,



Do not write outside the








0 7	This question is about energy changes in reactions.
0 7.1	Ammonium nitrate dissolves in water.
	The change is endothermic.
	Which piece of equipment uses this change?
	Tick (✓) one box. [1 mark]
	Hand warmer
	Self-heating can
	Sports injury pack
	A student investigated the temperature change in the reaction between dilute sulfuric acid and potassium hydroxide solution.
	This is the method used.
	1. Measure 25 cm ³ of potassium hydroxide solution into a glass beaker.
	2. Add 5 cm ³ of dilute sulfuric acid.
	3. Stir the solution.
	4. Measure the temperature of the solution.

5. Repeat steps 2 to 4 until a total of 30 cm³ of dilute sulfuric acid has been added.









The student used a glass beaker for the reaction.

Name a container the student could use instead of the glass beaker to improve the accuracy of the results.

[1 mark]

0 7 . 5 Table 3 shows the student's results.

Table 3

Volume of dilute sulfuric acid added in cm ³	Temperature in °C
5	21.2
10	22.0
15	22.8
20	23.6
25	24.4
30	25.2

Plot the data from Table 3 on Figure 10.


You should:

- draw a line of best fit
- extend your line of best fit to the y-axis.

[4 marks]



Figure 10



0 7. **6** The intercept on the y-axis of **Figure 10** shows the starting temperature of the potassium hydroxide solution.

Give the starting temperature of the potassium hydroxide solution.


[1 mark]

Starting temperature = ____ °C



0 7.7	Another student repeated the investigation and obtained an anomalous	result.
	This result was lower than expected.	
	What could have caused the anomalous result?	50
	Tick (✓) two boxes.	[2 marks]
	The mixture was not stirred.	
	The temperature in the room increased.	
	The temperature in the room increased.	
	The thermometer was not accurate.	
	Too little sulfuric acid was added.	
	100 little sullulic acid was added.	
	Too much potassium hydroxide solution was used.	









This question is about the periodic table.

In the 19th century, some scientists tried to classify the elements by arranging them in order of their atomic weights.

Figure 11 shows the periodic table Mendeleev produced in 1869.

His periodic table was more widely accepted than previous versions.

Figure 11

	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7
Period 1	Н						
Period 2	Li	Ве	В	С	N	0	F
Period 3	Na	Mg	Al	Si	Р	S	Cl
Period 4	K Cu	Ca Zn	*	Ti *	V As	Cr Se	Mn Br
Period 5	Rb Ag	Sr Cd	Y In	Zr Sn	Nb Sb	Mo Te	*

0 8 . 1	The atomic weight of tellurium (Te) is 128 and that of iodine (I) is 127	
	Why did Mendeleev reverse the order of these two elements?	[1 mark]



0 8.2	Mendeleev left spaces marked with an asterisk *	
	He left these spaces because he thought missing elements belonged	there.
	Why did Mendeleev's periodic table become more widely accepted the	nan previous
	versions?	[3 marks]
0 8.3	Mendeleev arranged the elements in order of their atomic weight.	
	What is the modern name for atomic weight?	[1 mark]
	Tick (✓) one box.	[1.116.13]
	Atomic number	
	Atomic number	
	Mass number	
	Relative atomic mass	
	Relative formula mass	
0 8 . 4	Complete the sentence.	
0 0 . 4		[1 mark]
	In the modern periodic table, the elements are arranged in order of	
		·





0 8 . 5	Chlorine, iodine and astatine are in Group 7 of the modern periodic table. Astatine (At) is below iodine in Group 7.	
	Predict:	
	the formula of an astatine moleculethe state of astatine at room temperature.	[2 marks]
	Formula of astatine molecule	
	State at room temperature	
0 8.6	Sodium is in Group 1 of the modern periodic table.	
	Describe what you would see when sodium reacts with chlorine.	[2 marks]



0 9	This question is about acids and alkalis.
0 9.1	Which ion do all acids produce in aqueous solution? [1 mark]
	Tick (✓) one box.
	$H^{\scriptscriptstyle{+}}$
	H-
	O ²⁻
	OH ⁻
0 9.2	Calcium hydroxide solution reacts with an acid to form calcium chloride. Complete the word equation for the reaction. [2 marks]
calcium hydr	oxide + acid → calcium chloride +
	Question 9 continues on the next page






A student investigates the volume of sodium hydroxide solution that reacts with 25.0 cm³ of dilute sulfuric acid.

Figure 12 shows the apparatus the student uses.

Figure 12



Use Figure 12 to answer Questions 09.3 and 09.4

0 9 . 3 Name	apparatus A.
--------------	--------------

[1 mark]

0	9	4	What is the reading on apparatus.	A ?

[1 mark]

 cm^3




0 9 . 5	The higher the concentration of a sample of dilute sulfuric acid, the greater the volume of sodium hydroxide needed to neutralise the acid.			
	The student tested two samples of dilute sulfuric acid, P and Q . Describe how the student could use titrations to find which sample, P or Q , is more concentrated.			
	[6 marks]			





- 1 0 This question is about materials and their properties.
- 1 0 . 1 Figure 13 shows a carbon nanotube.

Figure 13



The structure and bonding in a carbon nanotube are similar to graphene.

Carbon nanotubes are used in electronics because they conduct electricity.

Explain why carbon nanotubes conduct electricity.

[2 marks]




Figure 14






Table 4 shows some properties of materials.

The materials could be used to make badminton racket frames.

Table 4

Material	Density in g/cm ³	Relative strength	Relative stiffness
Aluminium	2.7	0.3	69
Carbon nanotube	1.5	60	1000
Wood	0.71	0.1	10

Evaluate the use of the materials to make badminton racket frames.

se Table 4.	[4 mar



Copyright information

0

0

For confidentiality purposes acknowledgements of third-party copyright material are published in a separate booklet which is available for free download from www.aqa.org.uk after the live examination series.


Copyright $\hbox{@}$ 2019 AQA and its licensors. All rights reserved.

Zinc oxide can be produced as nanoparticles and as fine particles.

Figure 15 represents a nanoparticle of zinc oxide.

A nanoparticle of zinc oxide is a cube of side 82 nm

Figure 15



Calculate the surface area of a nanoparticle of zinc oxide.

Give your answer in standard form.

13	m	ar	ĸs
-			

Surface area =	nm²
Surface area –	nm'

Some suncreams contain zinc oxide as nanoparticles or as fine particles.

Suggest **one** reason why it costs less to use nanoparticles rather than fine particles in suncreams.

[1 mark]

END OF QUESTIONS

