

# Monday 13 June 2022 - Afternoon

## **A Level Computer Science**

H446/01 Computer Systems

Time allowed: 2 hours 30 minutes

*			
00			
Ø			
0			
ω			
0			
IJ			
4			
IJ			
Ø			
J			

You can use: • an HB pencil		
Do not use:  • a calculator		

-1- 20.00		_	 	-1-

Please write clearly in black ink. Do not write in the barcodes.									
Centre number						Candidate number			
First name(s)									
Last name									

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.

#### **INFORMATION**

- The total mark for this paper is 140.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has 32 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.

© OCR 2022 [601/4911/5] DC (ST) 300461/3 OCR is an exempt Charity

Turn over

2 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

## Answer all questions.

1

	-	uses a desktop computer to record financial donations that it receives. The computer a single core, 2.4GHz processor with 2MB cache.	er
(a)	The	processor uses the Von Neumann architecture.	
	(i)	Describe what is meant by the term 'Von Neumann architecture'.	
		[	2]
	(ii)	Give one way that the Harvard architecture differs from the Von Neumann architecture	).
		[	1]
(b)		charity is concerned that the performance of the computer is not sufficient and wishes ace the processor.	to
		e <b>two</b> features of a replacement processor that would increase the typical performance computer.	of
	1		
	2		
		[]	 2]

(c) Fig. 1 shows assembly code written using the Little Man Computer (LMC). The program calculates and outputs the total amount that is donated to the charity in any particular day. Depending on the amount, an additional bonus may be added to each amount donated.

start INP STA donation SUB hundred BRP bonus nobonus LDA total ADD donation STA total OUT BRA start LDA total bonus ADD donation ADD twenty STA total OUT BRA start hundred DAT 100 DAT 20 twenty donation DAT 0 total DAT 0

Fig. 1

(i) The program shown in **Fig. 1** is run **once** using **three** different inputs. Therefore, while the program is running once, it will output the updated total three times.

Give the total values that are output when the values **10**, **50** and **120** are input into this program.

Output for 10		
Output for 50		
Output for 120	0	
		[၁]

(ii)	Write LMC code that will reset the value of the memory location labelled total to zero and then stop the program.					
		[4]				
(iii)	This program is run on a processor that allows pipelining.					
	Define the term 'pipelining'.					
(!- · \		[3]				
(iv)	Explain <b>one</b> benefit to the charity of using a processor that allows pipelining.					
		[2]				

(d)		processor contains registers including the accumulator and the program counter. The tents of these registers are modified during the Fetch-Decode-Execute cycle.
	(i)	Describe how the accumulator is used during the Fetch-Decode-Execute cycle.
		[2]
	(ii)	Describe how the program counter is used during the Fetch-Decode-Execute cycle.
		[2]
	(iii)	State the name of <b>three</b> other registers that are used during the Fetch-Decode-Execute cycle.
		1
		2
		3
		[31

(e)\* The charity has several desktop computers in their office that use a CISC processor. They are considering buying mobile devices for their staff to use when they are not in the office.

Discuss whether these mobile devices should use the same CISC processors that are used in their desktop computers or if they should use a RISC processor instead.

You should include the following in your answer:

<ul> <li>the difference between each processor type</li> <li>the suitability of each processor type for mobile devices.</li> </ul>	[12]

9

## **BLANK PAGE**

PLEASE DO NOT WRITE ON THIS PAGE

Turn over © OCR 2022

2 A video streaming service uses a relational database. An extract of the data from two tables from this database is shown in **Fig. 2**.

Membership contains data about current memberships that customers hold and package contains data about different streaming packages available.

Username	FirstName	StartDate	PackageType
User001	Amaya	08/05/2016	Premium
User002	Amit	06/06/2019	Basic
User003	Tom	17/08/2019	Free
User004	Kareem	08/08/2017	Basic
User005	Sarah	25/03/2020	Premium

#### Membership

PackageType	CostPerMonth(£)	Adverts
Premium	12.99	false
Basic	7.99	true
Free	0.00	true

#### Package

Fig. 2

(a)	(i)	State what is meant by the term 'primary key'.	
			[1]
	(ii)	Identify the foreign key used in the database and the table name where this is a forekey.	ign
		Foreign Key	
		Table Name	
			[2]
	(iii)	Identify the data type of the CostPerMonth(£) field.	
			<b>[1</b> ]

	(iv)	Give the name of the field that could be stored using a Boolean data type.
		[1]
(b)		Adverts field indicates if customers will be shown adverts. true indicates that omers will be shown adverts, and false indicates that adverts are not shown.
		e Structured Query Language (SQL) to return the Username and FirstName fields for ustomers who see adverts.
		[5]

(c)		en new customers join the streaming service, their name, email address and contact ills are captured so that they can be entered into the database.
	(i)	Identify <b>one</b> method of capturing a new customer's personal data, describing why this method is suitable.
		Method
		Suitability
		[3]
	(ii)	Sometimes the company may need to move or backup its data they hold about customers.
		Identify <b>two</b> methods of exchanging data with other computer systems.
		1
		2
		[2]
(d)		database supports ACID transactions. ACID stands for Atomicity, Consistency, Isolation Durability.
	(i)	Describe what is meant by a transaction being durable.
		[2]
	(ii)	Give <b>one</b> way that durability can be achieved for a completed transaction.
		F21
		[1]

	(iii)	Explain how record locking can be used to ensure that the ACID principle of isolatio achieved when carrying out multiple transactions.	n is
			. [3]
	(iv)	Give <b>one</b> disadvantage of using record locking.	
			. [1]
(e)	The	Copyright Designs and Patents Act 1988 applies to all videos that are streamed.	
	Expl	ain how this act applies to the videos.	
			. [2]

(т)	watching the videos with lossy compression or lossless compression.
	Explain how this choice will impact the customer.

**(g)** A program is written using an object-oriented programming paradigm and uses a class called video to organise the videos that are streamed to customers.

The class video has these attributes:

- name
- number of views
- star rating.

The constructor method will set the name attribute to the name that is passed in as a parameter. The constructor will also initially set the number of views to 0 and the star rating to 3.

(i) Write program code or pseudocode to declare the class video and initialise the required

( )	attributes as private.
	You should include <b>both</b> the attribute definitions and the constructor method in your answer.
	- <del></del> -

(ii)	A public method called <code>updateviews()</code> will update the number of views after a video has been viewed. This method is defined inside the <code>video</code> class.
	Write program code or pseudocode for the method ${\tt updateviews}()$ to increase the number of views by one.
	[2]

3	(a) (i	i) Convert the hexadecimal value <b>B7E</b> to a binary number.
		[1]
	(ii	i) 110010101 is a binary number that is represented using sign and magnitude.
		Convert this binary number to a denary number.
		[1]
	(iii	i) Complete this binary subtraction. Both numbers are 8-bit integer values represented using two's complement.
		Show the result in the same format and show your working.
		0110 1101 —
		0011 0100

(a)	4 bits for the exponent, both in two's complement.
	Give the denary version of this number, showing your working.
	[4]
(c)	<b>Table 3</b> here shows floating point numbers that are stored using 6 bits for the mantissa and 3 bits for the exponent, both in two's complement.
	Tick (✓) one box in each row to state whether each number is normalised or not normalised.

Binary number	Normalised	Not normalised
010101 100		
110101 111		
011010 010		
101010 110		

Table 3

[4]

**4\*** Amit is studying Computer Science at university. He has been asked to write an assignment on Artificial Intelligence (AI).

Discuss the extent to which you think computer systems will inherit the biases and discrimination of their programmers as the use of AI increases.

You should include the following in your answer:

•	the meaning of AI examples of when AI may be affected by bias the measures that can be taken to prevent people being affected by bias in AI.  [9]


A programmer creates this function shown in Fig. 5 using a high-level language. 5

```
function mystery(x, y)
    total = x + y
    while x >= 10 then
        x = x - 10
        y = y - 10
        total = total + x + y
    endwhile
    return total
endfunction
```

Fig. 5

(a)

(i)	State the value output by the line print (mystery(10,20))	
		[1]
(ii)	State the value output by the line print (mystery(0,70))	
(iii)	State the value output by the line print (mystery (45,55))	-
		L1.

Turn over © OCR 2022

(b)	Bef	ore the code in <b>Fig. 5</b> can be executed, a translator must be used.
	(i)	State the purpose of a translator.
		[1]
	(ii)	Explain <b>two</b> differences between a compiler and an interpreter.
		Difference 1
		Difference 2
		[4]

(c) For each statement shown in **Table 5**, tick (✓) **one** box in each row to indicate which stage of compilation each action takes place at.

	Lexical analysis	Syntax analysis	Code generation
Comments and whitespace are removed			
Keywords are replaced with tokens			
Object code is created			
Symbol table created for variables			
Builds an abstract syntax tree			

Ta	bl	е	5

[5]

(d)	Describe the purpose of code optimisation.
	[2]

**(e)** The programmer creates another function to count and return how many capital letters are in a string that is passed into the function as a parameter.

The asc() function takes in a character and returns its ASCII value. For example asc("A") returns 65. Capital letters have ASCII values between 65 and 90 inclusive.

(i) Complete the function below.

	<pre>function countCapitals(text)</pre>	
	// initialise counter to 0	
	capCount = 0	
	// loop through each character in the string passed i	.n
	for $x = 0$ to text.length-1	
	c = text.subString(x, 1)	
	// check if character is a capital	
	if asc(c) >= 65	
	// if so, increment counter	
	endif	
	next x	
	endfunction	
		[3]
(ii)	Give <b>one</b> similarity between ASCII and Unicode.	
		[1]
(iii)	Give <b>two</b> differences between ASCII and Unicode.	
	Difference 1	
	Difference 2	
		[2]

(f)\* The programmer has been asked by a client to create a complex computer program. Compare the spiral model and waterfall lifecycle methodologies for this task. You should include the following in your answer: how both methodologies could be used to develop a complex computer program the benefits of each methodology for this task the drawbacks of each methodology for this task. [9] ..... .....


6

Anika's computer runs a multi-tasking operating system. She has access to a printer and a

broadband internet connection through a wireless connection. The operating system uses

sch	eduli	ng algorithms such as first come first served and round-robin.
(a)	(i)	Explain why the computer's operating system uses a first come first served algorithm when sending documents to the printer.
		[2]
	(ii)	Explain why the computer's operating system uses a round-robin algorithm for allocating processor time.
		[3]
	(iii)	Describe <b>one</b> other scheduling algorithm.
		[2]

uses the TCP/IP stack.

(b) Anika uses an encrypted messaging program to communicate with her friends. The computer

(i)	Explain what happens at the application layer of the TCP/IP stack when using this program.
	[5]
(ii)	Explain what happens at the link layer (sometimes referred to as the "network interface layer", "network access layer" or simply the "network layer") of the TCP/IP stack when using this program.
	[2]

## **END OF QUESTION PAPER**

## 29

## **ADDITIONAL ANSWER SPACE**

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).		
• • • • • • • • • • • • • • • • • • • •		

•••••	
•••••	

•••••	
•••••	

 ,	 	
 <u> </u>	 	



#### **Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.