
GCSE COMBINED SCIENCE: TRILOGY 8464/B/1H

Biology Paper 1H

Mark scheme

June 2022

Version: 1.0 Final Mark Scheme



2 2 6 G 8 4 6 4 B 1 H / M S

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2022 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**.
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks are **not** awarded for a correct final answer from incorrect working.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do **not** accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	both have a cell membrane		1	AO1 4.1.1.1
	both have cytoplasm		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	any one from: • fever • abdominal / stomach cramps	ignore vomiting / sickness / diarrhoea ignore feel unwell unqualified ignore rashes allow high temperature allow sweating / chills	1	AO1 4.3.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	penicillin	allow phonetic spelling	1	AO2 4.3.1.9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	any one from: - only a few bacteria killed so live bacteria continued to reproduce - time delay before antibiotic reached bacteria - time delay before antibiotic could kill bacteria	allow bacteria reproducing when course started allow takes time (for antibiotic) to travel through the body allow takes time (for antibiotic) to work	1	AO3 4.3.1.1 4.3.1.3 4.3.1.8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	there were fewer toxins in the body than at day 0		1	AO2 4.3.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	to reduce / prevent resistant strains / bacteria developing or to reduce / prevent antibiotic resistance (in bacteria)	ignore references to bacteria becoming immune allow because they will get better without taking any antibiotics ignore body will fight the infection unqualified allow some infections are caused by viruses allow because they have been told not to by NHS / NICE	1	AO1 4.3.1.8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	B		1	AO2 4.2.2.3 4.3.1.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.8	D		1	AO2 4.2.2.3

Total Question 1		9
------------------	--	---

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	gene chromosome nucleus cell	must be in this order	1	AO1 4.1.1.1 4.1.1.2 4.1.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	differentiation	ignore specialisation	1	AO1 4.1.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	4	allow 15	1	AO2 4.1.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	46	allow 23 pairs (of chromosomes)	1	AO2 4.1.2.1 4.1.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	Stage 1 any one from: • (cell) growth • increase in number of sub-cellular structures • DNA replicates • chromosomes double / duplicate / replicate Stage 2 any one from: • (one set of) chromosomes pulled to each end of cell • two nuclei form Stage 3 any one from: • cytoplasm / membrane divides • two identical cells formed	allow increase in number of organelles / ribosomes / mitochondria allow genetic material for DNA allow DNA doubles / duplicates	1	AO1 4.1.2.2
		ignore mitosis occurs allow chromosomes line up across the centre of the cell allow chromosomes move to opposite ends of the cell	1	
		allow nucleus divides / splits (into two) allow cytokinesis	1	

Question	Answers	Mark	AO / Spec. Ref.
02.6	Level 2: Scientifically relevant features are identified; the way(s) in which they are similar / different is made clear and (where appropriate) the magnitude of the similarity / difference is noted.	4–6	AO3
	Level 1: Relevant features are identified and differences noted.	1–3	AO2
	No relevant content	0	

	Indicative content General comparisons: • boys height at birth (slightly) greater than girls height • boys are (slightly) taller than girls up to age 11 • correct height comparisons eg boys are approximately 4 / 5 cm taller than girls up to age 11 • girls and boys are the same height at age 11 • girls are taller than boys between age 11 and age 14 • girls and boys are the same height at age 14 • boys are taller than girls above age 14 • correct height comparisons eg boys are 5 to 18 cm taller than girls above age 14 • boys (eventually) grow taller than girls • boys carry on growing for a longer time than girls • girls stop growing age 13 / 14 / 15 and boys stop growing age 17 / 18 Rate comparisons: • rate of growth similar up to age 10 / 11 • girls grow faster than boys between 10 / 11 and 14 allow girls have a greater increase in height between 11 and 14 • growth spurt occurs at a younger age in girls • growth spurt starts age 10 / 11 in girls and age 13 / 14 in boys • increased rate of growth in girls aged 10 to 13 /14 and in boys aged 13 to 17 / 18 Key points for Level 2 are correct reference to 0-11 year period, 11-14 period and after age 14, with at least one correct reference to rate of growth or use of correct values of height and age to illustrate rate.	4.1.2.2
--	---	----------------

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.7	repair of tissues or replacement of cells	ignore growth allow repair of organs ignore repair of cells allow replacement of tissues ignore replacement of organs	1	AO1 4.1.1.4

Total Question 2		14
-------------------------	--	-----------

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	salivary glands, pancreas and small intestine		1	AO1 4.2.1 4.2.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	pH (of amylase / solution / buffer)	ignore upper and lower case letters allow hydrogen ion / H^+ concentration ignore acidity / alkalinity	1	AO1 4.2.2.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	iodine (solution / reagent) would not turn black / blue-black or iodine (solution / reagent) would stay orange / brown	allow iodine (solution / reagent) would not turn dark blue / dark purple ignore iodine solution / reagent would not turn blue / purple allow iodine (solution / reagent) would not change colour	1	AO1 4.2.2.1 RPA3 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	6.8	answer line takes precedence allow answer in range 6.75 to 6.85	1	AO3 4.2.2.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	82 (seconds)	answer line takes precedence allow answer in range 80 to 84 (seconds)	1	AO3 4.2.2.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6 View with Figure 7	tangent drawn at 40 seconds		1	AO2 4.2.2.1 RPA4
	$(\text{rate} =) \frac{\text{value for dy}}{\text{value for dx}}$	eg $(\text{rate} =) \frac{2.25}{60}$	1	
	calculation of rate at 40 seconds	(rate =) 0.0375 (arbitrary units per second) allow an answer in the range 0.035 to 0.042 (arbitrary units per second)	1	
	$(0.0375 \times 60 =)$ 2.25 (arbitrary units per minute)	allow an answer in the range 2.1 to 2.5 (arbitrary units per minute) if no other marks awarded allow 1 mark for $\left(\frac{3.5}{40} \times 60 =\right)$ 5.25 (arbitrary units per minute) allow an answer in the range 5.175 to 5.25 (arbitrary units per minute) for this mark only	1	

Question	Answers	Mark	AO / Spec. Ref.
03.7	Level 3: Relevant points (reasons/causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO2
	Level 2: Relevant points (reasons/causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	AO1
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	AO1
	No relevant content	0	4.2.2.1
	Indicative content • enzymes are protein molecules • (so) have a 3D structure • lock and key theory • have an active site • (which) has a specific shape • shape of active site will only match shape of substrate • starch is substrate for amylase • at pH values above or below the optimum the shape of active site is changed (in some molecules) • (so) substrate can no longer fit the active site • at extreme pH values enzyme is denatured • (so) shape of active site is changed • (so) amylase can no longer digest starch • (so) rate of digestion decreases For Level 3 reference to enzyme structure and effect of pH on enzyme activity are needed		

Total Question 3	15
-------------------------	-----------

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	to transfer energy or photosynthesis is an endothermic reaction	allow idea that light is the source of energy (for the reaction) do not accept to produce / make / create / use energy	1	AO1 4.4.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	$6\text{CO}_2 + 6\text{H}_2\text{O} \rightarrow \text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2$		1	AO1 4.4.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	allow the pondweed to equilibrate in the light	allow leave the pondweed in the light (for a few minutes) before taking measurements allow use the same concentration of sodium hydrogen carbonate solution ignore control carbon dioxide concentration unless method described ignore use same intensity / distance of light ignore control temperature ignore use same pondweed	1	AO3
	use a gas syringe or use a (measuring) cylinder to measure / collect the oxygen / gas produced	do not accept carbon dioxide ignore references to counting bubbles	1	AO1
	measure time oxygen / gas is collected for using a timer / stopwatch / stopclock		1	AO1
	repeat the measurements and calculate a mean	allow repeat the measurements and discard anomalies	1	AO1 4.4.1.1 4.4.1.2 RPA5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	independent variable in student's investigation is categoric / discrete	ignore answers relating to the scale on the y-axis allow colour of light is a categoric / discrete variable ignore discontinuous	1	AO2 4.4.1.2 RPA5
	independent variable in scientist's investigation is continuous	allow wavelength is a continuous variable	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	492 to 577 (nm)	allow answers in ranges 475 to 525 and 575 to 650 (nm)	1	AO3 4.4.1.1 4.4.1.2 RPA5

Total Question 4		9
-------------------------	--	----------

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	any four from: Similarities: • result from changes in the cell / DNA / genes • uncontrolled cell growth / division • can form a lump of cells • made up of abnormal cells Differences: Malignant tumours: • are made of cancer cells, benign tumours are not or benign tumours are made up of cells that are more similar to normal cells • (usually) grow faster than benign tumours • invade neighbouring tissues, but benign tumours do not • can spread (to other parts of the body) but benign tumours stay in one place or cells can travel in the blood, but benign tumours do not • can form secondary tumours, benign tumours do not	max three marks if only similarities or differences given allow result from mutations allow benign tumours (often) have a layer of covering cells, malignant tumours (usually) do not ignore references to level of harm	4	AO1 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	little exposure to ionising radiation or little exposure to carcinogens	allow little exposure to UV (light) allow little exposure to sunlight ignore little exposure Sun unqualified allow use sunscreen allow do not use sunbeds allow named carcinogen e.g. smoking	1	AO3
	(so) less cell / DNA / gene damage	allow (so) fewer mutations allow older people's (skin) cells are more susceptible to DNA damage if no other marks awarded allow 1 mark for skin cancer takes a long time to develop	1	AO2 4.2.2.6 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	any two from: • more females than males diagnosed each year up to age 59 (years) • more new cases in males than in females from 60 (years) • greatest number of people / males / females diagnosed in age group 65-69 (years) • number of new cases increases in males up to age group 65-69 (years) after which they decrease / fall	ignore the number of cases of skin cancer increases with age	2	AO3 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	to account for the different group sizes	allow there are different numbers of people / males / females of different ages allow so the different group sizes can be compared allow so it can be compared to populations in other countries ignore to compare unqualified	1	AO3 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	any two from: - number (of males / female per 100 000 population) increases with age - in females the number (per 100 000 population) increases at a steady rate - number (per 100 000 population) in males increases at a similar or at a slightly lower rate as in females up to age 55 - number (per 100 000 population) increases at a much higher rate in males than females above age 59	do not accept if referring to number of new cases allow number (per 100 000 population) in males increases at a steady rate up to 55–59 (years) allow number (per 100 000 population) in males increases more rapidly above age 59	2	AO2 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	$\frac{116 \times 694\,000}{100\,000}$ $= 805.04$ $= 805$	allow values in the range 114 to 118 allow an incorrectly calculated number of males correctly rounded to 3 significant figures if no other marks awarded allow 1 mark only for an answer of 5270	1 1 1	AO2 4.2.2.7

Total Question 5	14
------------------	----

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	it is made up of (different) tissues (that perform specific functions)		1	AO1 4.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	some blood would flow back into the ventricle / heart	allow not all the blood would leave the ventricle / heart allow blood clot (may form in the heart) do not accept blood would flow back into the right ventricle	1	AO2 4.2.1 4.2.2.2 4.2.2.4 4.4.2.1
	(so) less oxygenated blood would be pumped to the body	ignore references to glucose	1	
	cells require oxygen for respiration or less aerobic respiration	allow more anaerobic respiration	1	
	(so) person would become out of breath or (so) less energy transferred or (so) person would be tired	(so) lactic acid will build up allow the idea of lacking energy do not accept less energy produced / made / created	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	any four from: (advantages of biological valve): • reduced risk of blood clots which could cause heart attack or stroke • reduced risk of blood clots during pregnancy / birth • reduced risk of bleeding during pregnancy / birth • do not need to take anti (blood) clotting drugs • no risk to foetus / baby from drugs • reduced risk of serious bleeds if in an accident • do not need to carry (anti-blood clotting) drugs when travelling • lower risk of rejection / immune reaction (disadvantages of biological valve): • may be rejected • may have to go through surgery more than once • may have to take immunosuppressant drugs • have to wait for (suitable) donor	max three marks if only advantages or disadvantages of biological valve given ignore do not need to take blood thinners allow do not need to take drugs for life allow problems related to losing / obtaining drugs when travelling do not credit reference to rejection twice allow no risk of side effects from drugs do not credit reference to rejection twice ignore risks from surgery unqualified allow an animal might be killed	4	AO3 4.2.2.2 4.2.2.3 4.2.2.4

Total Question 6	9
------------------	---