

| Please write clearly in bl | ock capitals. | | |
|----------------------------|---------------|------------------|--|
| Centre number | | Candidate number | |
| Surname | | | |
| Forename(s) | | | |
| Candidate signature | | | |

GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Chemistry Paper 2F

Wednesday 13 June 2018 Morning Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

| For Examiner's Use | | |
|--------------------|------|--|
| Question | Mark | |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| TOTAL | | |



Figure 1 represents an atom of sulfur.

Figure 1

³²₁₆S

0 1.

Complete Table 1

[1 mark]

Table 1


| Particle | Number of particles in a sulfur atom |
|----------|--------------------------------------|
| Electron | 16 |
| Neutron | |
| Proton | 16 |

0 1 . 2 Sulfur is in Group 6 of the periodic table.

Complete the electronic structure of the sulfur atom represented in Figure 2

[1 mark]

Figure 2





Do not write outside the box

| 0 1.3 | Sulfur reacts with oxygen to produce sulfur dioxide. Complete the word equation for this reaction. |
|-------|---|
| | [1 mark] sulfur + |
| | |
| 0 1.4 | What effect is caused by sulfur dioxide? [1 mark] |
| | Tick one box. |
| | Acid rain |
| | Global dimming |
| | Global warming |
| | Sea levels rising |
| | Question 1 continues on the next page |
| | |
| | |
| | |
| | |
| | |
| | |






0 1 . 5

Figure 3 shows the mass of sulfur dioxide in the Earth's atmosphere between 1984 and 2014

Figure 3



A student said:

'the mass of sulfur dioxide in the atmosphere decreased every year between 1984 and 2014'

Is the student correct?

| Use data from | Figure 3 to | justify y | your answer. |
|---------------|-------------|-----------|--------------|
|---------------|-------------|-----------|--------------|

| | | | = | _ |
|---|--|--|---|---|
| | | | | |
| | | | | |
| - | | | | |
| | | | | |
| | | | | |
| _ | | | | |
| | | | | |
| | | | | |
| _ | | | | |
| | | | | |
| | | | | |
| _ | | | | |
| | | | | |
| | | | | |
| - | | | | |
| | | | | |
| | | | | |
| | | | | |




[3 marks]

%

Figure 4 shows the percentage of sulfur dioxide released by human activities.

Figure 4



| Calculate the percentage of sulfur dioxide released by industry. | [2 marks] | |
|--|-----------|--|
| | | |
| | | |
| | | |
| | | |

Percentage = _


Turn over for the next question

Turn over ▶



0 1 .

6



| 0 2.2 | Suggest which colour is least soluble in the solvent. Give a reason for your answer. | [2 marks] |
|-------|---|-----------|
| | ColourReason | |
| | | |
| | | |



| | Table 2 |
|--|---------|

| | Distance in mm |
|--------------------------------|----------------|
| Distance moved by green colour | |
| Distance moved by solvent | |

Calculate the $R_{\mbox{\scriptsize f}}$ value for the green colour.

Use Figure 5 to complete Table 2

Use the equation:

0 2 .

3

$$R_{\text{f}} = \frac{\text{distance moved by green colour}}{\text{distance moved by solvent}}$$

| | [4 marks] |
|------------------------|-----------|
| | |
| | |
| | |
| | |
| R _f value = | |


Turn over for the next question



0 3 A student tested a sea water sample for dissolved solids.

Figure 6 shows the apparatus.

Figure 6



[1 mark]

Tick **one** box.

| Boiling tube | |
|--------------|--|
| | |



0 3 . 2

The student did the test four times.

The student calculated the mass of solid on apparatus **X** after heating.

Table 3 shows the student's results.

Table 3

| | Test 1 | Test 2 | Test 3 | Test 4 |
|------------------------|--------|--------|--------|--------|
| Mass of solid in grams | 0.12 | 0.29 | 0.14 | 0.15 |

Calculate the mean mass of solid.

Do not include the anomalous result in your calculation.

Give your answer to 2 significant figures.

| | | | [3 marks] |
|---|--|--|-----------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| · | | | |

Mean mass =


Question 3 continues on the next page



Do not write outside the box

The student distilled a sample of sea water in the apparatus shown in Figure 7





| 0 3 . 3 | What change of state is happening at the surface of the sea water in Figure 7 ? |
|--------------|--|
| | [1 mark] |
| | |
| | |
| | |

| 4 Describe how the water in the test tube in Figure 7 is different from the sea water. | |
|---|-------|
| | nark] |
| | |
| | |
| | |
| | |

| 0 3 . 5 | Why does producing drinking water from sea water usin of money? | g distillation cost a lot |
|---------|---|---------------------------|
| | · | [1 mark] |
| | | |



| 0 3.6 | River water is filtered then sterilised to make drinking water. | Do not w outside i box | the |
|-------|---|------------------------------|-----|
| | Why are these two processes done? [2 marks] | | |
| | Filtering | | |
| | Sterilising | | |
| | | | П |

Turn over for the next question

Turn over ►

| rout.co.uk |
|---------------|
| 找名校导师 |
| - |
| 用小草线上辅导 |
| $\overline{}$ |
| 微信小程序同 |
| 回 |

| 0 4.1 | What percentage of the Earth's atmosphere is nitrogen? [1 mark] Tick one box. |
|---------|---|
| | 5% 20% 50% 80% |
| 0 4 . 2 | During the first billion years of the Earth's existence the amount of nitrogen in the atmosphere increased. |
| | Give one source of this nitrogen. [1 mark] |
| 0 4.3 | Nitrogen is used to make ammonia. The word equation for the reaction is: |
| | nitrogen + hydrogen ammonia |
| | Write the correct symbol in the equation to show that it is a reversible reaction. [1 mark] |
| 0 4.4 | A reversible reaction can reach equilibrium. |
| | Complete the sentence. [1 mark] |
| | Equilibrium is reached when the forward reaction and the reverse reaction happen at the same |
| 0 4.5 | Fertilisers are formulations containing nitrogen. |
| | What is a formulation? [1 mark] |
| | |
| | |



Do not write outside the

box

0 4 . 6

Table 4 shows percentages of chemical elements in a fertiliser.

Table 4


| Element | Percentage (%) |
|----------------|----------------|
| Nitrogen (N) | 7.0 |
| Phosphorus (P) | 3.1 |
| Potassium (K) | 5.8 |

Draw the bar for potassium on Figure 8

Use the information in Table 4

[1 mark]

Figure 8







[1 mark]


| 0 4.7 | A fertiliser contains 0.225 g of iron per 3.0 g of fertiliser. Which calculation gives the percentage of iron in the fertiliser? |
|-------|---|
| | Tick one box. |
| | $\frac{0.225}{3.0 \times 100}$ |
| | 3.0 × 100 0.225 |

| 0.225×3.0 | |
|--------------------|--|
| 100 | |



Figure 9 shows the use of fertiliser in four different countries, **A**, **B**, **C** and **D**, in 2003 and 2015

Figure 9



A student said:

0 4

8


'much more fertiliser was used in 2015 than in 2003'

Is the student correct?

Use data from Figure 9 to justify your answer.

| [3 | mar | ks |
|----|-----|----|
| | | |

| Turn | over | for | the | neyt | auestio | ı |
|-------|------|-----|-----|------|---------|---|
| ıuııı | uvei | IUI | ше | HEXL | unesiin | , |






A student investigated the effect of the size of marble chips on the rate of the reaction between marble chips and hydrochloric acid.

This is the method used.

- 1. Add 10.0 g of marble chips into the flask.
- 2. Add 50 cm³ of hydrochloric acid and start a timer.
- 3. Record the mass lost from the flask every 10 seconds.
- 4. Repeat steps 1 to 3 with different sizes of marble chips.

Figure 10 shows the apparatus.

Figure 10



0 5.1 Draw one line from each type of variable to the correct example of the variable.

[2 marks]

Mass lost from flask Size of flask

Control

Type of variable

Size of marble chips

Time taken

Example of variable

Volume of acid



0 5 . 2 The equation for the reaction is: $CaCO_3(s) + 2HCI(aq) \rightarrow CaCI_2(aq) + H_2O(I) + CO_2(g)$ Name the **three** products. [2 marks] 2 Another student suggests putting some cotton wool in the top of the flask. 0 5 . 3 Suggest why this improves the investigation. [1 mark] The reaction produces 1.6 g of gas in 30 seconds. 0 5 . Calculate the mean rate of the reaction in the first 30 seconds. Use the equation: mass of product produced in grams mean rate of reaction = time in seconds [1 mark] Mean rate of reaction = 0 5 What is the unit for the mean rate of reaction calculated in question **05.4**? [1 mark] Tick **one** box. g/s s/g g

Turn over ▶



0 5 . 6

Table 5 shows the student's results.

Table 5


| Time in seconds | Mass of gas produced in g |
|-----------------|---------------------------|
| 0 | 0.0 |
| 10 | 0.8 |
| 20 | 0.6 |
| 30 | 1.6 |
| 40 | 1.8 |
| 50 | 2.0 |
| 60 | 2.0 |

Plot the data from Table 5 on Figure 11

Draw a line of best fit.

[3 marks]

Figure 11





| Figure 12 shows a large marble chip and eight small marble chips. | | | | | |
|--|---|--|--|--|--|
| Figure | Figure 12 | | | | |
| Large marble chip | Eight small marble chips | | | | |
| The large marble chip has the same total volu a different surface area. | me as the eight small marble chips, but | | | | |
| Why do the eight small marble chips react fas | | | | | |
| Tick one box. | [1 mark] | | | | |
| | | | | | |
| The eight small marble chips have a larger su so less frequent collisions. | rface area, | | | | |
| The eight small marble chips have a larger su so more frequent collisions. | rface area, | | | | |
| The eight small marble chips have a smaller s so less frequent collisions. | urface area, | | | | |
| The eight small marble chips have a smaller s | urface area. | | | | |

Turn over for the next question




0 5 . 7

so more frequent collisions.

- 0 6
- Crude oil is a mixture of hydrocarbons.
- 0 6 .
- The hydrocarbons in crude oil are separated into fractions by fractional distillation.

Figure 13 shows a fractional distillation column.

Figure 13



Crude oil vapour passes up the column.

Complete the sentence.

Each fraction

Choose the answer from the box.

[1 mark]

| condenses | dissolves | freezes | melts |
|-----------|-----------|---------|-------|
| | | | |

at a different level.

Do not write outside the box

| 0 6 . 2 | Why do the fractions separate? Tick one box. | [1 mark] |
|---------|--|----------|
| | TICK OHE DOX. | |
| | The fractions have different boiling points. | |
| | The fractions have different flammability. | |
| | The fractions have different melting points. | |
| | The fractions have different viscosity. | |
| | | |
| | Most of the hydrocarbons in crude oil are alkanes. | |
| 0 6 . 3 | Figure 14 represents an alkane molecule. | |
| | Figure 14 | |
| | | |
| | Name the alkane. | [1 mark] |
| | | |



| 0 6 . 4 | Methane (CH₄) is an alkane. | |
|---------|--|---------|
| 0 0 . 4 | What is the general formula for alkanes? | |
| | [1 n | nark] |
| | Tick one box. | |
| | C_nH_n | |
| | C_nH_{2n} | |
| | C_nH_{2n-2} | |
| | C_nH_{2n+2} | |
| 0 6 . 5 | Alkanes burn in oxygen. | |
| 0 0 . 5 | | |
| | Balance the equation for methane burning. [1 n | nark] |
| | | |
| | $___CH_4 + ___O_2 \rightarrow ___CO_2 + ___H_2O$ | |
| | | |
| 0 6.6 | Ethene is an alkene. | |
| | Which reagent is used to test for alkenes? | nark] |
| | Tick one box. | ilai Kj |
| | Anhydrous copper sulfate | |
| | Bromine water | |
| | Damp litmus paper | |
| | Limewater | |
| | | |
| | | |
| | | |



Table 6 shows data from a life cycle assessment (LCA) for the disposal of 10 000 biodegradable plastic bags.

Table 6

| | Burning and using the energy to generate electricity | Landfill |
|---------------------------------------|--|----------|
| Mass of carbon dioxide produced in kg | 25 | 15 |
| Mass of solid residue in kg | 0.050 | 0.070 |
| Mass of sulfur dioxide produced in kg | 0.20 | 0.30 |

| are life cycle assessments (LCA) done? [1 mark] | 0 6 . 7 |
|--|---------------|
| pare the two methods for the disposal of biodegradable plastic bags. nformation from Table 6 [4 marks] | 0 6.8 |
| | |
| | |
| | |

11



| 0 7 | This question is about the Earth's atmosphere. |
|-------|--|
| 0 7.1 | Carbon dioxide is a greenhouse gas. |
| | What is another greenhouse gas? |
| | Tick one box. |
| | Argon |
| | Methane |
| | Nitrogen |
| | Oxygen |
| 0 7.2 | Greenhouse gases cause global climate change. |
| | Give two effects of global climate change. [2 marks] |
| | 1 |
| | 2 |
| 0 7.3 | 4.1 kg of a plastic, used to make plastic bottles, has a carbon footprint of 6.0 kg of carbon dioxide. Calculate the carbon footprint of one plastic bottle of mass 23.5 g [2 marks] |
| | Carbon footprint = kg of carbon dioxide |




Do not write outside the box

| ı | ٦ | | |
|---|---|--|--|


| 0 7.4 | Give one way that carbon dioxide emissions can be reduced when a plastic bottle is manufactured. | |
|-------|---|----------|
| | | [1 mark] |
| | | |
| | | |
| | | |
| 0 7.5 | Explain how the percentages of nitrogen, oxygen and carbon dioxide in the Eatmosphere today have changed from the Earth's early atmosphere. | arth's |
| | | 6 marks] |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

END OF QUESTIONS











Do not write outside the

box

28 There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

