

Please write clearly in	า block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	ノ

GCSE BIOLOGY

Foundation Tier Paper 2F



Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- · Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use				
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
TOTAL				



	Answer all questions in the spaces provided.	
0 1	Maple syrup urine disease (MSUD) is a rare inherited human condition. The allele for MSUD is recessive.	
0 1.1	What is a recessive allele? Tick (✓) one box.	[1 mark]
	An allele expressed only if a person has two copies of the allele	
	An allele expressed only if it is inherited from the male parent	
	An allele expressed when it is found on only one of the chromosomes	
	Figure 1 shows the inheritance of MSUD in one family.	
	Figure 1	
	Key Male without MSUD Female with MSUD Female without MSUD	
0 1.2	The symbol is not in the key for Figure 1 . What would this symbol represent?	[1 mark]



	Persons 1 and 2 in F without MSUD.	igure ′	1 have a	child w	rith MSUD and some children	
0 1.3	Complete Figure 2 to	show	the pos	sible ge	enotypes of the children.	
	Use the following syr	nbols:				
	N = allele for not haven = allele for MSUD	ring MS	SUD			[2 marks]
			Figi	ure 2		
			Pers	on 2		
			N	n		
	Person 1	N		Nn		
		n				
0 1.4	What is the phenotyp	e of a	person v	with the	genotype Nn ?	[1 mark]
0 1.5	What percentage of to Tick (✓) one box.		spring in	Figure		[1 mark]
	25%	50%			75% 100%	
	Ques	tion 1	continu	es on t	he next page	






找名校导师,
用小草线上辅导
(微信小程序同名)

0 1.6	Which scientific term describes the allele N ? Tick (✓) one box. Dominant Genetic Heterozygous	[1 mark]	
0 1.7	Alleles are found in the nucleus of a cell. What chemical substance are alleles made from?	[1 mark]	
0 1.8	People with MSUD must eat a special diet to reduce their intake of some types amino acid. Which component of the diet is made of amino acids? Tick (✓) one box. Carbohydrates Minerals Proteins	s of	










0 2	Many human actions are reflexes.	
0 2 . 1	Which statement describes a reflex action? Tick (✓) one box.	[1 mark]
	A reflex action does not need a sense organ.	
	A reflex action is a slow action.	
	A reflex action is automatic.	

Figure 3 shows the nerve pathway for a reflex action.

The arrows show the direction of the nerve impulse.

Figure 3






0 2 . 2	Draw one line from each part of the nerve pathway to	the name of that part.	
	Use Figure 3.	្រុ	3 marks]
	Part of nerve pathway	Name of part	
		Motor neurone	
	Α		
		Receptor	
	В	Relay neurone	
	С	Spinal cord	
0 2.3	Which two human actions are reflexes? Tick (✓) two boxes.	[2	2 marks]
	Blinking when an insect flies into the eye		
	Catching a ball in a playground game		
	Playing a musical instrument		
	Removing the hand from a hot object		
	Writing a message to a friend		
	Question 2 continues on the next pa	nge	





Students investigated their reaction times using a computer program.

Figure 4 shows a sequence of two screens in the computer program.



This is the method used.

- 1. Open the reaction time program.
- 2. When the screen turns from red to green, touch the screen as quickly as possible.
- 3. Record the reaction time shown on the screen.
- 4. Re-set to the red screen.
- 5. Repeat steps 2 to 4 four more times.
- 6. Repeat steps 1 to 5 for each student.

Table 1 shows the results.

Table 1

Test	Reaction time in milliseconds					
	Student P	Student Q	Student R	Student S		
1	317	310	367	320		
2	309	293	352	304		
3	290	312	350	315		
4	333	307	359	308		
5	328	312	635	313		
Mean	315	307	357	X		



Calculate mean value X in Table 1.

[2 marks]

找名校导师,用小草线上辅导(微信小程序同名)

	X =	milliseconds
0 2 . 5	There is an anomalous result for student R .	
	Draw a ring around the anomalous result in Table 1 .	[1 mark
0 2 . 6	Give two factors that might affect a person's reaction time.	[2 marks
	1	
	2	
	Turn over for the next question	



0 2


4

0 3	A plant shoot responds to the stimulus of light shining on it from one side.	
0 3.1	What name is given to the type of response shown by the plant shoot? $ \text{Tick } (\checkmark) \text{ one box}. $	[1 mark]
	Adaptation	
	Homeostasis	
	Tropism	

A student investigated the effect of one-sided light on the growth of plant seedlings.

Figure 5 shows how the student set up the investigation.

Figure 5






0 3 . 2 Draw **one** line from each experiment to what the seedling would look like after 12 hours.

Do not write outside the box


[2 marks]

Experiment


What the seedling would look like




1



2





0 3.3 Why did the student set up experiment 2 in this investigation?

[1 mark]



Turn over ►

0 3.4	The student wanted to make the investigation of the effect of one-sided light more valid.	
	The student decided to set up a third experiment.	
	How should the student set up the third experiment?	[1 mark]
	Tick (✓) one box.	
	Give no water to the third seedling.	
	Shine light from all sides on the third seedling.	
	Turn the third seedling so it is upside-down.	
0 3 . 5	What is a suitable control variable for the investigation? Tick (✓) one box.	[1 mark]
	Keep each seedling at the same temperature.	
	Keep each seedling the same height above the floor.	
	Use the same size cardboard box for each seedling.	
0 3 . 6	Give one stimulus a plant root responds to.	
	Do not refer to light in your answer.	
		[1 mark]



0 3.7	Scientists often repeat investigations several times.	Do not wr outside th box
	Give two reasons why. [2 marks]	
	1	-
	2	-
		9

Turn over for the next question


Turn over ▶



Rivers are sometimes polluted with untreated sewage.

Figure 6 shows some changes that occurred when untreated sewage entered a river.

Figure 6



0 4.1	Which type of organentered the river?	nism had the most rapid increase in numbers when sewage	е
	Tick (✓) one box.		[1 mark]
	Bacteria		
	Green algae		
	Protozoa		



0 4 . 2	Protozoa are single-celled organisms.
	Describe two ways Figure 6 shows that the protozoa in the river feed on bacteria. [2 marks]
	1
	2
0 4 . 3	When sewage enters a river, the concentration of dissolved oxygen decreases.
	The decrease in oxygen concentration is caused by organisms in the water.
	What process in living organisms uses oxygen? [1 mark]
	[·············
0 4.4	As the numbers of green algae in the river increase, the concentration of dissolved oxygen increases.
	Explain why the concentration of dissolved oxygen increases.
	[2 marks]
	Question 4 continues on the next page






Scientists counted the numbers of five different animals in the river at sites **A** and **B**, shown in **Figure 6** on page 14.

Table 2 shows the results.

Table 2

Animal	Number of animals	
Animai	Site A	Site B
Sludge worm	80	2
Bloodworm	36	8
Water louse	10	55
Freshwater shrimp	5	75
Mayfly nymph	0	15

Figure 7 shows some of the data from Table 2.





	Č	į
	VO.UN)
	:	_
	≥	
	7	١
1		
ı		
ı		
ı		
ı		
ı	ч	
ı	14 X 11 X 1	1
ı	٠,	ì
ı	П	١
ı	۳	
J	\overline{c}	ì
	^	2
	4	ſ
	4	ι
	8	
	ŧ	
	_	
	五二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	
	at	
	₹	
	_	
	1	_
	#	
	',	ì
	×	١
	⊢	
	1	Į
	+	ľ
	ш	b
	d	•
	4	l
	•	
	$\overline{}$	١
	_	
	3	Į
	_	Š
	п	ĺ
	٦	
	:	•
	Ti.	í
	ū	
	4	ŀ
	_1	١
	Ē	i
	ے	
		ŀ
	ш	١
	_	

0 4 . 5	Complete Figure 7.	
	You should use data from Table 2 for the sludge worm and the bloodworm. [2	marks]
0 4.6	The concentration of oxygen in the water at site A is much lower than at site B . • Sludge worms live in places which have a low concentration of oxygen. • Mayfly nymphs need a high concentration of oxygen.	
	Give evidence from Table 2 for the difference in oxygen concentration at sites A and B .	
	Refer to sludge worms and to mayfly nymphs in your answer. [2	marks]

Turn over for the next question



戈伯 文
用小早级工铺许
夏
微信小程光回名
\exists
H
4
ᄱ
Īγ.
_

0 5	In the human female, an egg is released from one of the ovaries about once every four weeks.	'
	During the four weeks, the lining of the uterus thickens and then breaks down.	
	This is called the menstrual cycle.	
	Which true have an action formula remark that have an action	
0 5 . 1	Which two hormones are female reproductive hormones? [2 ma	rks]
	Tick (✓) two boxes.	
	Adrenaline	
	Oestrogen	
	Progesterone	
	Testosterone	
	Thyroxine	
0 5 . 2	Follicle stimulating hormone (FSH) is another female reproductive hormone.	
	What is the function of FSH in the menstrual cycle?	aule1
	Tick (✓) one box.	arkj
	FSH causes an egg to mature in the ovary.	
	FSH causes breast development.	
	FSH causes the uterus lining to break down.	



Do not write outside the box

10

sesprout.co.uk
找名校导师,
用小草线上辅导
(微信小程序同名)

0 5 . 3	Sperm cells can survive inside a wor	man's reproductive organs for five days.	
	An egg cell can survive for one day	after ovulation.	
	In one woman ovulation occurred on	day 14.	
	Give the range of days on which sex	rual intercourse could result in fertilisation.	mark]
	From day	_ to day	
0 5 . 4	If a man and a woman have sexual i	ntercourse and do not want to produce a ba	ıby,
	they may use contraception.		
	Explain how different methods of co		narks]
		-	_



The echidna is a mammal that lives in Australia.


Figure 8 shows an echidna.

Figure 8



Figure 9 shows how the body temperature of the echidna varies during the cold winter months.

Figure 9





0 6 . 1	Give the lowest and highest body temperatures for the echidna show	n in Figure 9 . [1 mark]
	Lowest temperature =°C	
	Highest temperature =°C	
	In the cold winter months, the echidna hibernates.	
	Figure 9 shows that the echidna woke up from hibernation several ti	mes.
	The echidna's body temperature increased to over 30 °C each time twoke up.	he echidna
0 6 . 2	How many times did the echidna wake up?	
	Use information from Figure 9 .	[1 mark]
6 . 3	Each time the echidna wakes up, it hunts for food.	
	Suggest why the echidna needs to eat food several times during hibe	ernation. [1 mark]
	Ougstion 6 continues on the payt page	
	Question 6 continues on the next page	





0 6 . 4	 During hibernation: the echidna sleeps the echidna's body temperature decreases to below 5 °C the echidna uses food stored in its body cells to provide energy. 	
	What process releases energy from stored food? Tick (✓) one box.	[1 mark]
	Excretion Excretion	
	Respiration	
0 6.5	Most mammals use a lot of energy to evaporate sweat. The echidna does not sweat.	
	Suggest one use of energy in the echidna's body.	[1 mark]



	The control of body temperature is important in the human body.
	An athlete trained in a hot climate.
0 6 . 6	On one day, the athlete lost 3 200 cm³ of water in sweat.
	Evaporation of 1 cm ³ of sweat requires 2.5 kJ of energy.
	Calculate the energy the athlete used for evaporation of sweat. [2 marks]
	Energy =kJ
0 6 . 7	On a different day the athlete used 6 000 kJ of energy to evaporate sweat.
	The athlete's energy intake was 24 000 kJ.
	Calculate the percentage of the athlete's energy intake used for evaporation of sweat. [2 marks]
	Percentage =%
0 6 . 8	Some days the athlete did not do any training and rested at home.
	What effect would resting have on the volume of sweat produced each day?
	[1 mark]

Turn over ▶



Living organisms can be classified into groups.

Trilobites are animals that lived in the sea 400 to 500 million years ago.

Table 3 gives the classification of two species of trilobite.

Table 3

Classification group	Trilobite A	Trilobite B
	Animalia	Animalia
Phylum	Arthropoda	Arthropoda
Class	Trilobita	Trilobita
Order	Ptychopariida	Ptychopariida
Family	Alokistocaridae	Marjumiidae
	Elrathia	Modocia
Species	kingii	typicalis

0 7 . 1 Complete Table 3.

[2 marks]

Choose answers from the box.

Community	Genus	Kingdom	Mammal	Population




		Do not write
0 7.2	Which scientist invented the classification system given in Table 3 ? [1 mark]	outside the box
	Tick (✓) one box.	
	Darwin	
	Lamarck	
	Linnaeus	
	Mendel	
0 7.3	What is the binomial name of trilobite A ?	
	Use information from Table 3 .	0
	[1 mark] Tick (✓) one box.	
	Tiok (*) one box.	
	Arthropoda kingii	I I
	Elrathia kingii	2
	Trilobita kingii	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
		2
		I C
		i i
	Question 7 continues on the next page	



Figure 10 shows fossils of the two species of trilobite.

Figure 10

Trilobite A



Trilobite B





Figure 11 shows:

- layers of rock in a cliff
- where the trilobite fossils were found.

Figure 11





o.uk
找名校导师,
,用小草线上辅导
(微信小程序同名)

	A scientist made the hypothesis:		
	'Trilobite B may have	evolved from trilobite	A .'
0 7.4	What two pieces of evidence from Figure 10 and Figure 11 support the scientist's hypothesis?		oport the [2 marks]
	Tick (✓) two boxes.		[2 marks]
	Trilobite A and trilobite B were in the same	e type of rock.	
	Trilobite A was found in older rocks than t	rilobite B .	
	Trilobite B has a smaller mass than trilobit	te A .	
	Trilobite B is a different colour from trilobit	re A .	
	Trilobite B is more complex than trilobite A	A .	
0 7.5	Trilobites are animals that lived in the sea Complete the sentences about how the fo		d B were formed.
	Choose answers from the box.		[3 marks]
	acids bones	hard parts	minerals
	rocks sed	iments	soft parts
	The animal dies and falls to the sea bed.		
	The animal is buried in	·	
	The	of the animal decay.	
	The remains which do not decay are repla	aced by	







		Do not write
0 7.6	Trilobites A and B are now extinct.	outside the box
	Give three possible causes of extinction. [3 marks]	
	1	
	2	
	3	Find Pe
		Hind Personal Tutor from
		utor froi
0 7 . 7	Suggest one reason why scientists cannot be sure what caused the trilobites to	J. WWW.
	become extinct. [1 mark]	www.wisesprout.co.uk
		ut.co.uk
		13
		农名校 导高
		,
		\卓线上辅导(微信小程序问名)
		高小鞋牙
		地



Do not write outside the

0 8 There are two types of reproduction:

- sexual reproduction
- · asexual reproduction.
- 0 8 . 1 Complete **Table 4** to compare sexual reproduction with asexual reproduction.

Write a tick (✓) in the box if the statement is true.

The first row has been completed for you.

[2 marks]

Table 4

	Sexual reproduction	Asexual reproduction
Cell division occurs	✓	✓
Fertilisation occurs		
Genes are passed on from parent to offspring		
Offspring are genetically identical to each other		

0 8 2 Gametes are formed in sexual reproduction.

Name the male gamete formed in flowering plants.

[1 mark]


Question 8 continues on the next page



Cell division by meiosis forms gametes.

Figure 12 shows the mean mass of DNA per cell before, during and after meiosis.





Use information from Figure 12 to answer questions 08.3 to 08.6.

0 8.3	When is the DNA in the chromosomes being copied?		[1 mark]
	Tick (✓) one box.		[i iliai k]
	Between 0 and 3 hours		
	Between 3 and 4 hours		
	Between 4 and 5 hours		
	Between 5 and 6 hours		



	_
	Ċ
	č
	.~
	T.CO.UK
	$\overline{}$
	4
	ĸ
	戈伯亥半三
	ĽГ
	₹
	×
	40
	41
	\leq
	ᆫ
	_
	\pm
	7
	_
	五小早及二語 中
	₩
	in
	X
	Ľ
	П
	#
	#
	:40
	41
	$\overline{}$
	٠.
	Я
	_
	ПІ
	7
	5
	5
	HÌ
	÷
	4
	$\overline{}$
ı	ب
ı	微信小锤净回名

0 8.4	Cells divide twice during meiosis.	Do not write outside the box
	Which two times in Figure 12 show one cell dividing into two cells?	
	[2 marks] Tick (✓) two boxes.	
	3 hours	
	4 hours	
	5 hours	
	6 hours	
	8 hours	
		7
0 8.5	What is the mean mass of DNA in arbitrary units in a sperm cell? [1 mark]	
	Tick (✓) one box.	<u>\</u>
	2 4 8 16	2
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
0 8.6	What is the mean mass of DNA in arbitrary units in each cell in an embryo? [1 mark]	\$ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Tick (✓) one box.	<u> </u>
	2 4 8 16	8
	Turn over for the next question	



Turn over ▶

Do not write outside the box

0 9	Earthworms: • live in soil • feed on dead and decaying plant matter • have soft, moist skin • exchange gases through their skin.
0 9 . 1	Give two abiotic factors and two biotic factors that could affect the size of an earthworm population. [4 marks]
	Abiotic factors
	1
	2
	Biotic factors
	1
	2



Do not write outside the box

_	0

0 9 . 2	Students investigated the populations of earthworms in the soil in two different areas:
	Area A: a grass lawn
	Area B: a farmer's field.
	Chemical X can be mixed with water and poured onto the soil.
	The mixture brings earthworms to the surface of the soil but does not harm the earthworms.
	Plan an investigation using chemical ${\bf X}$ to compare the number of earthworms per ${\bf m}^2$ in areas ${\bf A}$ and ${\bf B}$. [6 marks]


Turn over for the next question



It is important to control the concentration of glucose in the blood.

Figure 13 shows how the concentration of glucose in the blood of a person changed over 4 hours.

Figure 13



1 0 . 1 Give **one** time when the concentration of **insulin** in the person's blood would be high.

Use **Figure 13**.

[1 mark]

Time = hours



1 0 . 2	Explain the effect a high concentration of insulin has on blood glucose concentration. [3 marks]	Do not write outside the box
	Effect	
	Explanation	
		_

Question 10 continues on the next page

Turn over ▶



People with diabetes have difficulty controlling the concentration of glucose in their blood.

Type 2 diabetes is linked to obesity.

Figure 14 shows how to find if an adult's body mass is healthy for their height.

Figure 14





		Do not write
1 0 . 3	Person A:	outside the box
	• is 1.75 m in height	
	has a body mass of 52 kg.	
	What is person A 's weight category?	
	[1 mark]	
	Tick (✓) one box.	
	Underweight	
		=
	Healthy weight	9
		2
	Overweight	2
		C
	Obese	
	Daman B is 4.0 m in beinht	;
1 0 . 4	Person B is 1.9 m in height.	į
	Give the range of body masses that would put person B in the] I
	healthy weight category. [1 mark]	1
		ä
	Range from kg to kg	†
		25
]
		<u> </u>
	Question 10 continues on the next page	I



Do not write

1 0 . 5

Person C is obese.

A doctor thinks that person **C** has Type 2 diabetes.

The doctor tests a sample of blood from person **C**.

Table 5 shows:

- the results of the blood test
- the mean results for people who do not have diabetes.

Table 5

	Concent	tration in blood
	Person C	Mean for people who do not have diabetes
Cholesterol in mmol/dm³	6.21	5.20
Glucose in mmol/dm ³	9.56	4.51
Insulin in arbitrary units	24.32	14.83

Type 2 diabetes occurs when body cells have a reduced response to insulin.

Give **two** ways the results of the blood test show that person **C** might have Type 2 diabetes.

[2	marksj	
----	--------	--


1		
2		
_		



1 0 . 6	Give two ways that a person can reduce the chance of developing Type 2 diabetes.	[2 marks]	Do not wr outside the box
	1		
	2		
			10

END OF QUESTIONS







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.



