

Please write clearly in b	olock capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE COMBINED SCIENCE: TRILOGY



Higher Tier Chemistry Paper 1H

Thursday 17 May 2018 Morning Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.


For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
TOTAL		



This question is about electrolysis.

A student investigates the mass of copper produced during electrolysis of copper chloride solution.

Figure 1 shows the apparatus.



0 1 . 1	Which gas is produced at the positive electrode (anode)?		[1 mark]
	Tick one box.		
	carbon dioxide		
	chlorine		
	hydrogen		
	oxygen		



0 1 . 2	Copper is produced at the negative elec	ctrode (cathode).	
	What does this tell you about the reactive	vity of copper?	[4 a.ul.]
	Tick one box.		[1 mark]
	Copper is less reactive than hydrogen		
	Copper is less reactive than oxygen		
	Copper is more reactive than carbon		
	Copper is more reactive than chlorine		
	Table 1 shows the student's results.		

Table 1

	Total mass of copper produced in mg			
Time in mins	Experiment 1	Experiment 2	Experiment 3	Mean
1	0.60	0.58	0.62	0.60
2	1.17	1.22	1.21	1.20
4	2.40	2.41	2.39	2.40
5	3.02	X	3.01	3.06

0 1.3	Determine the mean mass of copper produced after 3 minutes.	[1 mark]
	Mass =	mg
	Question 1 continues on the next page	

Turn over ▶



0 1.4	Calculate the mass X of copper produced in Experiment 2 after 5 minutes.	Do not writ outside th box
	Use Table 1 on page 3 [2 marks]	
	mg	
0 1.5	The copper chloride solution used in the investigation contained 300 grams per dm³ of solid CuCl₂ dissolved in 1 dm³ of water.	THE STOCKE TOWN WWW.WISESPICECO.
	The student used 50 cm ³ of copper chloride solution in each experiment.	
	Calculate the mass of solid copper chloride used in each experiment. [3 marks]	v. wradaci
		8
		7
		ن - ا
		† 1
	Mass = g	
		8



0 2	This question is about sodium and chlorine.	
	Figure 2 shows the positions of sodium and chlorine in the periodic table.	
	Figure 2	
	Na Na	CI
0 2.1	State one difference and one similarity in the electronic structure of sodium of chlorine.	and [2 marks]
	Difference	
0 2.2	Sodium atoms react with chlorine atoms to produce sodium chloride (NaCl). Describe what happens when a sodium atom reacts with a chlorine atom.	
	Write about electron transfer in your answer.	[4 marks]





0 2.3	The reaction between sodium and chlorine is an exothermic reaction.		
	Complete the reaction profile for the reaction between sodium and chlorine. [2 marks]		2 marks]
	Figure 3		
Relative Reactants energy		Reactants	
		Progress of reaction	



늣
\sim
4
找名校导师
43
IN
==
XX.
1.71
:IM
714
≒
ᆸ
т
ш
_
用小草线上辅导
41113
100
112
ζ.11·
⊢-
11
#
ш,
чm
40
$\overline{}$
_
沪臣
微信小程序
TILL
Till
\sim
_
->+
HID

0 3	A student plans a method to prepare pure crystals of copper sulfate.
	The student's method is:
	 Add one spatula of calcium carbonate to dilute hydrochloric acid in a beaker. When the fizzing stops, heat the solution with a Bunsen burner until all the liquid is gone.
	The method contains several errors and does not produce copper sulfate crystals.
	Explain the improvements the student should make to the method so that
	pure crystals of copper sulfate are produced. [6 marks]

Turn over ▶



0 4 This question is about the halogens.

0 4. 1 Write the state symbol for chlorine at room temperature.

[1 mark]

Cl₂ (_____)


0 4.2 Figure 4 represents one molecule of fluorine.

Complete the dot and cross diagram on Figure 4

You should show only the electrons in the outer shells.

[2 marks]

Figure 4



 $\boxed{\mathbf{0} \quad \mathbf{4}}$. $\boxed{\mathbf{3}}$ A fluorine atom can be represented as $\frac{19}{9}$ F

What is the total number of electrons in a fluorine molecule (F_2) ?

[1 mark]

Tick one box.

9 14 18 38

0 4 . 4 Aluminium reacts with bromine to produce aluminium bromide.

Complete the balanced chemical equation for this reaction.

[2 marks]

 $_$ Al + $_$ Br₂ \rightarrow 2



Hnd
Personal
Tutor from v
Trom
WWW.WI
wisesprout
out.

_		
)		

找名校导师,	
用小草线上辅导	
(微信小程序同名)	

0 4 . 5	When chlorine reacts with potassium bromide, chlorine displaces bromine.	
	$Cl_2 + 2 KBr \rightarrow Br_2 + 2 KCl$	
	Explain why chlorine is more reactive than bromine.	[3 marks]

Turn over for the next question

Turn over ►




0 5	This question is about structure and bonding.
0 5.1	Figure 5 shows part of the structure and bonding in diamond.
	Figure 5
	Explain why diamond has a high melting point. [3 marks]
	·



 0
 5
 .
 2
 Figure 6 shows part of the structure and bonding in sodium chloride (NaCl).
 Do not write outside the box

Figure 6



Explain the conditions needed for sodium chloride to conduct electricity.	[3 marks]


Question 5 continues on the next page



Turn over ►

0	5	. 3	Figure 7	' shows	the	structure	of	sodium
---	---	-----	----------	---------	-----	-----------	----	--------

Figure 7



Describe how sodium conducts thermal energy.	[3 marks]




Do not write outside the box

0 6	Group 2 metal carbonates thermally decompose to produce a metal oxide and a gas.
0 6.1	Give the formula of each product when calcium carbonate (CaCO ₃) is heated. [2 marks]
	and
0 6.2	The relative formula mass (M_r) of a Group 2 metal carbonate is 197
	Relative atomic masses (A_r): $C = 12$ $O = 16$
	Calculate the relative atomic mass (A_r) of the Group 2 metal in the metal carbonate.
	Name the Group 2 metal.
	[3 marks]
	Relative atomic mass (A _r) =
	Metal
	motor

Question 6 continues on the next page



Figure 8 shows the volume of gas produced when a different Group 2 carbonate, \mathbf{W} , is heated.



0 6 . 3	Calculate the gradient of the line in Figure 8	
	Give the unit.	[3 marks]
		Gradient
		Unit



找名校导师,
用小草线上辅导
(微信小程序同名)

0 6.4	24 dm ³ of gas is produced when one mole of a Group 2 carbonate is heated.		
	Determine the relative formula mass of the Group 2 carbonate W .		
	Use Figure 8 [4 marks]		
	Relative formula mass (<i>M_c</i>) =		

Turn over for the next question



A scientist does two tests on four white solids. The solids are labelled A, B, C and D.

Test 1 Adds the sample of the solid to distilled water and stirs.

Test 2 Measures the pH of the solution after Test 1

Table 2 shows the results.

Table 2

Solid	Appearance after stirring	рН
A	colourless solution, no solid	14
В	colourless solution, no solid	3
С	colourless solution, solid remains	9
D	colourless liquid, solid remains	7

These four solids are:

- magnesium oxide
- · phosphorus oxide
- silicon dioxide
- sodium oxide.

Table 3 shows the solubility of these four solids in water.

Table 3

Solid	Solubility in grams per 100 cm ³ of water
Magnesium oxide	0.01
Phosphorus oxide	52
Silicon dioxide	0
Sodium oxide	109



Do not write outside the box

0 7.1	Identify the solids A , B , C and D .	
	Explain your answers.	6 marks]
	Question 7 continues on the next page	





0 7 . 2 10 cm³ of solution **B** is added to a beaker.

Distilled water is added to the beaker until the final volume in the beaker is 1000 \mbox{cm}^3

The pH of the solution is measured before and after distilled water is added.

Table 4 shows the results.

Table 4

Volume of solution in beaker	pH of solution B
10 cm ³	3
1000 cm ³	Х

Calculate the value of X .		[2 marks]
	X =	



0 8	This question is about iron.	
	Iron reacts with dilute hydrochloric acid to produce iron chloride solution and or other product.	ne
0 8.1	Name the other product.	1 mark]
0 8.2	Suggest how any unreacted iron can be separated from the mixture.	1 mark]
	Magnesium reacts with iron chloride solution. $3 \text{ Mg} + 2 \text{ FeCl}_3 \rightarrow 2 \text{ Fe} + 3 \text{ MgCl}_2$	
0 8 . 3	0.120 g of magnesium reacts with excess iron chloride solution.	
	Relative atomic masses (A_r) : Mg = 24 Fe = 56	
	Calculate the mass of iron produced, in mg [5	marks]
	Mass of iron =	mg
	Widos of Hoff	9





	_
	=
	=
	=
	π
	Φ.
	reisoliai
	\subseteq
	=
	<u>a</u>
	Ξ
	_
	=
	U U
	=
	C
	-
	<
	8
	>
	5
	•
	>
	\overline{c}
	Œ
ı	Ű.
I.	isespiout.c
ı	=
ı	۲
ı	Ξ
ı	5
1	\mathbf{c}

0 8 . 4	Explain which species is reduced in the reaction between magnesium and iron chloride.	
	$3 \text{ Mg} + 2 \text{ FeCl}_3 \rightarrow 2 \text{ Fe} + 3 \text{ MgCl}_2$	
	Your answer should include the half equation for the reduction.	[3 marks]

END OF QUESTIONS

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

