

F

# Thursday 16 May 2019 – Morning GCSE (9–1) Chemistry B (Twenty First Century Science)

**J258/01** Breadth in Chemistry (Foundation Tier)

Time allowed: 1 hour 45 minutes

# You must have:

- the Data Sheet (for GCSE Chemistry B (inserted))
- a ruler (cm/mm)

### You may use:

- · a scientific or graphical calculator
- · an HB pencil



Please write clearly in black ink. <b>Do not write in the barcodes.</b>									
Centre number						Candidate number			
First name(s)									
Last name									

## **INSTRUCTIONS**

- Use black ink. You may use an HB pencil for graphs and diagrams.
- Answer all the questions.
- Where appropriate, your answers should be supported with working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.

# **INFORMATION**

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [ ].
- This document consists of 28 pages.

© OCR 2019 [601/8605/7] DC (ST/CT) 190665/5 **R** 

OCR is an exempt Charity

Turn over

2 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

© OCR 2019

# Answer all the questions.

- 1 Chemists add chlorine to water. This makes the water suitable to drink.
  - (a) Choose the test for chlorine.

Tick (✓) one box.				
Makes a 'pop' with a lighted splint.				
Relights a glowing splint.				
Turns blue litmus red and then white.				
Turns limewater milky or cloudy.				

(b) Choose words from the list below to complete the sentences.


You may use each word once, more than once, or not at all.

animals	diseases	microorganisms	smelly	toxic				
Chlorine is us	ed to kill	iı	n water.					
This stops the untreated water from causing								
Chlorine can l	oe hazardous bec	ause it is			[3]			

**(c)** A chlorine atom has seven electrons in its outer shell.

Complete the 'dot and cross' diagram for an HCl molecule.

You only need to show outer-shell electrons.



[2]

[1]

2 'Camping gas' contains butane.




Fig. 2.1 shows a model of butane. The model helps us to imagine what butane looks like.




Fig. 2.1

- (a) Fig. 2.1 is called a 'ball and stick' model.
  - (i) What do the 'sticks' show?

Put a (ring) around the two correct answers.

covalent bonds

intermolecular forces

ionic bonds

shared electrons

(ii) Which statement is correct about the model of butane shown in Fig. 2.1?

Tick (✓) one box.

It shows how the electrons are arranged.

It shows the shape of the molecule.

It shows the exact sizes of the atoms.

[1]

[2]

© OCR 2019

	J						
(b)	Butane is a hydrocarbon.						
	Which two statements about butane are correct?						
	Tick (✓) <b>two</b> boxes.						
	The molecular formula of butane is $\mathrm{C_4H_{10}}$ .						
	The empirical formula of butane is $\mathrm{CH}_2$ .						
	H H H H Butane can be shown as H–C–C–C–H. H H H H						
	Butane is an alkene.		[2]				
(c)	58g of butane contain 48g of carbon.						
	What is the percentage of carbon in butane?						
	Give your answer to 2 significant figures.						

Percentage of carbon = ..... % [3]

3 This question is about the efficiency of LED light-bulbs in 2015 compared to 2011.



The table shows part of a life-cycle assessment for the two light-bulbs. The numbers in the table compare the energy used to give the same amount of light in a certain time.

Stage in life cycle	2011 light (MJ)	2015 light (MJ)
Manufacture	343	132
Transport	3	2
Use of the light-bulb	3540	1630
Total energy used		

(a)	(i)	Which <b>stage</b> uses the most energy?					
		[1]					
	(ii)	In total, the 2011 light-bulb uses more energy than the 2015 light-bulb.					
		Calculate the difference in the <b>total</b> energy used.					
		Difference in total energy = MJ [2]					
(b)	The	last stage in the life-cycle assessment is missing.					
	Nar	ne the <b>last</b> stage.					
		[1]					

(	c)	The percentage decrea	se in energy use a	t 'manufacture' sta	ae from 2011 to	2015 is aiven b	v:
•	-,				J		, -

$$\frac{343 - 132}{343} \times 100 = 62\%$$

Calculate the percentage decrease in energy use at 'use of the light-bulb' stage from 2011 to 2015

Give your answer to 2 significant figures.

Percentage decrease = ..... % [2]

4 Some cars use hydrogen fuel cells.

This is the reaction that happens in the fuel cell:

$$2H_2 + O_2 \rightarrow 2H_2O$$

(a) Name the product of this reaction.

F 4	-
17	


(b) Most cars still use petrol as a fuel.

Give two advantages of using hydrogen as a fuel for cars.

```
2 ......
```

[2]

**(c)** The reaction profile below shows the energy changes when hydrogen and oxygen react together.



You may use each letter once, more than once, or not at all.

(i) Which arrow, **A**, **B**, or **C**, shows the activation energy for the reaction? ......[1]

(ii) Which arrow, A, B, or C, shows that the reaction is exothermic? ...... [1]

(d)	(i)	Calculate the relative formula mass of H <sub>2</sub> O.
		Relative formula mass of H <sub>2</sub> O =[1]
	(ii)	4g of hydrogen burns giving out 240 kJ of energy.
		How much energy is given out when 20 g of hydrogen burns?
		Energy = kJ [2]

**5** A chemist makes a teaspoon out of gallium metal.

Gallium looks like aluminium. Gallium melts at 30 °C and aluminium melts at 660 °C.



(a)	Tea is made with boiling water.	
	What would happen if a gallium spoon is used to stir h	ot tea?
	Explain your answer.	
		[2]
(b)	) When Mendeleev made his Periodic Table, he left a ga	ap below aluminium.
	Later gallium was discovered and put into this gap.	
	Give one reason why gallium fitted into this gap.	
	Tick (✓) one box.	
	It has a similar melting point to aluminium.	
	It looks the same as aluminium.	
	It has similar reactions to aluminium.	
	There was nowhere else in the table to put it.	

	111							
(c)	When gallium reacts it loses three electrons.							
	Which ion is formed?							
	Put a (ring) around the correct answer.							
	Ga Ga <sup>+</sup> Ga <sup>2+</sup> Ga <sup>3+</sup> Ga <sup>-</sup> Ga <sup>2-</sup> Ga <sup>3-</sup>							
(d)	Ionic compounds have high melting points.							
	Which two statements explain this?							
	Tick (✓) <b>two</b> boxes.							
	There are strong attractions between the ions.							
Shared electron bonds are broken.								
	A lot of energy is needed to separate the ions.							
	Positive ions attract other positive ions.							
	Ionic compounds conduct electricity.							
(-)	[2]							
(e)	Mendeleev put potassium and sodium in the same group because they both react with water.							
	Ali's teacher puts a piece of sodium into water. The teacher then puts a piece of potassium into water.							
	Give <b>two</b> ways Ali could tell potassium is more reactive than sodium.							
	1							
	2							
	[2]							

6 Mia has three metals, A, B and C, that she reacts with water.

This is what she sees:

Metal **A** Fizzes and reacts quickly.

Metal **B** A few bubbles appear after some time.

Metal **C** Slow fizzing.

(	a)	) (	(i)	Put the r	metals in	order of	reactivity,	with th	ne <b>most</b>	reactive	first.
۸	~	, ,	\ <b>''</b> /	1 46 610 1	motaro m	0140101	. oaouvity,	** : : : : : :	10 111000	1000110	

>>	[1]

(ii) Which metal forms positive ions most easily?

 [1	


(b) Metal A is placed in copper sulfate solution. A brown metal is made.

Nama the brown metal	[4]
name me brown metal.	

(c) The diagram below shows the bonding in metals.

Label the diagram by writing on the dotted lines.

Use words from the list below.



[2]

(d) Metals conduct electricity and are malleable (shapeable).


Draw lines to connect each property with its correct explanation.

# Property Explanation Electrons can move. Conducts electricity Some particles in the metal have positive charge. Malleable (shapeable) Particles in the metal can slide over each other.

[2]

7 Dalton was one of the first scientists to model the atom.

Rutherford later developed an improved model of the atom from experiments.



Rutherford's model describes:

- a small positive nucleus
- the nucleus surrounded by empty space
- negatively charged particles orbiting in this empty space.

(a)	Describe how Dalton's model of the atom was different to Rutherford's.	
/ <b>b</b> .\	Name the 'negatively shared particles' in Dutherford's model	[1]
(D)	Name the 'negatively charged particles' in Rutherford's model.	[4]
(a)	We currently know that the nucleus of an atom contains protons and neutrons.	[1]
(6)		
	Complete the table by filling in the blank spaces.	

	Relative Charge	Relative Mass
Proton	+1	1
Neutron		

[2]

(d) The table shows the number of protons and neutrons in a sodium atom.

Complete the table by filling in the blank spaces.

	Atomic number	Protons	Mass number	Neutrons
Sodium	11	11	23	12
Fluorine	9		19	

[2]

(e) Kai finds some information on the internet.

	Approximate size (m)
Hydrogen atom	5.3 × 10 <sup>-11</sup>
Hydrogen molecule	2.9 × 10 <sup>-10</sup>
Oxygen molecule	3.5 × 10 <sup>-10</sup>
Proton	8.7 × 10 <sup>-16</sup>
Xenon atom	1.1 × 10 <sup>-10</sup>

Table 7.1

Kai writes some notes:

- 1 Atoms are smaller than molecules.
- 2 Atoms are smaller than protons.

Is Kai correct?
Use the information in <b>Table 7.1</b> to explain your answer.
[2]

- 8 'Tumsoothe' is a medicine that cures indigestion. It is a solution of 'sodium bicarbonate', NaHCO<sub>3</sub>.
  - (a) Layla puts some Tumsoothe in a beaker and places it on a balance.




Fig. 8.1

She adds hydrochloric acid to the contents of the beaker and this reaction happens:

$$\mathsf{NaHCO_3(aq)} \, + \, \mathsf{HC}\mathit{l}(\mathsf{aq}) \, \longrightarrow \, \mathsf{CO_2(g)} \, + \, \mathsf{NaC}\mathit{l}(\mathsf{aq}) \, + \, \mathsf{H_2O(l)}$$

Layla writes down the mass every 10 seconds, as shown in Table 8.1.


Time (s)	Mass (g)
0	300.0
10	298.0
20	296.0
30	294.5
40	293.5
50	292.5
60	292.0

Table 8.1

(i) Plot a graph of mass against time on the axes below, using **Table 8.1**.

Add a curve of best fit to the graph.

[2]



(ii) Estimate the mass of the beaker at 100 seconds. Use the graph to help you.

Mass at 100 seconds =	 a	Г	1	П
Mass at 100 seconds	 м	-		-

- (iii) Draw an **F** on your graph where the rate of reaction is the **fastest**. [1]
- **(b) (i)** Describe the rate of change of mass during the reaction.

.....[1]

(ii) Explain how you worked this out from the graph.

.....[1

(iii) The law of conservation of mass says:

'The mass at the start and end of a reaction must be the same.'


Explain why the law is true for the reaction between  $NaHCO_3$  and HCl, even though the reading on the balance changes.

.....

.....[

(c) Layla now does a titration because she wants to measure the concentration of  ${\rm NaHCO_3}$  in Tumsoothe.

Put a (ring) around the **two** pieces of apparatus that she needs to carry out the titration.




© OCR 2019

(d) Layla repeats her titration three times. Her results are shown.

Repeat	1	2	3
Volume of acid added to neutralise NaHCO <sub>3</sub> (cm <sup>3</sup> )	20.10	20.15	20.05

(i)	Layla says, 'This is good quality data.'
	Do you agree?
	Explain your answer.
	[1]
(ii)	Calculate the mean value for the volume of acid added in the titration.
	Mean value = cm <sup>3</sup> [1]

9 Sundip reacts zinc with dilute sulfuric acid.



(a) Complete the symbol equation for the reaction.

$$Zn + H_2SO_4 \rightarrow \dots + H_2$$
 [1]

(b) Sundip drops a **piece** of zinc into some dilute sulfuric acid.

The zinc fizzes.

What is the name of the gas given off?

<b>F41</b>
111

(c) Sundip then drops some zinc **powder** into some dilute sulfuric acid.

Explain why the fiz	zing is faster with zinc po	owder.	
			[1]

(d) Sundip adds some blue copper sulfate solution and zinc to the acid.

Sundip **thinks** that the copper sulfate is a catalyst in the reaction.

If Sundip is right, which statements are correct?

Tick (✓) two boxes.

The fizzing stays the same.

The copper sulfate is left at the end.

The activation energy is lower with the catalyst present.

All the copper sulfate is used up.

[2]

10	An i	industrial firm makes nitrogen oxide, NO, by the following reaction:				
	N <sub>2</sub> (	$(g) + O_2(g) \rightleftharpoons 2NO(g)$				
	(a)	The <del> </del>				
		Which two statements are correct at equilibrium?				
		Tick (✓) <b>two</b> boxes.				
		The reaction $N_2(g) + O_2(g) \rightarrow 2NO(g)$ has stopped.				
		There is a mixture of N <sub>2</sub> , O <sub>2</sub> and NO.				
		The reaction $N_2(g) + O_2(g) \rightarrow 2NO(g)$ goes in both directions.				
		The reaction 2NO(g) $\rightarrow$ N <sub>2</sub> (g) + O <sub>2</sub> (g) does not happen.	[2]			
	(b)	The NO then reacts with air and water to form nitric acid. Nitric acid is an ingredient used make fertilisers.				
		Why is nitric acid not used as a fertiliser on its own?				
		Tick (✓) one box.				
		It contains nitrogen.				
		It is not an ammonium compound.				
		It is too acidic.	[1]			
	(c)	In theory, 28 g of nitrogen makes a maximum of 60 g of NO.				
		However, in a reaction, 28 g of nitrogen makes 9.0 g of NO.				
		Calculate the percentage yield of the reaction.				

© OCR 2019 Turn over

Percentage yield = ..... % [2]

- 11 Diamond and graphite are two forms of carbon.
  - (a) (i) Fig. 11.1 shows the structure of diamond:




Fig. 11.1

Explain why diamond has a high melting point.

\_\_\_\_\_\_[1]

(ii) Fig. 11.2 shows the structure of graphite.

Graphite also has a high melting point.




Fig. 11.2

Describe and explain **two** other properties of graphite.

Use the structure shown in Fig. 11.2 to help explain your answers.

Property 1 .....

Explanation .....

Property 2 .....

Explanation .....

(b)	Dia	mon	d has a high density.
	1.0	g of	diamond has a volume of 0.29 cm <sup>3</sup> .
	Cal	culat	te the mass of 1.0 cm <sup>3</sup> of diamond.
	Giv	e yo	ur answer to <b>2</b> significant figures.
			Mass = g [2]
(c)	120	of c	diamond produces 44 g of CO <sub>2</sub> when it is burned completely.
( )	(i)		culate the mass of $CO_2$ produced when $1.0 \times 10^{-3}$ g of diamond is burned completely.
	(-)		e your answer to <b>2</b> significant figures.
		Oiv	o your anower to <b>2</b> digitilioant ligaroo.
			Mass of CO <sub>2</sub> = g [2]
	/::\	lon	<del>-</del>
	(ii)		ne makes some statements about graphite and diamond:
		1	'Complete combustion of 12 g of graphite produces less than 44 g of CO <sub>2</sub> .'
		2	'This is because atoms in graphite are further apart than in diamond.'
		Do	you agree with Jane's statements?
		Exp	plain your answer.
			[2]

- 12 Ben uses chromatography to investigate a solid black food dye.
  - (a) Ben tests the solubility of the dye in three solvents.

Here are his results:

Solvent	Result	
water	insoluble	
ethanol	insoluble	
propanone	soluble	

(i)	Which o	of the	three	solvents	are	non-aqueous?
-----	---------	--------	-------	----------	-----	--------------


.....[1]

(ii) Ben uses paper chromatography to investigate the dye.


Which of the three solvents should Ben use in his investigation?

.....[1]

**(b)** Here is some information about the experiment:



# chromatogram at the end



	(i)	) l	Name	the s	statio	nary	phase.
--	-----	-----	------	-------	--------	------	--------

.....[1]

	(ii)	What is wrong with the way Ben set up his experiment?	
		Explain your answer.	
			[2]
	(iii)	Which spot has the greatest $R_{\rm f}$ value in the chromatogram at the end?	
		Explain your answer.	
			[2]
(c)	Ben	thinks the dye is a pure substance. Kareem, another student, disagrees.	
	Who	o do you agree with?	
	Ехр	lain your answer.	
			[1]
(d)	Ben	measures the melting point of the dye.	
	Des	cribe what Ben would see if the dye is pure.	
			[1]

# **END OF QUESTION PAPER**

# 26

# **ADDITIONAL ANSWER SPACE**

If additiona must be cle	I space is required, you she early shown in the margin(s).	ould use the follow	ving lined page(s).	The question r	number(s)
	,				
	1				

© OCR 2019

•••••	

 .,	 



# Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2019