Please check the examination details below before entering your candidate information			
Candidate surname		Other names	
Pearson Edexcel Level 1/Level 2 GCSE (9–1)	e Number	Candidate Number	
Wednesday 10 J	une	2020	
Morning (Time: 1 hour 45 minutes)	Paper Ref	ference 1CH0/2F	
Chemistry			
Paper 2			
		Foundation Tier	
You must have: Calculator, ruler		Total Marks	

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must **show all your working out** with **your answer clearly identified** at the **end of your solution**.

Information

- The total mark for this paper is 100.
- The marks for each question are shown in brackets
 use this as a quide as to how much time to spend on each question.
- In questions marked with an asterisk (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- A periodic table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1	(a) Th	e tw	o most common gases in today's atmosphere are nitrogen and oxygen.	
	(i)	Wł	nat is the third most common gas in today's atmosphere?	(1)
	X	A	argon	(-/
	×	В	butane	
	×	C	chlorine	
	×	D	hydrogen	
	(ii)	Wł	nat is the percentage of oxygen in today's atmosphere?	(1)
	×	Α	0.04	
	×	В	1	
	×	C	21	
	×	D	78	
	(b) Giv	ve tł	ne name of the most common gas in the Earth's early atmosphere.	(1)
			arly atmosphere was hot and contained water vapour. mosphere today contains less water vapour.	
	Exp	plaiı	n what caused the amount of water vapour in the atmosphere to decrease.	(2)





(d) The concentration of carbon dioxide in the atmosphere can be measured in parts per million (ppm).

Figure 1 shows the measurements in January 2018 and January 2019.

	concentration of carbon dioxide in ppm
January 2018	407.96
January 2019	410.83

Figure 1

(i)	Calculate the increase in the concentration, in ppm, of carbon dioxide from
	January 2018 to January 2019.

Give your answer to the nearest whole number.

(Total for Question 1 = 8 m	arks)
	(1)
(ii) Give a possible cause for this increase in the concentration of carbon dioxide	
increase in concentration of carbon dioxide =	ppm



2 (a) Figure 2 shows information about three different materials, a composite, a glass and a metal.

	a composite	a glass	a metal
density	low	high	high
ability to conduct electricity	poor	poor	good
resistance to corrosion	good	good	poor

Figure 2

Explain which material in Figure 2 is the most suitable material to use in electrical circuits.

(2)

(b) (i) Nanoparticles are very small.

Some nanoparticles have a radius of 17 nm.

The radius of a magnesium atom is 0.16 nm.


Approximately how many times larger is the radius of these nanoparticles than the radius of the magnesium atom?

- **■ B** 0.10
- **C** 10
- □ 100



(ii) A catalyst contains cube-shaped nanoparticles. Figure 3 shows a diagram of a cube-shaped nanoparticle.

The length of each side of the cube is 9 nm.



© Gauravjuvekar

Figure 3

,	Calculate the surface area of the cube, in film.	2)
	surface area =	nn
	Nanoparticles have many uses. Some scientists are concerned about the possible risks of using nanoparticles.	
(Give one possible risk of using nanoparticles.	1)
	(Total for Question 2 = 6 mark	s)



BLANK PAGE

- **3** (a) A student investigated the reaction between potassium iodide and lead nitrate.
 - (i) Solutions of potassium iodide and lead nitrate were mixed together. Lead iodide and potassium nitrate were formed.

Complete the word equation.

(2)

+

(ii) The student recorded the total mass of the reactants and the total mass of the products.

The results are shown in Figure 4.

	reactants	products
total mass in g	21.7	21.7

Figure 4

State how the results in Figure 4 show that mass is conserved in this reaction.

(b) In another experiment, a student investigated the temperature decrease when different amounts of ammonium nitrate crystals were dissolved in 100 cm³ of water.

The apparatus used is shown in Figure 5.




Figure 5

The student used the following method.

- step 1 pour 100 cm³ of water into the polystyrene cup
- **step 2** add one spatula of ammonium nitrate crystals to the water
- **step 3** stir the mixture
- **step 4** use the thermometer to record the lowest temperature reached by the mixture
- **step 5** repeat steps 1 to 4 using different amounts of ammonium nitrate
- (i) Name a piece of apparatus that should be used to measure the 100 cm³ of water in **step 1**.

(1)

- (ii) The student cannot work out the temperature decrease using the method described.
 - State what the student must do before **step 2** to be able to work out the temperature decrease.

(1)

(iii) State why a polystyrene cup is used in this experiment.



(iv) Figure 6 shows the reaction profile for this reaction.

Use the words from the box to complete the labels on Figure 6.

activation energy products reactants

(2)




Figure 6

(Total for Question 3 = 8 marks)

- 4 Tests are carried out to identify the ions in two solids, **P** and **Q**.
 - (a) A flame test is used to identify the metal ions in each of these solids.
 - (i) Describe how to do a flame test.

(2)

(ii) Different metal ions produce different coloured flames.

Draw one straight line from each metal ion to its flame colour.

(2)

metal ion

flame colour

green

calcium •

yellow

lilac

potassium

orange-red

• blue-green

(b) **P** and **Q** dissolve in water to form colourless solutions.

Figure 7 shows the results of tests on these solutions.

tost	results		
test	solution of P	solution of Q	
dilute hydrochloric acid added, then barium chloride solution	a white precipitate	remains colourless	
dilute nitric acid added, then silver nitrate solution	remains colourless	a yellow precipitate	

Figure 7

(i) The anions in solutions of **P** and **Q** can be identified from the results of the tests shown in Figure 7.

Draw one straight line from each solution to the anion present.

solution

bromide

solution of P

carbonate

chloride

solution of Q

sulfate

(ii) The formula of barium chloride is BaCl₂.Give the total number of ions in the formula BaCl₂.

(1)



- (c) A few drops of sodium hydroxide solution are added to a solution of iron(II) sulfate. Iron(II) hydroxide is formed.
 - (i) State what would be seen.

(2)

(ii) One other product is formed in this reaction.

What is the name of this other product?

(1)

- **B** sodium chloride
- C sodium sulfate
- **D** water

(Total for Question 4 = 10 marks)

Chlorine, bromine and iodine are elements in group 7 of the periodic table. (a) Chlorine is toxic. State one safety precaution that should be taken when using chlorine in the laboratory. (1)		
b) Chlorine reacts wit	th hydrogen to form hydrogen chloride.	
(i) Write the word	l equation for this reaction.	(1)
(ii) Hydrogen chlo	ightarrow ride dissolves in water to form an acidic solution.	
State what is s e	een when blue litmus paper is placed into this so	lution. (1)
` '	m has seven electrons in its outer shell. om has one electron in its outer shell.	
	dot and cross diagram of a molecule of hydrogen ell electrons only.	chloride.
		(1)
	H × Cl	
(iv) Name the type	e of bonding in a molecule of hydrogen chloride.	(1)



(c) If chlorine solution is added to sodium bromide solution a reaction occurs.

 $\mbox{chlorine} \ + \ \mbox{sodium bromide} \ \to \mbox{sodium chloride} \ + \ \mbox{bromine}$ Give a reason why this reaction occurs.

(1)

(d) Figure 8 shows apparatus used to find out if a solution conducts electricity.




Figure 8

Glucose solution and sodium chloride solution are tested. Glucose is a typical simple molecular covalent compound. Sodium chloride is an ionic compound.

(i) State what would happen to the lamp when glucose solution is tested.

(1)

(ii) State what would happen to the lamp when sodium chloride solution is tested.



(e) Figure 9 shows how the conductivity of one solution changes as its concentration increases.




Figure 9

Describe how the conductivity of this solution changes as its concentration increases from 0 to $500\,\mathrm{g\,dm^{-3}}$.

(Total for Question 5 = 10 marks)

- **6** (a) Methane is a hydrocarbon fuel.
 - (i) Complete the word equation for the **complete** combustion of methane in oxygen.

(2)

methane + _____ → water + ____

(ii) The **incomplete** combustion of methane can produce carbon and carbon monoxide.

Give the reason why carbon and carbon monoxide are produced in the **incomplete** combustion of methane.

(1)

(b) Crude oil is a complex mixture of hydrocarbons.

Crude oil can be separated into useful fractions by fractional distillation.

Figure 10 shows a fractional distillation column and the fractions produced when crude oil is distilled.




Figure 10

(i) Name the fraction in Figure 10 that is used to surface roads.



(ii) Name the fraction in Figure 10 that contains hydrocarbons with the lowest boiling point.

(1)

(c) When crude oil is fractionally distilled, the demand for some fractions is more than the amount produced.

Figure 11 shows the relative amounts of each fraction in a crude oil and the relative demand for each of these fractions.

fraction	relative amount	relative demand
gases	2	6
petrol	12	29
kerosene	16	11
diesel oil	24	29
fuel oil	37	21
bitumen	9	4

Figure 11

Which of the following shows the fractions where the relative demand is greater than the relative amount in the crude oil?

- **A** kerosene, diesel oil, bitumen
- **B** gases, petrol, diesel oil
- **C** gases, petrol, kerosene
- D petrol, diesel oil, fuel oil

- (d) Cracking involves the breaking down of large hydrocarbon molecules into smaller hydrocarbon molecules.
 - (i) Octane, C_8H_{18} , can be cracked to produce one molecule of ethene, C_2H_4 , and one molecule of C_vH_{14} .

$$C_8H_{18} \rightarrow C_2H_4 + C_xH_{14}$$

Determine the value of x in the molecule of C_xH_{14} .

(1)

x =

(ii) Dodecane is a large hydrocarbon molecule.

When one molecule of dodecane is cracked the products are one molecule of octane and one molecule of butene.

dodecane → octane + butene

Calculate the maximum mass of octane that could be produced when 340 g of dodecane is cracked in this reaction.

(relative formula masses: dodecane = 170, octane = 114)

(2)

mass of octane =g

(Total for Question 6 = 9 marks)

BLANK PAGE



7 (a) Ethanol can be produced by the fermentation of glucose solution.

Which of these shows the word equation for the fermentation of glucose solution?

(1)

- \square **A** glucose \rightarrow ethanol + water
- \square **B** glucose \rightarrow ethanol + carbon dioxide
- \square **C** glucose \rightarrow ethanol + hydrogen
- \square **D** glucose \rightarrow ethanol + water + carbon dioxide
- (b) The names and formulae of the first four alcohols in the homologous series of alcohols are given in Figure 12.

name of alcohol	formula
name of alcohol	Iomiuia
methanol	CH₃OH
ethanol	C ₂ H ₅ OH
propanol	C ₃ H ₇ OH
butanol	C ₄ H ₉ OH

Figure 12

(i) Pentanol is the next member of this series.A molecule of pentanol contains five carbon atoms.

Suggest the formula of a molecule of pentanol.

(1)

(ii) Draw the structure of a molecule of ethanol. Show all bonds.

(c) Ethanol is present in alcoholic drinks, such as wine.

When a bottle of wine is left open some of the ethanol reacts with the oxygen in the air to form ethanoic acid, CH₃COOH, and water.

(i) Complete the equation for this reaction.

(2)

$$CH_3CH_2OH + \dots \rightarrow CH_3COOH + \dots$$

(ii) Which calculation shows the percentage by mass of hydrogen in ethanoic acid? (relative atomic mass of hydrogen, H=1, relative formula mass of ethanoic acid, $CH_3COOH=60$)

$$\triangle$$
 A $\frac{1}{60} \times 100$

- \square **C** $\frac{4}{60} \times 100$
- \square **D** $\frac{60}{1} \times 100$

*(d) Polymers have many uses.

However, the disposal of polymers after use can be a problem.

The uses of polymers are related to their properties.

Some uses of three common polymers are given in Figure 13.

polymer	uses		
poly(ethene)	plastic bags, plastic bottles		
poly(chloroethene) (PVC)	window frames, water pipes, insulation for electrical wires		
poly(tetrafluoroethene) (PTFE, Teflon™)	coating for frying pans, stain-proofing for clothing		

Figure 13

the problems in disposing of these polymers.			
the problems in disposing of these polymers.	(6)		

(Total for Question 7 = 13 marks)



- **8** (a) An atom of potassium has atomic number 19 and mass number 39.
 - (i) Give the electronic configuration of this potassium atom.

(1)

(ii) This potassium atom forms the ion K⁺.

Which row shows the number of protons and the number of neutrons in this potassium ion, K⁺?

(1)

		number of protons	number of neutrons
×	Α	19	19
×	В	19	20
X	C	20	19
X	D	20	20

(b) Potassium and caesium are in the same group of the periodic table.

Explain, in terms of electrons, why potassium and caesium are in the same group.

(2)

(c) Fluorine boils at -188 °C.

There are forces between fluorine molecules.

Explain, in terms of these forces, why the boiling point of fluorine is low.

(d) Potassium reacts with fluorine to form potassium fluoride. Potassium fluoride is a solid.

Complete the balanced equation for this reaction and add the state symbols.

(3)

.....K (......K (.....KF (.....KF) +
$$F_2(g)$$
 \rightarrow KF (.....KF)

(e) What are the elements in group 1 of the periodic table called?

(1)

- **A** alkali metals
- **B** fullerenes
- **D** noble gases
- (f) Figure 14 shows the melting points and boiling points of elements in group 7 of the periodic table.




Figure 14

(i) Give, using Figure 14, the boiling point of bromine.

(1)

boiling point of bromine =°C

(ii) State which **two** elements from Figure 14 are solids at room temperature.

(1)

(Total for Question 8 = 12 marks)

9 (a) Calcium carbonate reacts with dilute hydrochloric acid to produce carbon dioxide gas.

The rate of reaction between calcium carbonate and dilute hydrochloric acid at room temperature was investigated.

(i) The investigation was carried out with different sized calcium carbonate pieces.

The mass of calcium carbonate and all other conditions were kept the same.

The results are shown in Figure 15.

size of calcium carbonate pieces used	volume of carbon dioxide gas produced in five minutes in cm ³
large	16
small	48
powder	90

Figure 15

	calcium carbonate on the rate of this reaction.	(1)
		(")
(ii)	The calcium carbonate powder produced 90 cm ³ of carbon dioxide in five minutes.	
	Calculate the average rate of reaction in cm ³ s ⁻¹ .	(3)
	average rate of reaction =	cm ³ s ⁻¹

(iii) The experiments were repeated at a higher temperature. The rate of reaction for each experiment increased.	
Explain, in terms of particles, why the rate of reaction increased when the temperature was increased.	
temperature mas intercused.	(3)

(6)

*(b) Zinc metal reacts with dilute hydrochloric acid to produce hydrogen gas.

 $zinc + hydrochloric acid \rightarrow zinc chloride + hydrogen$

A student investigated the effect of doubling the concentration of the hydrochloric acid on this reaction.

The student made the following prediction.

When the concentration of the hydrochloric acid is doubled the rate of reaction will double and the reaction will be more exothermic.

Devise a plan, including the apparatus you would use, to test the student's prediction.

You are provided with pieces of zinc and two bottles of dilute hydrochloric acid. One bottle of hydrochloric acid is double the concentration of the other.

(Total for Question 9 = 13 marks)



10 Figure 16 shows the structure of a molecule of dichloroethene.

Figure 16

(a) (i) Describe how dichloroethene monomers form a polymer.

- (ii) Which of these represents the structure of the polymer formed from the monomer in Figure 16?
- (1)



		TOTAL FOR PAPER = 100 MAI	RKS
		(Total for Question 10 = 11 ma	rks)
		mass =	tonnes
			(3)
	Give y	our answer to two significant figures.	(3)
		ate the mass of dichloroethene that has not reacted.	
(d)		dustrial process uses 500 tonnes of dichloroethene. process only 96.5% of the dichloroethene molecules react.	
	Expla	n one property that a plastic food wrapping must have.	(2)
(c)	Poly(d	lichloroethene) was used to wrap food to keep it fresh.	
		$C_2H_4 + 2Cl_2 \rightarrow C_2H_2Cl_2 + \dots$	
	Comp	lete the balanced equation for the overall reaction.	(2)
		overall reaction, ethene reacts with chlorine and forms dichloroethene and gen chloride.	
(b)		proethene is produced from ethene and chlorine.	
	□ D	both mixtures go colourless	
	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□<	only the dichloroethene and bromine water goes colourless only the poly(dichloroethene) and bromine water goes colourless	
	⋈ A⋈ B	both mixtures remain orange	
		hat would be seen ?	(1)
	a	few drops of bromine water.	
	(iii) Se	parate samples of dichloroethene and poly(dichloroethene) are shaken with	



The periodic table of the elements

0	He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86
7		19 fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85
9		16 O oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84
2		14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83
4		12 carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin 50	207 Pb lead 82
က		11 B boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 TI thallium 81
	•			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79
				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78
				59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77
	1 hydrogen 1			56 Fe iron 26	Ru ruthenium 44	190 Os osmium 76
•				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75
		nass ool umber		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74
	Key	Key relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73
		relativ ato atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72
				45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr stronflum 38	137 Ba barium 56
_		7 Li Ilthium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55

^{*} The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.