

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

GCSE BIOLOGY

F

Foundation Tier Paper 2F

Friday 9 June 2023

Afternoon

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use

Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	



J U N 2 3 8 4 6 1 2 F 0 1

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）



Answer **all** questions in the spaces provided.

Do not write
outside the
box

0 1

Hormones are important for controlling many processes in the human body.

Hormones are produced by glands.

0 1 . 1

Which organ system has glands that produce hormones?

[1 mark]

Tick (✓) **one** box.

The circulatory system

☐

The endocrine system

☐

The nervous system

☐

0 1 . 2

How are hormones transported around the body?

[1 mark]

Tick (✓) **one** box.

By the blood

☐

By the muscles

☐

By the nerves

☐

Question 1 continues on the next page


Turn over ►



Figure 1 shows glands in a woman's body.

Do not write
outside the
box

Figure 1



0 1 3

Draw **one** line from each gland to the name of that gland.

[3 marks]

Gland	Name
A	Adrenal
B	Pituitary
C	Testes
	Thyroid



0 1 . 4 Which gland in **Figure 1** produces insulin?

[1 mark]

Tick (✓) **one** box.

A		B		C		D	
----------	--	----------	--	----------	--	----------	--

0 1 . 5 Which organ does insulin mainly affect?

[1 mark]

Tick (✓) **one** box.

The brain	
The liver	
The ovary	

0 1 . 6 Give **one** effect of insulin.

[1 mark]

Question 1 continues on the next page

Turn over ►



Some hormones control a woman's menstrual cycle.

0 1 . 7

Which hormone causes an egg to mature in the ovary?

[1 mark]

Tick (✓) **one** box.

Adrenaline

☐

Follicle stimulating hormone (FSH)

☐

Testosterone

☐

0 1 . 8

Which **two** are hormones that help to maintain the lining of the uterus during pregnancy?

[2 marks]

Tick (✓) **two** boxes.

Amylase

☐

Oestrogen

☐

Progesterone

☐

Protease

☐

Thyroxine

☐


0	1	.	9
---	---	---	---

Contraception prevents pregnancy.

Give **two** methods of contraception that use hormones.

[2 marks]

1 _____

2 _____

13

Turn over for the next question

Turn over ►




0 2

Students estimated the population of buttercup plants growing on a lawn.

The lawn is a rectangle measuring 15 m $\times$ 10 m.

Figure 2 shows the lawn.

Figure 2



Key

 Buttercup plant

This is the method used.

1. Measure the length and width of the lawn.
2. Choose five locations to sample.
3. Place a 1 m $\times$ 1 m square frame at each location.
4. Record the number of buttercup plants in each square frame.

Do not write
outside the
box

Find Personal Tutor from www.wisesprout.co.uk

找名导师，用小草线上辅导（微信小程序同名）



0 2 . 1

Complete the sentences.

Choose answers from the box.

[2 marks]

15 cm ruler	30 m tape measure	
balance	quadrat	transect

The length and width of the lawn should be measured

using a _____.

The 1 m × 1 m square frame is called a _____.

0 2 . 2

How should the students choose the five locations to sample?

[1 mark]

Tick (✓) **one** box.

Choose locations at random.

☐

Choose locations at the corners of the lawn.

☐

Choose locations with lots of buttercup plants.

☐

Choose locations with no buttercup plants.

☐

Question 2 continues on the next page

Turn over ►



Table 1 shows the results.

Table 1

Sample number	Number of buttercup plants
1	2
2	7
3	0
4	0
5	1

The students used their results to calculate the population of buttercup plants.

0 2 . 3

Complete the sentences.

Choose answers from the box.

[2 marks]

area	mean	median	perimeter	volume
-------------	-------------	---------------	------------------	---------------

Multiply the length of the lawn by the width of the lawn to give the
lawn's _____.

Add up the total number of buttercup plants and divide by 5 to give
the _____.



0 2 . 4

The students calculated that the population of buttercup plants on the lawn was 300.

How did the students use the results in **Table 1** to calculate the population?

[1 mark]

0 2 . 5

How could the students improve the accuracy of the estimate?

[1 mark]

Tick (✓) **one** box.

Count and record more samples.

☐

Select locations in the middle of the lawn.

☐

Use a square frame measuring 0.5 m × 0.5 m.

☐

0 2 . 6

One **abiotic** factor that affects the number of buttercup plants on the lawn is soil pH.

Give **one** other **abiotic** factor that could affect the number of buttercup plants on the lawn.

Do **not** refer to soil pH in your answer.

[1 mark]

Turn over for the next question

Turn over ►




0 3

Different species in a habitat may depend on each other for food.

Figure 3 shows a food chain.

Figure 3

**0 3****. 1**

The grass needs energy to grow.

What is the source of energy for the grass?

[1 mark]



0 3 . 2 Table 2 lists different types of feeding relationship.

Table 2

Feeding relationship	Organism
Secondary consumer	Lynx
Primary consumer	
Producer	
Herbivore	
Carnivore	
Prey	
Predator	

Write the name of **one** organism from **Figure 3** in each box in **Table 2**.

[3 marks]

Each organism may be written in one box or in more than one box.

The first box has been completed for you.

Question 3 continues on the next page

Turn over ►



Question 3 continues on the next page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）



0 3 . 3

Figure 4 shows the appearance of the snowshoe hare in the summer and in the winter.

Do not write
outside the
box

Figure 4

Snowshoe hare in summer



Snowshoe hare in winter



The snowshoe hare has a different fur colour in the summer than in the winter.

Explain how the different fur colour increases the chance of survival of the snowshoe hare.

[3 marks]


Question 3 continues on the next page

Turn over ►



Figure 5 shows how the number of snowshoe hares and the number of lynx varied in one area between 1900 and 1935.

Do not write
outside the
box



0 3 . 4

Figure 5 shows that the number of snowshoe hares and the number of lynx increase and decrease several times.

Suggest **two** reasons why the number of **snowshoe hares** increases.

[2 marks]

1 _____

2 _____



0 3 . 5

The number of snowshoe hares increased and decreased four times between 1900 and 1935.

What effect does an **increase** in the number of snowshoe hares have on the number of lynx?

[1 mark]

0 3 . 6

Suggest **one** reason why the number of lynx decreased from 1915 to 1919.

Use information from **Figure 5**.

[1 mark]

0 3 . 7

When the snowshoe hare eats grass, about 90% of the biomass of the grass is lost.

Give **two** ways the biomass is lost.

[2 marks]

1

2

Turn over for the next question

Turn over ►



0 4

Some farmers keep cows indoors in large sheds.

Other farmers keep cows outdoors in fields of grass.

Figure 6 shows cows being kept indoors and outdoors.

Figure 6

Cows kept indoors



Cows kept outdoors



Table 3 shows the energy inputs and energy outputs for keeping cows.

Table 3

	Energy in kJ/m ² /year	
	Indoors	Outdoors
Input as food	10 000	5 950
Input as fossil fuel	6 000	50
Output as meat and milk	40	2

0 4 . 1

Calculate the total energy input for keeping cows **outdoors**.

Use data from **Table 3**.

[1 mark]

Total energy input = _____ kJ/m²/year



0 4 . 2

The total energy input for keeping cows **indoors** is 16 000 kJ/m²/year.

Calculate the percentage efficiency of keeping cows **indoors**.

Use the equation:

$$\text{percentage efficiency} = \frac{\text{energy output}}{\text{total energy input}} \times 100$$

[2 marks]

Percentage efficiency = _____ %

0 4 . 3

The percentage efficiency of keeping cows outdoors is 0.03%.

Why is it more energy efficient to keep cows indoors than to keep cows outdoors?

[2 marks]

Tick (✓) **two** boxes.

Cows are more stressed indoors.

☐

Cows move less indoors.

☐

It is noisier indoors.

☐

It is warmer indoors.

☐

There is less light indoors.

☐

Diseases in cows can cause problems for farmers.

0 4 . 4

Suggest why diseases spread more quickly when the cows are kept indoors.

[1 mark]

Turn over ►




One species of bacterium causes a disease in cows.

Scientists investigated the effect of eight different antibiotics on the growth of this species of bacterium.

The scientists put discs containing the different antibiotics onto a Petri dish containing the bacteria.

Antibiotics **A** to **H** were used in the investigation.

Figure 7 shows what the Petri dish looked like after 2 days.



0 4 . 5

This species of bacterium is resistant to some of the antibiotics.

Give the letter of **one** antibiotic the bacterium is resistant to.

[1 mark]



0 4 . 6

Complete the sentence.

Choose the answer from the box.

[1 mark]

carbohydrate	DNA	lipid
--------------	-----	-------

Antibiotic resistance in a single bacterium is caused by a change in the bacterium's _____.

0 4 . 7

Complete the sentence.

Choose the answer from the box.

[1 mark]

excretion	feeding	reproduction
-----------	---------	--------------

A change in one bacterium can cause millions of bacteria to become resistant to the antibiotic.

This is because bacteria have a high rate of _____.

0 4 . 8

Suggest why the production of millions of antibiotic-resistant bacteria is a problem for farmers.

[2 marks]

Turn over for the next question



0 5

Bacteria are one type of organism that cause decay.

0 5 . 1

Which other type of organism causes decay?

[1 mark]

Tick (✓) **one** box.

Fungi

☐

Plants


☐

Viruses

☐

Students investigated the effect of temperature on the decay of milk.

The decay was caused by bacteria in the milk.

Figure 8 shows the apparatus used.**Figure 8**

This is the method used.

1. Set up the apparatus as shown in **Figure 8** with the milk at 20 °C.
2. Record the pH each day for 7 days.
3. Repeat with more samples of milk at 5 °C and at 30 °C.



0 5 . 2 What was the dependent variable in the investigation?

[1 mark]

Tick (✓) **one** box.

The pH of the milk

☐

The type of milk

☐

The volume of the milk

☐

0 5 . 3 How could the students keep the milk at 30 °C for 7 days?

[1 mark]

Tick (✓) **one** box.

Put a lid on the beaker.

☐

Put the beaker in a water bath.

☐

Stir the milk continuously.

☐

Wrap cloth around the beaker.

☐

0 5 . 4 As the milk decays, the bacteria digest fats in the milk.

What type of acid is produced by digestion of fats in the milk?

[1 mark]

Tick (✓) **one** box.

Amino acid

☐

Fatty acid

☐

Hydrochloric acid

☐


Question 5 continues on the next page

Turn over ►



Figure 9 shows the results.

Figure 9



0 5 . 5 Why did the pH **not** fall below pH 4.5 at 20 °C?

[1 mark]

Tick (✓) **one** box.

All the fat had been digested.

☐

The reaction was too fast.

☐

The temperature was too low.

☐


The digestion of fat was fastest at 30 °C and slowest at 5 °C.

05.6

Give **one** reason why the rate of digestion was faster at 30 °C than at 5 °C.

[1 mark]

05.7

Calculate the rate of digestion at 30 °C from day 2 to day 3.

Complete the following calculation.

Use data from **Figure 9**.

[2 marks]

At 30 °C, the pH at day 2 = _____

At 30 °C, the pH at day 3 = _____

Therefore the fall in pH at 30 °C from day 2 to day 3 = _____ pH units/day

05.8

The rate of digestion at 5 °C from day 2 to day 3 is 0.1 pH units/day.

How many times faster is the rate of digestion at 30 °C than the rate of digestion at 5 °C from day 2 to day 3?

[2 marks]

Use your answer to Question **05.7**.

Rate at 30 °C is _____ times faster

10

Turn over for the next question

Turn over ►




0 6

The kidneys filter the blood.

Figure 10 shows filtration in the kidney.

Figure 10



0 6 . 1

Glucose molecules are found in the blood plasma **and** in the filtrate.

Protein molecules are **only** found in the blood plasma.

Draw **one** line from each substance to the reason for where the substance is found.

[2 marks]

Substance	Reason
Glucose	The molecules are too large to pass through the filter
Protein	The molecules are small enough to pass through the filter
	The molecules are too small to pass through the filter



0 6 . 2

The kidneys control the volume of water in the body.

Table 4 shows information about a person on one day.

Table 4

	Volume in dm ³
Water filtered from blood	160.0
Water lost in urine	1.9

Calculate the volume of water reabsorbed into the blood.

[1 mark]

Volume = _____ dm³

Question 6 continues on the next page

Turn over ►



0 6 . 3

A person with kidney disease may be treated by dialysis or by having a kidney transplant.

Figure 11 gives information about dialysis and kidney transplants.

Figure 11

Dialysis

- A person needs 3 dialysis sessions a week, with each session lasting about 8 hours.
- Most patients have dialysis in hospital.
- Protein and salt levels in food must be kept low.
- Dialysis costs £35 000 per year for each patient.

Kidney transplant

- In a surgical operation the use of a general anaesthetic can occasionally cause damage to other organs.
- After a transplant the patient must take drugs for the rest of their life to suppress the immune system.
- A transplant costs £17 000 in the first year and then £5 000 in each of the following years for drugs.
- The transplanted kidney will work well for about 10 years.



'It is better to treat a person with kidney disease by using a kidney transplant rather than by dialysis.'

Use information from **Figure 11**.

[6 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Question 6 continues on the next page

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

Turn over ►



0 6 . 4

A kidney transplant costs £17 000 in the first year and then £5 000 in each of the following years for drugs.

Calculate the total cost of treatment by kidney transplant over the first 5 years.

[3 marks]

Total cost = £

Do not write
outside the
box

12

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）



0 7

Many different species can live together in the same habitat.

0 7 . 1

What name is given to all of the organisms living in the same habitat?

[1 mark]Tick (✓) **one** box.

A community

☐

A food chain

☐

A population

☐

An ecosystem


☐**Question 7 continues on the next page****Turn over ►**

Figure 12 shows four species of bird from the same habitat in the UK.

Figure 12



Brambling (*Fringilla montifringilla*)



Bullfinch (*Pyrrhula pyrrhula*)



Chaffinch (*Fringilla coelebs*)



Goldfinch (*Carduelis carduelis*)



0 7 . 2 Which species of bird in **Figure 12** do scientists think are most closely related?

[1 mark]

Tick (✓) **one** box.

Brambling and chaffinch

☐

Brambling and goldfinch

☐

Bullfinch and chaffinch

☐

Bullfinch and goldfinch

☐

0 7 . 3 Scientists think the brambling and the bullfinch belong to different species.

What evidence is used by scientists to classify the brambling and the bullfinch as different species?

[1 mark]

Tick (✓) **one** box.

The brambling and the bullfinch are different sizes.

☐

The brambling and the bullfinch cannot breed together to give fertile offspring.

☐

The brambling and the bullfinch live in different parts of the habitat.

☐

The brambling eats mainly seeds and the bullfinch eats mainly insects.

☐


Question 7 continues on the next page

Turn over ►



Four other species of bird (**A**, **B**, **C** and **D**) live in a habitat in the UK.

Figure 13 shows how the numbers of each species of bird varied during one year.



Use information from **Figure 13** to answer Questions **07.4** to **07.6**

07.4

Describe what happens to the number of birds of species **A** during the year.

[3 marks]



0 7 . 5

In June and July, a disease affected the populations of some of the species.

Which species had the **lowest** resistance to the disease?

[1 mark]

Tick (✓) **one** box.

A

☐

B

☐

C

☐

D

☐

0 7 . 6

One species migrates between the UK and other countries.

Which species migrates between the UK and other countries?

Give a reason for your answer.

[1 mark]

Species _____

Reason _____

Turn over for the next question

Turn over ►



0 8

A person's eyes can focus on objects at different distances.

A person looks at a distant object.

The person then looks at a near object.

The person's eyes make adjustments so that the near object forms a clear image.

0 8

1

Which term describes the adjustment of focus from the distant object to the near object?

[1 mark]

Tick (✓) **one** box.

Accommodation

☐

Adaptation

☐

Hyperopia


☐

Myopia

☐

Figure 14 shows the eye.

Figure 14



0 8 . 2 Which structure in **Figure 14** is where the image is focused?

[1 mark]

Tick (✓) **one** box.

A ☐	B ☐	C ☐	D ☐	E ☐
-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------

0 8 . 3 Which structure in **Figure 14** is a muscle that contracts when focusing on a near object?

[1 mark]

Tick (✓) **one** box.

A ☐	B ☐	C ☐	D ☐	E ☐
-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------

0 8 . 4 What happens to the shape of the lens when focusing on a near object?

[1 mark]

0 8 . 5 The eyes can function in dimly-lit areas and in brightly-lit areas.

The iris contains muscles.

Describe how muscles in the iris help the person to see clearly when moving from a dimly-lit area to a brightly-lit area.

[2 marks]

Question 8 continues on the next page

Turn over ►



[illegible]

Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）

Turn over ►



0 9

Reproduction can produce offspring which are:

- genetically different
- or**
- genetically identical.

Farmers grow tomato plants in greenhouses.

The tomatoes are sold in supermarkets.

0 9 . 1

Suggest **one** advantage of growing tomato plants that are genetically different.

[1 mark]

0 9 . 2

Suggest **one** advantage of growing tomato plants that are genetically identical.

[1 mark]

0 9 . 3

Scientists can grow genetically identical tomato plants using tissue culture.

What is tissue culture?

[1 mark]

0 9 . 4

Genetically identical tomato plants growing in the same garden do **not** all grow to the same height.

Give **one** reason why.

[1 mark]



The sex of dogs is determined by **X** and **Y** chromosomes in the same way as in humans.


0 9 . 5

Complete the Punnett square diagram in **Figure 15** to show the inheritance of sex in dogs.

Use the symbols **X** and **Y**.

[3 marks]

Figure 15



0 9 . 6

A female dog gave birth to six offspring.

Why would you expect there to be three male offspring and three female offspring?

Use your answer to Question **09.5**.

[1 mark]

Question 9 continues on the next page

Turn over ►



Farmers keep chickens for:

- meat production
- egg production.

Some varieties of chicken grow more quickly and are more suitable for meat production.


Other varieties of chicken produce more eggs.

A farmer keeps two varieties of chicken, **A** and **B**.

The farmer investigated the growth rates and egg-production rates of both varieties.

Figure 16 shows the results.

Figure 16



0 9 . 7

Suggest **two** control variables the farmer should have used in this investigation.

[2 marks]

1 _____

2 _____



0 9 . 8

Figure 16 shows mean values from 500 chickens of each variety.

Give the reason the farmer used a large number of chickens.

[1 mark]

0 9 . 9

The farmer wants to produce a new variety of chicken that is good for **both** meat production **and** egg production.

Describe how selective breeding of chicken varieties **A** and **B** can produce the new variety of chicken.

[4 marks]

END OF QUESTIONS



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）





[illegible]

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.

Find Personal Tutor from www.wisesprout.co.uk

找名校导师，用小草线上辅导（微信小程序同名）



4 8



2 3 6 G 8 4 6 1 / 2 F

IB/M/Jun23/8461/2F