

Wednesday 07 October 2020 - Morning

A Level Computer Science

H446/01 Computer Systems

Time allowed: 2 hours 30 minutes

*		
ω		
ω		
Ν		
Ø		
Ø		
σ		
Ø		
σ		
4		
4		
- 5	=	

You can use: • an HB pencil		
Do not use: • a calculator		

|--|--|--|--|--|--|--|--|

Please write clearly in black ink. Do not write in the barcodes.									
Centre number						Candidate number			
First name(s)									
Last name									

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.

INFORMATION

- The total mark for this paper is 140.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 24 pages.

ADVICE

· Read each question carefully before you start your answer.

© OCR 2020 [601/4911/5] DC (MS) 198011/4 OCR is an exempt Charity

Turn over

Answer **all** the questions.

		uses a computer system to keep track of room bookings. The hotel staff are able to query ase to discover which rooms are booked or which rooms are free.
(a)	The	hotel's computer network uses a client-server model.
	(i)	Describe what is meant by the term 'client-server' in this context.
		[3]
	(ii)	Give two advantages of client-server compared to peer-to-peer.
		1
		2
		101
Tho	hote	[2] el's network uses multiple switches.
me	HOLE	ers network uses multiple switches.
(b)	Exp	lain the purpose of a network switch.

1

th	riscuss the threats which potentially exist to the hotel's computer network and how these breats could be eliminated or reduced.
• •	
• •	
-	
٠.	

(d) The hotel stores data about rooms, customers and bookings in a database. Each customer

i)	Draw an Entity Relationship Diagram for this database.
i)	Define what is meant by the term 'foreign key', giving one example of where a foreign key would be used in the hotel booking database.
	Definition
	Example

((iii)	Describe two different ways that hashing could be used in this database.
		1
		2
		[4]
The	hote	I booking database enforces referential integrity.
(e)	Expl brok	ain what is meant by the term 'referential integrity' and how this could potentially be en.
		[2]

2	A supermarket uses an object-oriented approach to organise items that it offers for sale. Part of
	the class definition for the ItemForSale class is shown below.

class	ItemFo	rSale
	public	itemName
	public	price
	public	discount

endclass

•••

(a) The discount attribute represents a percentage discount on the price. The discount can be between 0 and 50 (inclusive). All new items for sale initially have a discount value of 0.

(i)	Write the constructor method for the ItemForSale class.
	[4]
(ii)	Write a line of code to create an object of type ${\tt ItemForSale}$ called mushypeas that has a name of "mushy peas" and a price of £0.89
	[3]

© OCR 2020

	(iii)	Write the calculatePrice() method, which applies the percentage discount to the price and returns the new value.
		[3]
(b)	The	supermarket has previously had issues with discounts being set as values above 50.
		lain how encapsulation could be applied to the ItemForSale class to stop this problem occurring.
	You	are not expected to write any code in your answer to this question.
		[3]

Some items in the supermarket are only available through home delivery. These items are the same as ItemsForSale with the following exceptions:


- the supermarket also stores the location of the stock
- the percentage discount allowed is up to 75 rather than the standard 50.

	[4
;)	Explain how inheritance can be used to implement the above requirements.

3	(a) (i)	Convert the denary number -119 to an 8-bit binary number with two's complement representation.
		[1]
	(ii)	Convert the unsigned binary number 1101101 to hexadecimal.
		[1]
	(iii)	Convert the denary number 171 to hexadecimal.
		[1]
	(iv)	Convert the hexadecimal number A6 to binary.
		[2]

(b)		ow how the de							
						•••••			
									[5]
(c)	(i)	Show the res	sult of appl	ying an X0	OR mask	of 1100 01	111 to the by	/te 0101 110	01.
		Byte	0101	1101					
		XOR mask	1100	0111					
									[2]
	(ii)	Describe a m	ask that c	ould be ap	oplied to a	n 8-bit nu	mber to ens	ure that:	
			t significan bits remai			1			
									[2]

4 (a) (i) Complete the Karnaugh map below for the Boolean expression (¬A∧¬B) ∨ (A∧¬B)



[3]

(ii)	Use the Karnaug (¬A ∧ ¬B) ∨ (A	•	find a	simplified	Boolean	expression	that is	equivalent	to
		,							
				•••••					

(b)	(i)	State the purpose of a D-type flip-flop circuit.
		[2]
	(ii)	Describe the inputs and outputs used by a D-type flip-flop circuit, explaining how the inputs are used to control the outputs.

nothing to fear."

"When it comes to government electronic surveillance, if you have nothing to hide, you have

•	To what extent the LIK government is able to maniter electronic communications of its sit	7000
•	To what extent the UK government is able to monitor electronic communications of its citi Technical measures citizens can take to help prevent their communications being moniton	
	Turn ov	

- **6** Two people play a counting game. The rules of the game are as follows:
 - The first player starts at 1
 - Each player may choose one, two or three numbers on their turn and the numbers must be in ascending order
 - Players take it in turns to choose
 - The player who chooses "15" loses the game.

For example, if the first player chooses three numbers (1, 2, 3) then the second player could choose one number (4), two numbers (4, 5) or three numbers (4, 5, 6). The first player then takes another go.

Write an algorithm using pseudocode that allows two players to play this game. The algorithm should:

- Alternate between player 1 and player 2
- Ask the player how many numbers they would like to choose, ensuring that this is between 1 and 3
- Display the numbers that the player has chosen

•	a suitable		which pla	on once	the number	15 has	been

	181

7 The table below shows the Little Man Computer instruction set.

Mnemonic	Instruction
ADD	Add
SUB	Subtract
STA	
LDA	Load
	Branch always
BRZ	
BRP	
INP	Input
OUT	Output
	End program

(a)	Complete the table above to show the missing mnemonics and instructions. [5]
(b)	Write a program using the Little Man Computer instruction set that will allow a user to input two numbers and then output the larger of the two numbers. The program should loop continuously.

 	 [6]										

Procedural programming and object-oriented programming are two paradigms commonly used by

deve	uss the advantages of using object-oriented programming over procedural programming when loping computer games. You should refer to inheritance, encapsulation and polymorphism in answer.

(a) Ir	mogen buys a desktop computer. It comes with an operating system installed.
(i	(i) Describe two ways that an operating system could manage physical memory.
	1
	2
(ii	ii) Explain one benefit of memory management to the user.
(iii	Describe how virtual memory allows a user to run programs when physical memory full.

Operating systems make use of device drivers.

(b)	Define what is meant by the term 'device driver', giving one example of a device driver that a home user would need.			
	Definition			
	Example			
	[3]			
Оре	erating systems usually come with utility software pre-installed.			
(c)	Give two examples of utility software, explaining the purpose of both.			
	1			
	2			
	[4]			

(d)	d) Imogen installs a compiler for a high-level programming language onto her computer makes use of an open source IDE (Integrated Development Environment).		
	(i)	State what is meant by the term 'open source software'.	
		[2]	
	(ii)	Give one benefit to Imogen of using an open source IDE rather than a closed source IDE.	
		[1]	

(e)	Wh	en Imogen creates programs in a high-level language, she makes use of libraries.	
	(i)	Explain what is meant by a library, giving one example of when one may be used.	
			[31
	(ii)	Describe one advantage of the use of library files to programmers.	. [~]
	. ,		
			. [2]
	(iii)	Describe one disadvantage of the use of library files to programmers.	
			. [2]
	(iv)	Explain how linkers are used during the compilation process.	
			1.51

END OF QUESTION PAPER

23

ADDITIONAL ANSWER SPACE

be clearly shown in the margins.						
•••••						
	<u> </u>					

© OCR 2020

,	



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2020