

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

A-level PHYSICS

Paper 3 Section A

Thursday 14 June 2018

Morning

Materials

For this paper you must have:

- a pencil and a ruler
- · a scientific calculator
- a Data and Formulae Booklet.

Time allowed: The total time for both sections of this paper is 2 hours. You are advised to spend approximately 70 minutes on this section.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show all your working.

For Examiner's Use Question Mark 1 2 3 TOTAL

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 45.
- You are expected to use a scientific calculator where appropriate.
- A Data and Formulae Booklet is provided as a loose insert.



Do not write

Section A

Answer all questions in this section.


0 1

This question is about using a digital balance to investigate the force on a wire placed in a magnetic field when there is an electric current in the wire.

A student carries out the procedure shown in **Figure 1** and **Figure 2**.


A metre ruler is pivoted at the $1.0~\rm cm$ mark and a prism is placed on a digital balance. The free end of the ruler is raised and the balance is turned on and then set to zero, as shown in **Figure 1**.

Figure 1



The ruler is then supported by the prism with the apex of the prism at the $30.0~\rm cm$ mark as shown in **Figure 2**. The height of the pivot is adjusted so that the ruler is horizontal.

Figure 2





Do not write outside the box

[3 marks]	mass of the ruler. sumption you make.		0 1.1
g		assumption	

Question 1 continues on the next page




The student attaches a uniform wire to the upper edge of the ruler, as shown in **Figure 3**.

The ends of the wire are connected to terminal blocks $\bf P$ and $\bf Q$ which are fixed firmly to the bench. A power supply and an ammeter are connected between $\bf P$ and $\bf Q$.


These modifications cause the balance reading to increase slightly.

A horizontal uniform magnetic field is applied, perpendicular to the wire, between the 85 cm and 90 cm marks, as shown in the close-up diagram in **Figure 3**.



The balance reading M is recorded for increasing values of current I. A graph of these data is shown in **Figure 4**.





[3 marks]	



It can be shown that B, the magnitude of the magnetic flux density of the horizontal uniform magnetic field, is given by

$$B = \frac{\sigma}{3L}$$

where σ = change in force acting on the prism per unit current in the wire L = length of the region where the magnetic field cuts through the wire.

Determine B.

[3 marks]


$$B =$$
 T



The experiment is repeated with the ruler pivoted at the $99.0~\rm cm$ mark. Nothing else is changed from **Figure 3**.

This arrangement is shown in Figure 5.

Figure 5



Tick (\checkmark) one box in row 1 and one box in row 2 of **Table 1** to identify the effect, if any, on the magnitude of the forces acting on the apparatus as a certain current is passed through the wire.

Tick (\checkmark) one box in row 3 and one box in row 4 of **Table 1** to identify the effect, if any, on the graph produced for this modified experiment compared with the graph in **Figure 4**.

[3 marks]

Table 1

		Reduced	No effect	Increased
1	Force acting on the current-carrying wire due to the horizontal uniform magnetic field			
2	Force acting on the prism due to the pivoted ruler			
3	Gradient of the graph			
4	Vertical intercept of the graph			

Question 1 continues on the next page



Figure 6 shows the balance being used to measure the forces between two wires. The connections joining these wires to the power supply are not shown.

The pan of the balance moves a negligible amount during use and it supports a straight conducting wire ${\bf X}$ of horizontal length L.


Terminal blocks are used to connect **X** into the circuit. The weight of these does not affect the balance reading.

A second conducting wire Y is firmly supported a distance d above X.

Show, by adding detail to **Figure 6**, the wire connections that complete the circuit. The currents in **X** and **Y** must have the same magnitude and be in the directions indicated.

[2 marks]

Figure 6





The vertical force F on wire \mathbf{X} due to the magnetic field produced by wire \mathbf{Y} is given by

$$F = \frac{kI^2L}{d}$$

where k is a constant

d is the perpendicular distance between ${\bf X}$ and ${\bf Y}$

I is the current in the wires

and L is the horizontal length of wire X.

A student wants to measure k using the arrangement in **Figure 6**.

The student is told that the following restrictions must apply:

- L is fixed
- I must not exceed 5.0 A
- the result for k must be obtained using a graphical method
- the experimental procedure must involve **only one** independent variable.

Explain what the student could do to find k.

[5 marks]

19



0 2


This question is about an experiment with a retractable steel tape measure.

The tape measure is placed at the edge of the bench and about $1\ \mathrm{m}$ of the steel tape is extended so that it overhangs the bench.

The tape is then locked in this position to stop it from retracting.

A student measures the dimensions x and y, the horizontal and vertical displacements of the free end of the tape, as shown in **Figure 7**.

Figure 7





0 2.1	Describe a suitable procedure the student could use to measure y . You may add detail to Figure 7 to illustrate your answer. [2 marks]
0 2.2	By changing the extension of the tape, the student obtains further values of x and y .

Table 2

These data are shown in Table 2.

<i>x</i> / cm	y / cm	
132.4	61.2	
116.8	33.7	
105.1	24.3	
94.5	15.6	
84.3	11.0	
73.2	5.7	

Suggest why the student chose to make all measurements of x greater than 70 cm				
	[1 mark]			

Question 2 continues on the next page



These data are used to plot the graph in Figure 8.

The data from the experiment suggest that $y = Ax^n$ where n is an integer and A is a


d A is a	Do oı
[3 marks]	

0 2 . 3

constant.

Determine *n* using **Figure 8**.

Do not write outside the box







	•		2
		1	
		<u></u>	Ś
	2	7	
	-		
			3
		5	
		2	
		2	
-		,	
	•	=)
	9		
		7	•

sesprout.co.uk
找名校导师,
用小草线上辅导
(微信小程序同名)
ı~

12

0 2.4	Explain how the numerical value of \boldsymbol{A} can be obtained from Figure 8 .	[3 marks]	
0 2.5	Estimate the order of magnitude of A . You should use data for x and y from any one row in Table 2 on page 11. Give your answer with an appropriate unit.		
	order of magnitude of $A=$ unit		
	 _ 		



0 3


This question is about an experiment to estimate absolute zero.

Figures 9a to 9d show the stages in the procedure carried out by a student.

An empty flask fitted with a tube and an open valve is placed in water bath **H** containing hot water. The air inside the flask is allowed to come into thermal equilibrium with the water.

The valve is then closed, trapping a certain volume of air, as shown in Figure 9a.






The flask is inverted and placed in water bath ${\bf C}$ in which the water is at room temperature.

The air inside the flask is again allowed to come into thermal equilibrium with the water, as shown in **Figure 9b**.

Figure 9b



Question 3 continues on the next page






Do not write outside the

box

The valve is opened and some water enters the flask, as shown in Figure 9c.






The depth of the inverted flask is adjusted until the level of water inside the flask is the same as the level in the water bath.

The valve is then closed, trapping the air and the water inside the flask, as shown in **Figure 9d**.

Figure 9d



0 3 . 1	Explain why the volume of the air in the flask in Figure 9c is less than the volume of the air in the flask in Figure 9d .
	[2 marks]




Do not write

b
Personal T
Tutor from
nd Personal Tutor from www.wisesprout.co.uk
找名校导师,
师,用小草线上辅导(
(微信小程序同名)

0 3 . 2 Explain why Charles's Law can be applied to compare the air in the flask in Figure 9a with the air in the flask in Figure 9d. [2 marks] 0 3 . The flask is removed from water bath **C** and the valve and stopper are removed. The volume of the water in the flask is V_1 The flask is then completely refilled with water and the valve and stopper replaced. The volume of the water now in the flask is V_2

Figure 10

The volumes V_1 and V_2 are shown by the shaded parts in **Figure 10**.



Explain how V_1 and V_2 can be determined.

In your answer you should

- identify a suitable measuring instrument
- explain a suitable procedure to eliminate possible systematic error.

			[3 marks]
Question	3 continues or	the next page	



0 3 . 4

Plot on **Figure 11** points to show the volume V and the temperature θ of the air in the flask when

- the flask is as shown in Figure 9a
- the flask is as shown in Figure 9d.


The temperature of the hot water bath is $86\ ^{\circ}\mathrm{C}$ Room temperature is $19\ ^{\circ}\mathrm{C}$

$$V_1 = 48 \text{ cm}^3$$

 $V_2 = 255 \text{ cm}^3$

[3 marks]

Figure 11





Add a best fit line to your graph in **Figure 11** to show how V should vary with θ

Determine the value of absolute zero in °C using your graph in Figure 11.

Find Personal Tutor from www.wisesprout.<u>co.uk</u>

[1 mark]

14

value of absolute zero = ____°C

END OF QUESTIONS

Turn over ▶



0

3 . 5

3 .

according to Charles's Law.

Do not write outside the

box

There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

