Please check the examination details below before entering your candidate information							
Candidate surname	Other names						
Pearson Edexcel Level 1/Level 2 GCSE (9–1)	re Number Candidate Number						
Wednesday 12 J	lune 2019						
Morning (Time: 1 hour 10 minutes)	Paper Reference 1SC0/2CH						
Combined Science	2						
Paper 5: Chemistry 2							
	Higher Tier						
You must have: Calculator, ruler	Total Marks						

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 60.
- The marks for each question are shown in brackets
 use this as a guide as to how much time to spend on each question.
- In questions marked with an asterisk (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.
- A periodic table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P60247A
©2019 Pearson Education Ltd.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 Most of the fuels used today are obtained from crude oil.
 - (a) Which statement about crude oil is correct?

(1)


- A crude oil is a compound of different hydrocarbons
- **B** crude oil is a mixture of hydrocarbons
- C crude oil contains different hydrocarbons, all with the same molecular formula
- **D** crude oil is an unlimited supply of hydrocarbons
- (b) Crude oil is separated into several fractions by fractional distillation. Two of these fractions are kerosene and diesel oil.
 - (i) State a use for each of these fractions.

(2)

kerosene

diesel oil

(ii) Figure 1 shows where the fractions kerosene and diesel oil are produced in the fractionating column.



Kerosene is obtained higher up the column than diesel oil. Kerosene and diesel oil fractions have slightly different properties.

Choose a property.

State how this property for kerosene compares with the property for diesel oil.

(1)

property _____

comparison

(c) Figure 2 shows the formulae of a molecule of butane and of a molecule of pentane. Butane and pentane are neighbouring members of the same homologous series.




Figure 2

(i) Explain, using these formulae, why butane and pentane are neighbouring members of the same homologous series.

(2)

(ii) Butane has the formula C₄H₁₀.

Calculate the mass of carbon in 100 g of butane.

Give your answer to three significant figures.

(relative atomic masses: H = 1.00, C = 12.0;

relative formula mass: $C_4H_{10} = 58.0$)

You must show your working.

(3)

(Total for Question 1 = 9 marks)

2 (a) An aluminium atom has the atomic number 13 and the mass number 27.

Which row shows the numbers of subatomic particles present in an aluminium ion, Al³⁺?

(1)

	protons	neutrons	electrons
A	13	14	13
В	13	14	10
C	14	13	10
D	14	13	17

X

X

X

(b) Magnesium burns in excess oxygen to form magnesium oxide. The balanced equation for this reaction is

$$2Mg + O_2 \rightarrow 2MgO$$

Starting with 1.35g of magnesium, calculate the maximum mass of magnesium oxide that could be formed in this reaction. (relative atomic masses: O = 16.0, Mg = 24.0)

You must show your working.

(3)

mass of magnesium oxide =g

(c) Chlorine reacts with hydrogen to form hydrogen chloride.

Write the balanced equation for this reaction.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(d) Sodium reacts with chlorine to form sodium chloride.

The electronic configuration of the sodium atom is 2.8.1 and the electronic configuration of the chlorine atom is 2.8.7.

Give the electronic configurations of the ions formed.

(2)

Na⁺

Cl⁻

(Total for Question 2 = 9 marks)

- 3 (a) Carbon dioxide is one of the gases in the Earth's atmosphere.
 The percentage of carbon dioxide in the Earth's atmosphere has changed over time.
 - (i) Which row of the table shows the approximate percentage of carbon dioxide thought to be in the Earth's early atmosphere and how this percentage changed to form the Earth's atmosphere today?

(1)

	approximate percentage of carbon dioxide in the Earth's early atmosphere	change in percentage carbon dioxide to form the Earth's atmosphere today.							
Α	5	increased							
В	5	decreased							
C	95	increased							
D	95	decreased							

(ii) The actual percentage of carbon dioxide in the Earth's atmosphere today varies.

Explain **two** factors that cause the percentage of carbon dioxide in today's atmosphere to vary.

(4)

factor 2

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Carbon dioxide is a simple molecular, covalent compound.
It has a low boiling point of -78.5° C.
Explain why carbon dioxide has a low boiling point.

(c) Calculate the number of molecules in 0.11 g of carbon dioxide.

Give your answer to two significant figures.

(relative formula mass : $CO_2 = 44$ Avogadro constant = 6.02×10^{23})

(3)

number of molecules =

(Total for Question 3 = 10 marks)

DO NOT WRITE IN THIS AREA

- **4** Some of the elements in the periodic table are metals.
 - (a) The electronic configuration of a metal is 2.8.3

Which row shows the group and period of the periodic table where this metal is found?

1)

	group	period
⋈ A	2	3
⊠ B	2	8
⊠ C	3	2
⊠ D	3	3

- (b) Lithium, potassium and rubidium are alkali metals.
 - (i) Describe what you would see when a small piece of rubidium is dropped on to water.

(2)

(ii) The electronic configuration of lithium is 2.1 The electronic configuration of potassium is 2.8.8.1 Lithium is less reactive than potassium.

Explain, in terms of their electronic configurations, why lithium is less reactive than potassium.

(3)

 	 •••••	 	 	 		
 	 •••••	 	 	 	•••••	



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c)	Lithium has two naturally occurring isotopes, lithium-6 and lithium-7.	
	A sample of lithium contains 7.59% of lithium-6 92.41% of lithium-7.	
	Calculate the relative atomic mass of lithium in this sample.	
	Give your answer to two decimal places. You must show your working.	
		(4)
	relative atomic mass of lithium =	
	(Total for Question 4 – 10 ma	rks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

5 Calcium carbonate reacts with dilute hydrochloric acid to produce calcium chloride, water and carbon dioxide.

$$CaCO_3 + 2HCl \rightarrow CaCl_2 + H_2O + CO_2$$

(a) A student wanted to measure the amount of gas produced in two minutes.

The student suggested that this could be done by counting the number of bubbles formed.

However, the bubbles are produced too quickly to count them.

Figure 3 shows a conical flask in which the calcium carbonate and dilute hydrochloric acid are reacting.

Complete Figure 3 to show the apparatus that could be used to measure accurately the volume of gas given off in two minutes.

(2)




Figure 3

(b)	The reaction between calcium carbonate and dilute hydrochloric acid is exothermic	c.
	Explain, in terms of bond breaking and bond making, why some reactions are exot	hermic.
		(3)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

*(c) An investigation was carried out into the rate of reaction of calcium carbonate with dilute hydrochloric acid.

5.0g of small lumps of calcium carbonate were reacted with $50\,\mathrm{cm^3}$ of $0.50\,\mathrm{mol\,dm^{-3}}$ hydrochloric acid.

Another 5.0g of the same sized lumps of calcium carbonate were reacted with 50cm³ of 1.0 mol dm⁻³ hydrochloric acid.

The volume of gas collected in two minutes was recorded for each experiment.

The two experiments were then repeated, each using 5.0g of large lumps of calcium carbonate.

Figure 4 shows the results.

concentration of	volume of gas collected in cm ³									
hydrochloric acid in mol dm ⁻³	small lumps of calcium carbonate	large lumps of calcium carbonate								
0.50	17.2	3.1								
1.0	35.1	5.6								

Figure 4

Explain, in terms of collision of particles, how these results show the effect of the size of the lumps of calcium carbonate and the effect of the concentration of the acid on the rate of this reaction.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 5 = 11 marks)
(10tal for Question 3 – 11 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

6	Fluorine, chlorine, bromine, iodine and astatine are elements in group 7. (a) Describe the test to show that a gas is chlorine.	(2)
	(b) Bromine reacts with hydrogen to form hydrogen bromide.	
	Hydrogen bromide dissolves in water to form a solution. State the name of the solution formed.	(1)
	(c) There is a trend in the colour and the state of the halogens at room temperature. Predict the colour and state of astatine at room temperature.	(2)
	colourstate	

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(d) Bromine, chlorine and iodine are dissolved in water to make aqueous solutions. Potassium iodide solution is added to each of these solutions.

Figure 5 shows the observations.

halogen	initial colour of aqueous solution	final colour of mixture
bromine	orange	brown
chlorine	pale green	brown
iodine	brown	brown

Figure 5

Explain the observations shown	in the table. (4)
(e) Fluorine reacts vigorously with i	ron to produce iron(III) fluoride, FeF₃.
Write the balanced equation for	this reaction. (2)
	(Total for Question 6 = 11 marks)
	TOTAL FOR PAPER = 60 MARKS

[222] **Rn** radon 86

[210] **At** astatine 85

Po polonium 84

209 **Bi** bismuth 83

207 **Pb** lead 82

204 **=** thallium 81

201 **Hg** mercury 80

131 ×enon 54

127 iodine 53

 $\begin{array}{c} 128 \\ \textbf{Te} \\ \text{tellurium} \\ 52 \end{array}$

122 Sb Intimony 51

Sn 50 50

115 mindium 49

112 **Cd** cadmium 48

85 **₹** 88

80 **Br** bromine 35

79 Se selenium 34

75 **As** arsenic 33

73 **Ge** germanium 32

70 **Ga** gallium 31

2 Z inc **Z** 30

40 **A** argon 18

35.5 **C** chlorine 17

32 **s** suffur 16

31 P P Phosphorus 15

27 **A** aluminium 13

20 10 10

9 **T** 19

0 vxygen 8

4 **Z** nitrogen

6 carbon 6

5 a a 1 **a** 2 **a** 2 **a** 3

4 **4** 4 4 4

The periodic table of the elements

9		
2		
4		
က		
	_	I
		I
	_	T
		T
		T
	_	
2		=

KeV

			Ü	
		63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79
		59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78
		59 Co cobalt 27	103 Rh rhodium 45	192 r iridium 77
		56 iron 26	Ru ruthenium 44	190 Os osmium 76
		55 Mn manganese 25	[98] Tc technetium 43	186 Re menium 75
mass bol number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74
ve atomic mic syml name (proton) n	relative atomic mass atomic symbol _{name} atomic (proton) number	51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73
relativ atc atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72
		45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57
9 Be beryllium	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba banum 56
7 Li lithium 3	23 Na sodium 11	39 K potassium	85 Rb rubidium 37	133 Cs caesium 55

* The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.