

Please write clearly in	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	/

GCSE PHYSICS

F

Foundation Tier Paper 1

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.


For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
TOTAL		



Answer all questions in the spaces provided.

0 1 Figure 1 shows a boy bouncing on a trampoline.

Figure 1



0 1. The boy falls from the position in **Figure 1** towards the trampoline.

Complete the sentences.

Choose answers from the box.

[2 marks]

energy.

chemical		elastic potential		gravitational pot	ential
	kinetic		nuclear		
As the boy fa	lls, there is	a decrease in his			energy.

As the boy falls, there is an increase in his _____



0 1 . 2	As the boy lands on the trampoline, each apring stratabas 0.015 m	
0 1]. 2	As the boy lands on the trampoline, each spring stretches 0.015 m.	
	spring constant of each spring = 120 000 N/m	
	Calculate the energy stored by each spring.	
	Use the equation:	
	elastic potential energy = $0.5 \times \text{spring constant} \times (\text{extension})^2$ [2 mark	ks]
	Elastic potential energy =	J
0 1 . 3	There are 40 enrings on the trampeline	
0 1 . 3	There are 40 springs on the trampoline.	
	Calculate the total energy stored by the 40 springs when each spring is stretched by 0.015 m.	
	Use your answer from Question 01.2	
	[1 ma	rk]
	Total energy stored =	J

Question 1 continues on the next page



8		

找名校导师,用小草线上辅导(微信小程序同名)


		,
0 1.4	The kinetic energy of the boy as he lands on the trampoline is 600 J.	L
	The maximum kinetic energy of the boy after he bounces is 45% of his kinetic energy as he lands.	
	Calculate the maximum kinetic energy of the boy after he bounces. [2 marks]	
	Maximum kinetic energy = J	
0 1 . 5	Why is the kinetic energy of the boy after he bounces less than his kinetic energy as he lands?	
	Tick (✓) one box.	
	Energy is not conserved.	
	Energy is transferred to the surroundings.	Г
	The springs transfer energy to the boy.	



0 2 A girl ran to the top of some stairs.

Figure 2 shows the stairs.

Figure 2



0 2 . 1 The girl measured the height of the stairs.

What measuring instrument should she have used?

[1 mark]

0 2 . 2 The height of the stairs was 1.7 m.

The mass of the girl was 50 kg.

gravitational field strength = 9.8 N/kg

Calculate the change in gravitational potential energy of the girl.

Use the equation:

gravitational potential energy = mass \times gravitational field strength \times height [2 marks]

Gravitational potential energy = J



0 2.3 A boy ran up the same stairs and did 1800 J of work.

The time it took the boy to run up the stairs was 1.44 s.

Calculate the power of the boy.

Use the equation:

$$power = \frac{work done}{time}$$

[2 marks]

Power = W

0 2.4 Which stop-clock was used to measure the time the boy took to run up the stairs?


[1 mark]

Tick (✓) one box.


Stop-clock A

Stop-clock B

Stop-clock C













0 2 . 5	The boy had a speed of 2.0 m/s at the top of the stairs.	Do not write outside the box
	The mass of the boy was 70 kg.	
	Calculate the kinetic energy of the boy at the top of the stairs.	
	Use the equation: $ \text{kinetic energy} = 0.5 \times \text{mass} \times (\text{speed})^2 $ [2 marks]	
		Find Pe
		Find Personal Tutor from
	Kinetic energy = J	8 from

Turn over for the next question



ΠЙ
必
S 校导师
当
,
т
1
Ξ
世
戕
Н
用小草线上辅导
-dm
40
_
$\overline{}$
$\overline{}$
$\overline{}$
(微信小
$\overline{}$
(微信小


0 3	Figure 3 shows a plastic rod being rubbed with a cloth.		
	The plastic rod becomes negatively charged.		
	Figure 3		
	Pla	Cloth	
0 3.1	Complete the sentences.		
	Choose answers from the box.		
	Each answer may be used once, m	nore than once or not at all.	[2 marks]
	electrons	neutrons	protons
	The plastic rod becomes charged becomes charge		·
0 3.2	What charge is left on the cloth? Tick (✓) one box. A negative charge		[1 mark]
	A neutral charge		
	A positive charge		



Do not write outside the box

0 3.3	The negatively charged plastic rod is put near another negatively charged plastic rod that is hanging from a string.	
	Figure 4 shows the two rods.	
	Figure 4	
	String	
	What force is exerted on the two rods?	
	Tick (✓) one box.	
	Give a reason for your answer. [2 marks]	
	A force of attraction	
	A force of repulsion	
	There is no force	
	Reason	
	Question 3 continues on the next page	







<u>a</u>
al Tutor from www.wisesprout.co.uk
rom w
ww.wis
sespro
ut.co.u
ᆽ
找名校导师
語, 是
11年
, 用小草线上辅导 (
微信小程序同名)
22000

0 4	Radioactive isotopes emit different types	of nuclear radiation.
0 4.1	What does an alpha particle consist of?	
	Tick (✓) one box.	[1 mark]
	2 protons and 2 electrons	
	2 protons and 2 neutrons	
	4 protons	
	4 neutrons	
0 4 . 2	What is a beta particle?	
	Tick (✓) one box.	[1 mark]
	An electron	
	A neutron	
	Electromagnetic radiation	
0 4.3	A krypton (Kr) nucleus decays into a rub What is the correct equation for this decay	idium (Rb) nucleus by emitting a beta particle.
	Tick (✓) one box.	[1 mark]
	${}^{85}_{36}\text{Kr} + {}^{0}_{-1}\text{e} \longrightarrow {}^{85}_{37}\text{Rb}$	
	${}^{85}_{36}\text{Kr} \longrightarrow {}^{85}_{37}\text{Rb} + {}^{0}_{-1}\text{e}$	
	$^{85}_{37}\text{Rb} \longrightarrow ^{85}_{36}\text{Kr} + ^{0}_{-1}\text{e}$	




Do not write

0 4 . 4

Figure 5 shows an experiment to demonstrate how alpha, beta and gamma radiation penetrate different materials.

The experiment takes place in a vacuum.

Figure 5



Three different materials are used:

- · a sheet of paper
- a 0.5 cm thick sheet of aluminium
- a 10 cm block of lead.

Each material is placed one at a time between the radioactive source and the GM tube.

The GM tube and counter show whether the material has stopped the radiation.

Complete **Table 1** to show how alpha, beta and gamma radiation penetrate the materials in **Figure 5**.

Use the words Yes and No.

Part of **Table 1** has been completed for you.

[3 marks]

Table 1

Type of radiation	Most radiation is stopped by:			
	the sheet of paper	the sheet of aluminium	the block of lead	
Alpha			Yes	
Beta	No			
Gamma		No		



0 4 . 5	Alpha, beta and gamma radiation have different ionising powers.		Do not write outside the box	
	Draw one line from each radiation type to the o	correct ionising power. [3 marks]		
	Radiation type	lonising power		
	Alpha	Zero		
	Beta	Low		
	Gamma	Medium High	Find Personal Tutor from www.wisesprout.co.uk	
0 4.6	Some sources of background radiation are nat	ural and other sources are man-made.	from www.	
	Which of the following is a man-made source of	of background radiation? [1 mark]	wisesp	
	Tick (✓) one box.	[1 mark]	rout.co	
	Cosmic rays			
	Nuclear accidents		20 交 中 二	
	Rocks		找名校导师,用小草线上辩	
0 4.7	The average background radiation dose per year	ear in the UK is 2.0 millisieverts.	线上辅导(微信小程序同名	
	A dental X-ray gives a patient a radiation dose of 0.005 millisieverts.			
	Calculate how many dental X-rays would be the same as the average background radiation dose per year.			
		[2 marks]		
	Number of den	tal X-rays =	12	




Do not write outside the

box

0 5 A student determined the specific latent heat of vaporisation of water.

Figure 6 shows some of the equipment used.

o oquipinioni docui



0 5. 1 The student measured a mass of water and put it into the beaker.

What measuring instrument should the student have used to measure the mass of the water?

[1 mark]

Tick (✓) one box.	
balance	
joulemeter	
newtonmeter	
thermometer	




0 5.2	The power output of the heater stayed the same throughout the experiment.			
	What type of variable was the power output of the heater?			
	Tick (✓) one box.			
	Categoric variable			
	Control variable			
	Dependent variable			
	Independent variable			
0 5.3	The student turned on the heater and heated the water until it reached boiling point.			
	The student continued to heat the water so that it boiled for several minutes. The mass of the water remaining in the beaker was measured again. Give one way the beaker of boiling water could be moved safely to measure its new mass.			
	[1 mark]			
	Question 5 continues on the next page			



0 5 . 4	The mass of water that turned into steam was 0.0090 kg.			
	The heater transferred 25 200 J of energy to the water to turn it into steam.			
	Calculate the specific latent heat of vaporisation of water given by the student's data. Use the Physics Equations Sheet.			
	Choose the unit from the box.			
	J kg J/kg			
		Find Personal Tutor from www.wisesprout.co.uk		
	Specific latent heat of vaporisation = Unit			
0 5.5	What was a source of error in the student's experiment? Tick (✓) one box. [1 mark]	找名校导师,用小草线		
	The transfer of thermal energy from the heater to the water	土 離 中		
	The transfer of thermal energy from the surroundings to the water			
	The transfer of thermal energy from the water to the heater	(微信小程序同名)		
	The transfer of thermal energy from the water to the surroundings	8		







Turn over ▶

Do not write outside the


box

0 6 A hair dryer contains three heating elements.

Figure 7 shows the circuit diagram for the heating elements in the hair dryer.

In Figure 7 the heating elements are represented by resistor symbols.

Figure 7



0 6 . 1 Complete the sentence.

[1 mark]

The three resistors in **Figure 7** are connected in _____ with the power supply.

0 6. 2 Which switch must always be closed for the hair dryer to work?

[1 mark]

Tick (✓) one box.

S₁

 S_2

S₃



0 6.3	Which switches must be closed for the hair dryer to work at maximum power output? [1 mark]			
	Tick (✓) one box.			
	S ₁ and S ₂			
	S ₁ and S ₃			
	S ₁ , S ₂ and S ₃			
	Use the Physics Equations Sheet to answer questions 06.4 and 06.5 .			
0 6.4	Write down the equation which links energy transferred (E), power (P) and time (t). [1 mark]			
0 6 . 5	The heating elements have a maximum power output of 1200 W.			
	The energy transferred to the heating elements to reach normal operating temperature is 3600 J.			
	Calculate the time taken for the heating elements to reach normal operating			
	temperature at maximum power output. [3 marks]			
	Time =s			



	-		
0 6.6	The hair dryer has LEDs to indicate the power setting.		Do not write outside the box
	What is the circuit symbol for an LED?	1 mark]	
	Tick (✓) one box.	i illarkj	
			Find P
			Find Personal Tutor from www.wises
			m www.wises




Do not write

0 7

Figure 8 shows how electricity is supplied to consumers.

Figure 8



0 7 . 1 Electricity from the power station can be generated using renewable or non-renewable energy resources.

Complete **Table 2** to show which energy resources are renewable and which are non-renewable.

[2 marks]

Tick (\checkmark) one box in each row.

Table 2

Energy resource	Renewable	Non-renewable
biofuel		
coal		
nuclear		
tides		

Question 7 continues on the next page



找名校导师,	
用小草线上辅导	
(微信小程序同名)	

0 7.2	Transformers are used to make powe	r transmission an efficient	process.	
	Complete the sentences.			
	Choose answers from the box.			
	Each answer may be used once, more	e than once or not at all.	[4	l marks
	charge	current	energy	
	potential difference	e resistance		
	The step-up transformer increases the	e		and
	decreases the			
	Using the transformers decreases the			
	transfer from the overhead transmissi	on cables to the surroundir	ngs.	
	The step-down transformer decreases	s the		



	www.wisesprout.co.uk
_	找名校导师,用小草线上辅导(微信小程序同名)

	Use the Physics Equations Sheet to answ	er questions 07.3 and 07.4 .	Do not wri outside th box	
0 7.3	Write down the equation which links charg	ge flow (Q), current (I) and time ((t). [1 mark]	
0 7.4	The town of Hornsdale in Australia has ele	ectricity supplied by a huge batte		_
	The battery supplies a current of 130 000	Α.		Find Per
	Calculate the charge flow from the battery	v in 5 minutes.		Find Personal Tutor from www.wisesprout.co.uk
	Choose the unit from the box.			tor from
			[4 marks]	www.w
	coulombs ne	wtons watts	3	'isespro
				ut.co.uk
				找名校导师
				币,用小草
	Charge flow =	Unit		草线上
				线上辅导(微信小程序同名)
				信小程
				第回名)
	Turn over for the nex	t question		




0 8

A student investigated the insulating properties of two different materials.

The same thickness of each material was used.

Figure 9 shows some of the equipment used by the student.

Figure 9



The student used two different types of thermometer to measure the temperature changes.

Thermometer B

Figure 10 shows a reading on each thermometer.

Thermometer A

Figure 10

0 8. 1 What is the resolution of thermometer B?

Tick (✓) one box.

0.1 °C

0.4 °C

67.0 °C



67.4 °C

0 8.2 Complete the sentence.

Choose the answer from the box.

[1 mark]

Do not write outside the

box


a smaller	the same	a bigger
Thermometer A has _		_ chance of being misread than
thermometer B .		

Question 8 continues on the next page



Figure 11 shows the results.





0 8. The mass of water used was 0.12 kg.

specific heat capacity of water = 4200 J/kg °C

Determine the total change in thermal energy of the water when Material \boldsymbol{X} was used.

Use values from Figure 11.

Use the Physics Equations Sheet.

[4 marks]

Total change in thermal energy =



0 8.4	There is an anomalous result on Figure 11 . Draw a ring around the anomalous result. [1 mark]
0 8.5	Give two conclusions that can be made from Figure 11 . [2 marks]

Question 8 continues on the next page




Do not write

Another student investigated how the thickness of the insulation affected the rate of cooling of hot water.

Figure 12 shows some of the equipment used.

Figure 12



0 8 . 6 How would using thick insulation affect the rate of cooling of hot water compared with using thin insulation?

[1 mark]

Tick (✔)	one	box.
----------	-----	------

The rate of cooling would be higher.

Predict how using thick insulation would affect the temperature of the water after 10 minutes compared with using thin insulation.

[1 mark]


_		/ /		
	$1 \cap V$	/ •/	one	$h \cap v$
	אינוו	. • ,	UHE	LILIA.

The temperature would be higher.	
----------------------------------	--

The temperature would be lower.	
---------------------------------	--

11







Turn over ▶

0 9

Figure 13 shows a large wind farm off the coast of the UK.

Figure 13



The mean power output of the wind farm is 696 MW, which is enough power for 580 000 homes.

0 9.1 Calculate the mean power needed for 1 home.

Give your answer in watts.

[2 marks]

Mean power needed for 1 home = W



On one day the demand for electricity in the UK was 34 000 MW.

	Suggest two reasons why wind power was not able to meet this demand.	[2 marks]
	1	
	2	
0 9 . 3	Some of the energy from the wind used to rotate a wind turbine is wasted.	
	An engineer oils the mechanical parts of a wind turbine.	
	Explain how oiling would affect the efficiency of the wind turbine.	[3 marks]
0 9 . 4	In most homes in the UK there are many different electrical devices.	
	Explain why people should be encouraged to use energy efficient electrical	devices. [2 marks]



0 9 . 2

1 0 Figure 14 shows a rock found by a student on a beach.

To help identify the type of rock, the student took measurements to determine its density.

Figure 14



1 0 . 1	Describe a method the student could use to determine the density of the roo	ck. [6 marks]




	The student determined the density of the rock to be 2.55 ± 0.10 g/cm ³ .			
1 0.2	What are the ma	ximum and minim	um values for the der	nsity of the rock? [1 mark]
	Maximum density	/=		g/cm ³
	Minimum density	= ,		g/cm ³
1 0.3	Table 3 gives the	e density of five di	fferent types of rock.	
		Та	able 3	
		Type of rock	Density in g/cm ³	
		Basalt	2.90 ± 0.10	
		Chalk	2.35 ± 0.15	
		Flint	2.60 ± 0.10	
		Sandstone	2.20 ± 0.20	
		Slate	2.90 ± 0.20	
	Which two types	of rock in Table 3	could be the type of	rock the student had?
	Tick (✓) one box		71	[1 mark]
	Basalt or chalk			
	Chalk or flint			
	Flint or sandston	е		
	Sandstone or sla	te		
	Qı	estion 10 contin	nues on the next pag	je



1 0.4	The student only took one set of measurements to determine the density of the rock.	Do not write outside the box
	Explain why taking the measurements more than once may improve the accuracy of the density value.	
	[2 marks]	
		10
		Find Personal Tutor from www.wisesprout.co.uk
		al lutor
		from w
		WW.WIS
		esprout
		.co.uk
		Ħ
		允 交 <u>业</u>
		找名 校导师,用小旱残上辅导(微信小程序问名)
		/旱线上
		(A)
		成1言少?
		三子 三子
		,







Turn over ▶

1 1

An engineering company has invented pavement tiles that generate electricity as people walk on them.

Figure 15 shows someone walking on the pavement tiles.

Figure 15



Use the Physics Equations Sheet to answer questions 11.1 and 11.2.

1 1.1 What equation links current (/), potential difference (V) and power (P)?

[1 mark]

Tick (✓) one box.

$$P = \frac{V}{I}$$

$$I = P \times V$$

$$V = I^2 \times P$$




1 1.2	When a person walks on a tile, a potential difference of 40 V is induced across the tile. The power output of the tile is 4.4 W.
	Calculate the current in the tile. [3 marks]
	Current = A

Question 11 continues on the next page



	Use the Physics Equations Sheet to answer questions 11.3 and 11.4.	Do not write outside the box
1 1.3	What equation links efficiency, total power input and useful power output? [1 mark] Tick (✓) one box.	
	Efficiency = $\frac{\text{useful power output}}{\text{total power input}}$	
	Efficiency = $\frac{\text{total power input}}{\text{useful power output}}$	Find
	Efficiency = useful power output × total power input	Find Personal Tutor from www.wisesprout.co.uk
		or from www
1 1.4	The tiles are used to power LED lights in the pavement.	/.wises
	An LED light has a total power input of 4.0 W.	prout.c
	The efficiency of the LED light is 0.85	o.uk
	Calculate the useful power output of the LED light. [3 marks]	找名校导师,用小草
		线上辅导(微信小程序回名)
	Useful power output = W	8
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question	Additional page, if required.
number	Write the question numbers in the left-hand margin.



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.



