

Please write clearly in	n block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	/

# GCSE CHEMISTRY

F

Foundation Tier Paper 2

Wednesday 10 June 2020 Morning Time allowed: 1 hour 45 minutes

#### **Materials**

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

#### Instructions


- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		








0 1	This question is about ammonia and fertilisers.
	Ammonia is produced from nitrogen and hydrogen.
	A catalyst is used to speed up the reaction.
	The word equation for the reaction is:
	nitrogen + hydrogen ⇌ ammonia
0 1.1	What does the symbol ⇌ show about the reaction?  [1 mark]
0 1 . 2	Which catalyst is used when ammonia is produced from nitrogen and hydrogen?  [1 mark]
	Tick (✓) <b>one</b> box.
	Chlorine
	Iron
	Oxygen








NPK fertilisers contain the elements nitrogen, phosphorus and potassium.

A fertiliser contains:

- 22% phosphorus
- 25% potassium.
- 0 1.4 Draw a bar chart on **Figure 2** to show the percentages of phosphorus and of potassium in this fertiliser.

[2 marks]

Figure 2



Element

0 1.5 Why do the percentages of phosphorus and of potassium in this fertiliser **not** add up to 100%?

[1 mark]



Fertilisers help plants grow by adding essential elements to soil.

**Table 1** shows the percentages of nitrogen, phosphorus and potassium in four fertilisers, **A**, **B**, **C** and **D**.

Table 1

Fertiliser	Percent	age (%) of essential	element
	Nitrogen (N)	Phosphorus (P)	Potassium (K)
Α	14	0	39
В	25	16	23
С	21	23	0
D	21	0	0

- 0 1 . 6 Plants lacking essential elements do not grow well because:
  - · too little phosphorus can cause slow plant growth
  - too little potassium can cause leaves to have brown edges.

Which fertiliser helps prevent slow plant growth and brown leaf edges?

Use Table 1.

[1 mark]

Tick  $(\checkmark)$  one box.

Α

В

C



D

0 1. 7 Which fertiliser has the greatest total percentage of essential elements?

Use Table 1.

[1 mark]

Tick (✓) one box.

Α

В

С




D

8	
ŏ	



Do not write outside the








0 2 This question is about atmospheric pollution.

**Figure 3** shows a limestone carving which has been damaged by atmospheric pollution.

The carving has been:

- · blackened by soot
- eroded where the limestone has reacted with atmospheric pollutants.

Figure 3



0 2.1	What reacted with the lime	estone to cause the erosion?	[1 mark]
	Tick (✓) one box.		[ · ····ci···.]
	Acid rain		
	Ammonia		
	Carbon monoxide		
	Oxygen		



0 2 . 2 Soot is produced by the incomplete combustion of diesel oil.

Complete the sentences.

Choose answers from the box.

[2 marks]

ammonia	carbon	methane	
nitrogen		oxygen	

Incomplete combustion happens when there is not enough

Incomplete combustion produces particles of . .

0 2 Complete the sentence.

[1 mark]

Particles of soot in the atmosphere cause global

0 2 . 4 Carbon monoxide is produced by the incomplete combustion of methane.

Balance the equation for the reaction.

[1 mark]

$$2\,CH_4 \ + \ 3\,O_2 \ \rightarrow \ \underline{\hspace{1cm}} CO \ + \ 4\,H_2O$$





Find Personal Tutor from www.wisesprout.co.uk

戈位文中写
•
Œ
一年发二龍中
_
一位 1 人工
4

8

0 2 . 5	Car engines work at high temp	peratures.	
	Complete the sentences.		
	Choose answers from the box	ζ.	[3 marks]
	air	methane	oxides of nitrogen
	oxygen	petrol	sulfur dioxide
	In car engines, nitrogen is pre	sent.	
	The nitrogen in car engines co	omes from	·
	At high temperatures, the nitro	ogen reacts with	

This reaction produces



0 3	This question is about the rate of the reaction between hydrochloric acid and calcium carbonate.
	A student investigated the effect of changing the size of calcium carbonate lumps on the rate of this reaction.
	This is the method used.
	1. Pour hydrochloric acid into a conical flask up to the 50 cm <sup>3</sup> line.
	2. Add 10.0 g of small calcium carbonate lumps to the conical flask.
	3. Attach a gas syringe to the conical flask.
	4. Measure the volume of gas produced every 20 seconds for 100 seconds.
	5. Repeat steps 1 to 4 using 10.0 g of large calcium carbonate lumps.
0 3.1	The student used the 50 cm³ line on the conical flask to measure the volume of hydrochloric acid.
	Suggest a piece of equipment the student could use to make the measurement of volume more accurate.  [1 mark]
0 3.2	Carbon dioxide gas is produced in the reaction between hydrochloric acid and calcium carbonate.
	Which test is used to identify carbon dioxide gas?
	Tick (✓) <b>one</b> box.
	A burning splint pops
	A glowing splint relights
	Damp litmus paper is bleached
	Limewater turns milky






**Table 2** shows the student's results for large calcium carbonate lumps.

Table 2

Time in seconds	Volume of gas in cm <sup>3</sup>
0	0
20	16
40	30
60	40
80	46
100	48

Figure 4 shows the student's results for small calcium carbonate lumps.

Figure 4





/isesprout.co.uk
找名校导师
,用小草线上辅导(
〔微信小程序同

0 3.3	Complete Figure 4.	
	You should:	
	• plot the data for large calcium carbonate lumps from <b>Table 2</b> on <b>Figure 4</b>	
	draw a line of best fit for large calcium carbonate lumps.	[3 marks]
0 3.4	Determine the mean rate of reaction using <b>small</b> calcium carbonate lumps between 0 seconds and 60 seconds.  Use the equation: $mean rate of reaction = \frac{volume of gas produced}{time taken}$	
	Use <b>Figure 4</b> .	[3 marks]
	Mean rate of reaction =	cm <sup>3</sup> /s
0 3.5	Describe what happens to the volume of gas collected using small calcium carbonate lumps:	
	between 0 and 20 seconds	
	• between 80 and 100 seconds.	
	Use <b>Figure 4</b> .	[2 marks]
	Between 0 and 20 seconds	
	Between 80 and 100 seconds	



0 3.6	The balance used to	weigh 10.0 g of calcium carbonate lumps caused an erro	or.
	The balance always r	read 0.2 g before being used.	
	What type of error wa	as caused by the balance?	F4
	Tick (✓) one box.		[1 mark]
	Human error		
	Random error		
	Systematic error		

Figure 5 shows the dimensions of two cubes of calcium carbonate.

Figure 5

Small cube

Large cube

1 mm

2 mm

2 mm

2 mm



rom www.wisesprout.co.uk
找名校导师,
找名校导师,用小草线上辅导 (
(微信小程序同名)

15

0 3 . 7	A cube of calcium carbona	te has six faces.		
	Calculate the total surface	area of the <b>large</b> cube of ca	alcium carbonate.	
	Use Figure 5.			<b>50</b> 1
				[3 marks]
		Total curface	oroo -	mm²
		i otal surface	area =	
0 3.8	The large cube of calcium	carbonate was divided into o	aight smallar cubas	
0 3.0				
		ive a greater total surface a		
	Compare the rate of reaction reaction when using the lar	on when using the eight sma ge cube.	aller cubes with the ra	ate of
	Complete the sentence.			
	Choose the answer from th	ne box.		
				[1 mark]
	faster	slower	the same	
	The rate of reaction of the	oight amallar aubaa ia		
	The rate of reaction of the c	eight smaller cubes is		·



- 0 4
- This question is about ink.


A student investigated green ink using paper chromatography in a beaker.

#### Figure 6 shows:

- the results the student obtained
- measurements A, B, C and D the student could make.

Figure 6

Diagram not to scale



0 4 . 1

The student calculated the  $R_{\mbox{\scriptsize f}}$  value of the blue dye.

The student measured:

- the distance moved by the blue dye = 2.7 cm
- the distance moved by the solvent = 9.0 cm

Calculate the R<sub>f</sub> value of the blue dye.

Use the equation:

$$R_f = \frac{\text{distance moved by dye}}{\text{distance moved by solvent}}$$

[2 marks]



0 4.	2	Which measurements on of the yellow dye?  Tick (✓) one box.  A and B  A and C  B and D  C and D	Figure 6 are needed to calculate the R <sub>f</sub> value	[1 mark]
0 4.	3		as a stationary phase and a mobile phase. phase to the identity of that phase in the	
		student's investigation.	,	[2 marks]
		Phase	Identity	
			Beaker	
		Mobile phase	Ink	
			Paper	
		Stationary phase	Solvent	
			Start line	
			_	







	The green ink contains 85% yellow dye and 15% blue dye.	box
0 4.4	Determine the simplest whole number ratio of yellow dye : blue dye in the green ink.  [1 mark]	
	Yellow dye : Blue dye = <b>:</b>	
0 4.5	Which word correctly describes the green ink?  [1 mark]	
	Tick (✓) <b>one</b> box.	
	Compound	
	Element	
	Formulation	
	Solvent	
0 4.6	The student repeated the investigation using green ink containing 75% yellow dye and 25% blue dye.	
	What would happen to the R <sub>f</sub> value of the yellow dye?	
	Tick (✓) one box. [1 mark]	
	The R <sub>f</sub> value would decrease.	
	The R <sub>f</sub> value would increase.	
	The R <sub>f</sub> value would stay the same.	8



Do not write outside the box

0 5	This question is about alloys.  Bronze and brass are both alloys which contain copper.	
0 5 . 1	Bronze is an alloy of copper and one other metal.  What is the other metal in bronze?  Tick (✓) one box.	[1 mark]
	Aluminium	
	Tin	
	Zinc	
0 5.2	Give <b>one</b> use of brass.	[1 mark]
	Question 5 continues on the next page	



Alloys of gold are used to make jewellery.

- 0 5. The proportion of gold in an alloy is measured in carats:
  - pure gold is 24 carat
  - 50% gold is 12 carat.

**Table 3** shows information about two gold rings, **A** and **B**.

A and B contain only gold and silver.

Complete Table 3.

[2 marks]

Table 3

Gold ring	Carat	Mass of metal in grams	
		gold	silver
Α		7	7
В	18	9	

0 5.4	Suggest <b>two</b> reasons why alloys of gold are used instead of pure gold to make jewellery.		
	1	[2 marks]	
	2		



	Steels are alloys of iron.		outsid be
0 5.5	Spoons are made of stainless steel.		
	Spoons:		
	are washed after use		
	must not wear away quickly.		
	Suggest <b>one</b> reason why stainless steel is suitable for making spoons.	[1 mark]	
0 5.6	Steel horseshoes are shaped to fit the feet of horses.		
	Which type of steel is most easily shaped into horseshoes?	[1 mark]	
	Tick (✓) one box.	[	
	High carbon steel		
	Low carbon steel		
	Stainless steel		8
	Turn over for the next question		



找名校导师
· 遇
用小草线上辅导
二二二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十
ШL
$\overline{}$
悲
=
顺
5
-
뺀
₩
微信小程序同名
πkh
цν.
$\overline{}$

0 6	This question is about materials used to make plates.  Plates are made from ceramics, paper or poly(propene).
0 6.1	Paper plates are biodegradable and recyclable.  Which stage of a life cycle assessment (LCA) would contain this information?  [1 mark]  Tick (✓) one box.
	Disposal at the end of useful life
	Extracting and processing raw materials  Manufacturing and packaging
	Use and operation during lifetime
0 6.2	Which <b>two</b> processes are used to make ceramic plates?
	Tick (✓) <b>two</b> boxes. [2 marks]
	Forming a composite
	Galvanising with zinc
	Heating in a furnace
	Melting sand and boron trioxide
	Shaping wet clay



	Poly(propene) is produced from an alkene.	
0 6.3	Complete the sentences.	[2 marks]
	The name for very large molecules such as poly(propene) is	
	The name of the alkene used to produce poly(propene) is	·
0 6.4	The alkene needed to make poly(propene) is produced from crude Which <b>two</b> processes are used to produce this alkene from crude Tick (🗸) <b>two</b> boxes.	
	Chromatography	
	Cracking	
	Fermentation	
	Fractional distillation	
	Quarrying	
0 6.5	What type of bond joins the atoms in a molecule of poly(propene) <sup>4</sup> Tick (✓) <b>one</b> box.	? [1 mark]
	Covalent	
	lonic	
	Metallic	



## **Table 4** shows information about two polymers used to make plates.

## Table 4

Polymer Effect of heating the polym	
Α	does not melt
В	melts at 50 °C

0 6.6	What type of polymer is polymer A?	
	Use <b>Table 4</b> .	[1 mark]
0 6.7	Why does polymer <b>A</b> behave differently to polymer <b>B</b> when heated?	
	You should refer to crosslinks in your answer.	[1 mark]



**0 7** This question is about ethanol and ethanoic acid.

Ethanol is an alcohol.

**0 7 . 1 Figure 7** shows the displayed structural formula of ethanol.

Figure 7

Draw a circle on **Figure 7** around the alcohol functional group.

[1 mark]

0 7. 2 An ethanol molecule contains atoms of three different elements.

Complete Table 5 to show:

- · the name of each element
- the symbol for each element
- the number of atoms of each element in one molecule of ethanol.

Use Figure 7.

[3 marks]

# Table 5

Name of element	Symbol for element	Number of atoms in one molecule of ethanol
Carbon	С	
Hydrogen		6
	0	1



ind
Personal Tutor for
Tutor 1
from w
ind Personal Tutor from www.wisesprout.co.uk
co.uk
找名校导师
找名校导师,用小河
找名校导师,用小草线上辅导
找名校导师,用小草线上辅导(微信小程序同名)

0 7.3	Ethanol removes grass stains from clothes.	
	What type of substance is ethanol when used to remove grass stains?	[1 mark]
	Tick (✓) one box.	[ i iliai k]
	A solute	
	A solution	
	A solvent	
	Wine contains ethanol.	
	Wine is produced from grape juice by fermentation.	
0 7.4	Complete the sentence.	[1 mark]
	Grape juice can be fermented to produce wine because	
	grape juice contains	
0 7.5	What is added to grape juice to cause fermentation?	[1 mark]



12

0 7 . 6	Ethanol reacts with ethanoic acid to produce an ester.
	What is the name of the ester produced when ethanol reacts with ethanoic acid?  [1 mark]
	Tick (✓) <b>one</b> box.
	Ethane
	Ethene
	Ethyl ethanoate
0 7.7	Ethanoic acid reacts with sodium carbonate.
	The equation for the reaction is:
	$2  \text{CH}_3 \text{COOH}(\text{aq}) + \text{Na}_2 \text{CO}_3(\text{s}) \rightarrow 2  \text{CH}_3 \text{COONa}(\text{aq}) + \text{H}_2 \text{O}(\text{I}) + \text{CO}_2(\text{g})$
	What is the name of the liquid produced by this reaction?  [1 mark]
	[1
0 7.8	Vinegar is a solution that contains ethanoic acid.
	400 cm³ of vinegar contains 20 g of ethanoic acid.
	Calculate the mass of ethanoic acid in 1.0 dm³ of vinegar.  [3 marks]
	Mass =g





0 8	This question is about chemical analysis.
	A student tested copper sulfate solution and calcium iodide solution using flame tests.
	This is the method used.
	Dip a metal wire in copper sulfate solution.
	2. Put the metal wire in a blue Bunsen burner flame.
	3. Record the flame colour produced.
	4. Repeat steps 1 to 3 using the same metal wire but using calcium iodide solution.
0 8.1	What flame colour is produced by copper sulfate solution?  [1 mark]
0 8.2	Calcium compounds produce an orange-red flame colour.
	The student left out an important step before reusing the metal wire.
	The student's method did <b>not</b> produce a distinct orange-red flame colour using calcium iodide solution.
	Explain why. [2 marks]
	• •



8

0 8 . 3	The student added sodium hydroxide solution to:
	copper sulfate solution
	calcium iodide solution.
	Give the results of the tests.  [2 marks]
	Copper sulfate solution
	Calcium iodide solution
0 8.4	To test for sulfate ions the student added dilute hydrochloric acid to copper sulfate solution.
	Name the solution that would show the presence of sulfate ions when added to this mixture.
	[1 mark]
0 8.5	To test for iodide ions the student added dilute nitric acid to calcium iodide solution.
	Name the solution that would show the presence of iodide ions when added to this mixture.
	Give the result of the test.  [2 marks]
	Solution
	Result





0 9	This question is about water.
0 9.1	In the UK, potable (drinking) water is produced from different sources of fresh water.  Explain how potable water is produced from fresh water.  [4 marks]
0 9 . 2	A different country has:  • very little rainfall
	a long coastline
	plentiful energy supplies.
	Suggest <b>one</b> process this country could use to obtain most of its potable water.  [1 mark]



0 9. 3 Waste water is not fit to drink.

Treatment of waste water produces two substances:

- liquid effluent
- solid sewage sludge.

Draw **one** line from each substance to the way the substance is processed.

[2 marks]

Substance Process

Aerobic biological treatment

Liquid effluent

Anaerobic digestion

Grit removal

Solid sewage sludge

Screening

Sedimentation

Question 9 continues on the next page



**Table 6** shows information about the disposal of processed solid sewage sludge in the UK in 1992 and in 2010.

## Table 6

Year	Mass of processed solid sewage sludge in millions of kilograms				
	Used as fertiliser	Sent to landfill	Burned	Other methods	Total
1992	440	130	90	338	998
2010	1118	9	260	26	1413

0 9 . 4	Calculate the percentage of processed solid sewage sludge that was burned in 2010.		
	Give your answer to 3 significant figures.		
	Use <b>Table 6</b> .	[3 marks]	
	Percentage (3 significant figures) =	%	



Find Personal Tutor from www.wisesprout.co.uk

24位文中学
•
Ē
五二叶及二盐山
4
_
ے
/王/丁!!!
ᆸ
П
_

Suggest <b>one</b> reason why the total mass of processed solid sewage sludge increased between 1992 and 2010.  [1 mark]	outside bo.
Between 1992 and 2010 the proportion of processed solid sewage sludge used as fertiliser increased.	
Suggest <b>two</b> reasons why.  [2 marks]	
2	13
	Between 1992 and 2010 the proportion of processed solid sewage sludge used as fertiliser increased.  Suggest two reasons why.  [2 marks]

Turn over for the next question



1 0	This question is about hydrocarbons.			
	Hexane and hexene are hydrocarbons containing six carbon atoms in each molecule			
	Hexane is an alkane and hexene is an a	lkene.		
1 0.1	Draw <b>one</b> line from each hydrocarbon to		! marks]	
	Hydrocarbon	Formula		
		C <sub>6</sub> H <sub>8</sub>		
	Hexane	C <sub>6</sub> H <sub>10</sub>		
		C <sub>6</sub> H <sub>12</sub>		
	Hexene	C <sub>6</sub> H <sub>14</sub>		
		C <sub>6</sub> H <sub>16</sub>		
1 0.2	Bromine water is added to hexane and to	o hexene.		
	What would be observed when bromine water is added to hexane and to hexene?  [2 marks]			
	Hexane			
	Hexene			



1 0 . 3 Ethane is an alkane and ethene is an alkene.

Figure 8 shows the displayed structural formulae of ethane and of ethene.

## Figure 8

Compare ethane with ethene.


You should refer to:

- their structure and bonding
- their reactions.

[6 marks]

## **END OF QUESTIONS**







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the box

Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

#### Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.



