

Please write clearly in	block capitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature	I declare this is my own work.	/

GCSE PHYSICS

Foundation Tier

Paper 2



Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- a protractor
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use				
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
8				
9				
TOTAL				



	Answer all questions in the spaces provided.	
0 1	Figure 1 shows a water wave.	
	Figure 1	
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
0 1.1	What type of wave is a water wave? Tick (✓) one box.	[1 mark]
	Electromagnetic	
	Longitudinal	
	Transverse	
0 1.2	Which statement describes the movement of the water at point X ?	[1 mark]
	Tick (✓) one box.	-
	The water at point X does not move.	
	The water at point X moves to the left and right.	
	The water at point X moves up and down.	



				Do not write				
0 1.3	The wave has a frequ	uency of 2.0 hertz.		outside the box				
	The wavelength is 0.	032 metres.						
	Calculate the wave s	need						
	Use the equation:							
	Ose the equation.	wave speed = frequency × wavelength						
	Choose the unit from							
	Choose the unit from	the box.	[3 marks]	_				
		m²/s m/s s²]	rind Pe				
			J	rsonal				
				Hind Personal Tutor from www.wisesprout.co.uk				
				rom w				
				WW.WISE				
		Wave speed =	Unit	sprout				
				.co.uk				
				(4				
				找名校导声,				
0 1.4	What is transferred b	y all waves?	[1 mark]	第,用3				
	Tick (✓) one box.		[小早线				
	_			\早线上辅导(微信小程序问名)				
	Energy			河油				
	Information			小程序				
				此				
	Water							
	Ques	tion 1 continues on the next page						




Figure 2 shows four water waves.

The waves are all drawn to the same scale.

The waves all travel at the same speed.

Figure 2





D

0 1 . 5 Which wave has the longest wavelength?

[1 mark]

Tick (✓) one box.

Α 📗

В

o |

0 1 . 6 Which wave has the highest frequency?

[1 mark]

Tick (✓) one box.

Α


В

С

D

8








0 2 Figure 3 shows a cyclist on a bicycle.

The cyclist is moving at a constant velocity.

Arrows **A** and **B** represent the horizontal forces acting on the bicycle and cyclist.

Figure 3



0 2.1	What is force A ?	[1 mark]
	Tick (✓) one box. Air resistance	
	Friction	
	Tension	
	Upthrust	



0 2.2	What is force B ? Tick (✓) one box.	[1	mark]
	Air resistance		
	Magnetic		
	Tension		
	Upthrust		
0 2 . 3	What is the relationsh constant velocity?	nip between force A and force B when the cyclist travels at	а
	constant velocity:	[1	mark]
	Tick (✓) one box.		-
	A = B		
	A > B		
	A < B		
	Quest	tion 2 continues on the next page	




0 2 . 4

The cyclist applies a force of 150 N to one of the bicycle pedals.

Figure 4 shows the distance between the force applied and the pivot.

Figure 4



Calculate the moment about the pivot caused by the force applied to the pedal in **Figure 4**.

Use the equation:

moment of a force =	= force × distance	[2 marks]

Moment =




N_m

0 2 . 5

Figure 5 shows how the pedal is connected to the back wheel of the bicycle.

Do not write outside the box





Complete the sentence.

Choose the answer from the box.

[1 mark]

cog	chain	axle
-----	-------	------

The force from the cyclist pushing down on the pedal is transmitted to the back wheel by the ______.


Question 2 continues on the next page



box

Figure 6 shows how the velocity of the cyclist changes during a journey.





0 2 . 6	What is the change in velocity of the cyclist in the first 20 seconds	s of the journey?
		[1 mark]
	Tick (✓) one box.	

5.2 m/s

5.2 m/s

5.4 m/s

5.6 m/s

5.8 m/s



		11			
0 2.7	Determine the accel	eration of the cyc	list during the first	20 seconds of the j	ourney.
	Use your answer fro	m Question 02.6			
	Use the equation:				
	a	cceleration = ch	ange in velocity time taken		
					[2 marks]
	Α	cceleration of the	e cyclist =		m/s²
0 2 . 8	Complete the senter	ice.			
	Choose the answer	rom the box.			[1 mark]
	decelera	ation	speed	velocity	
					_
	Between 30 and 40	seconds the cycli	st moves with		

Question 2 continues on the next page




a constant

0 2 . 9

The cyclist travels from home to school.

Figure 7 shows the route the cyclist followed.



Draw an arrow on Figure 7 to show the displacement of the cyclist.

[1 mark]




				13				
0 3	There are	There are different groups of waves in the electromagnetic spectrum.						
0 3.1	0 3. 1 Figure 8 shows the position of three groups of the waves.							
			F	igure 8				
		I I					·	1
	A	Microwaves	В	Visible light	С	D	Gamma rays	
	NA (1: 1: 1: (4)		.,.	c : c	2			
		er shows the	position o	f infrared	?			[1 mark]
	Tick (✓) o	ne box.						
A								
		Questio	n 3 conti	nues on t	the next _l	oage		



A student investigated how the colour of a surface affects the amount of infrared the surface absorbs.

Figure 9 shows the equipment used.

Figure 9





0 3.2	Complete the sentence.	
	Choose the answer from the box.	[1 mark]
		[1.11.41.1.]
	a control the dependent the independent	
	In this investigation the distance between each flask and the infrared heater is variable.	
	variable.	
0 3.3	The student wrote the hypothesis:	
	'Surface colour of the flask affects the amount of infrared absorbed when the heater is switched on for five minutes.'	
	absorbed when the heater is switched on for live minutes.	
	Describe how the equipment in Figure 9 could be used to test this hypothesi	s. [4 marks]
	Question 3 continues on the next page	



Table 1 shows the results.

Table 1

Colour of	Temperature increase in °C			
flask	Test 1	Test 2	Test 3	
Black	19	17	27	
Silver	10	12	11	

0 3.4	Which one of the results for the black flask is anomalous?	[1 mark]
0 3.5	The anomalous result was caused by reading the thermometer incorrectly. What should the student do with the anomalous result?	[1 mark]
0 3.6	Calculate the mean temperature increase for the silver flask.	[1 mark]
	Mean temperature increase =	°C



0 3.7	What conclusion can be made from Table 1?	[1 mark]	Do not write outside the box
	Tick (✓) one box.		
	Both flasks absorbed the same amount of infrared during the five minutes.		
	The black flask absorbed the most infrared during the five minutes.		
	The silver flask absorbed the most infrared during the five minutes.		10
	Turn over for the next question		Find Personal Tutor from www.wisesprout.co.uk
			om www.wis
			esprout.co.u
			找名 校导帅,用小卓线上辅导(微信小桂序问名)
			用小草等
			元 年 中
			(微信小
			金子可允
			Ü




A student investigated how the angle of a ramp affects the force required to hold a trolley stationary on the ramp.

Do not write outside the

box

Figure 10 shows the equipment used.

Figure 10



Measure the angle Y in Figure 10 0 4

[1 mark]

Angle **Y** = _____ degrees



Figure 11 shows the newtonmeter before the investigation started.

Figure 11



0 4.2	What type of error is shown on the newtonmeter in Figure 11 ? Tick (✓) one box.	[1 mark]
	Human error	
	Random error	
	Zero error	
0 4 . 3	How can this error be corrected after the measurements have been taken?	[1 mark]
	Tick (✓) one box.	
	Add 0.5 N to each measurement	
	Multiply each measurement by 0.5 N	
	Subtract 0.5 N from each measurement	




Table 2 shows the corrected results.

Table 2

Angle of ramp in degrees	Force in newtons
5	0.9
10	1.7
15	2.6
20	3.4
25	4.2
30	5.0

Figure 12 is an incomplete graph of the results

Figure 12






0 4.4	Plot the missing results from Table 2 on Figure 12 . [2 marks]
0 4 . 5	Figure 13 shows a person in a wheelchair using two different ramps to enter a van. Figure 13
	Short ramp Long ramp
	The ramps are at different angles to the ground.
	Explain one advantage of using the long ramp compared with using the short ramp. [2 marks]
0 4 . 6	A force of 160 N is used to move the wheelchair up the long ramp.
	The ramp is 2.5 m long.
	Calculate the work done to move the wheelchair up the ramp.
	Use the equation:
	work done = force × distance [2 marks]
	[2 marks]
	Work done =



9

0 5 Figure 14 shows how a lens forms an image of an object.

Figure 14



0 5 . 1	What type of lens is represented in Figure 14 ?	[1 mark]
	Tick (✓) one box.	[1 mark]
	Concave	

Convex

Diverging

Λ	5 2	Measure the image height and the object height in Figure 14.
U	5 . 2	Measure the image neight and the object height in Figure 14.

[1 mark]

Image height = ____ cm

Object height = ____ cm




0 5.3	Calculate the magnification produced by the lens.
	Use the equation:
	Magnification =
0 5.4	Which two words describe the image in Figure 14 ? [2 marks] Tick (✓) two boxes.
	Enlarged
	Inverted
	Upright Upright
	Virtual
	Question 5 continues on the next page



0 5 . 5		object was blue. Ident looked at the	e blue objec	t through a gre	een filter.		
	Com	plete the sentence	es.				
	Choo	ose answers from	the box.				[2 marks]
		black	blue	green	red	white	
	Look	ing at the blue ob	ject through	a green filter i	makes the	object appear	
	This	is because the gr	een filter on	ly transmits the	e light that	is	·







0 6	The Sun is the closest	star to the Earth.	
0 6.1	A 2.5 kg mass would h	nave a weight of 750 N at the surface of the Sun.	
	Calculate the gravitation	onal field strength at the surface of the Sun.	
	Use the equation:		
		gravitational field strength = $\frac{\text{weight}}{\text{mass}}$	[2 marks]
		Gravitational field strength =	N/kg
	Cravity is a non-center	at force	
0 6 . 2	Gravity is a non-contact		
		is also a non-contact force?	[1 mark]
	Tick (✓) one box.		
	Air resistance		
	Electrostatic		
	Friction		
	Tension		



All stars have a life cycle.

Figure 15 shows part of the life cycle of a star that becomes a black dwarf.

Complete Figure 15.

Choose answers from the box.

[2 marks]





Figure 15



Question 6 continues on the next page



Table 3 gives the mass of three stars compared to the mass of the Sun.

Table 3

Star	Mass compared to the mass of the Sun
X	× 25.0
Υ	× 15.0
Z	× 0.9

0 6 . 4	Which letter represents the star most likely to become a black dwarf?	
	Give a reason for your answer. [2 marks]	
	Tick (✓) one box.	
	X	
	Reason	
0 6 . 5	In which stage of the life cycle of a star are elements heavier than iron produced? [1 mark]	
	Tick (✓) one box.	
	Nebula	
	Protostar	
	Supernova	









Figure 16 shows the magnetic field pattern around a bar magnet.

Figure 16



0 7 . **1** Draw an arrow at point **A** and point **B** to show the direction of the magnetic field at each point.

[1 mark]

0 7. 2 A bar magnet produces its own magnetic field.

Complete the sentence.

Choose the answer from the box.

[1 mark]

an electromagnet	an induced magnet	a permanent magnet

A bar magnet is an example of



box

0 7 . 3 Which graph shows how the strength of the magnetic field varies with distance from the bar magnet? Give a reason for your answer. [2 marks] Tick (✓) one box. Strength Strength Strength of of magnetic field magnetic field magnetic field Distance Distance Distance Reason


Question 7 continues on the next page



Do not write

Figure 17 shows an electromagnet being used to separate aluminium cans from steel cans.






0 7 . 4	Explain how the electromagnet and conveyor belt are used to separate the steel cans
	from the aluminium cans. [2 marks]



平二 中部
,用小早线上铺导
$\overline{}$
微信小程序回名
_

0 7.5	At the top of the table the strength of the magnetic field is only just enough to pick to cans up.		
	Describe two ways to increase the strength of magnetic field at the top of the table.		
	[2 marks]		
	2	I	
		nd Personal Iui	
0 7.6	Write down the equation which links distance travelled (s), speed (v) and time (t). [1 mark]	Hind Personal Tutor from www.wisesprout.co.uk	
		prout.co.uk	
0 7.7	The conveyor belt moves a can at a speed of 1.7 m/s.	龙龙	
	Calculate the time taken to move the can 3.3 m at this speed.	农名校守师 ,用小早	
	Give your answer to 2 significant figures. [4 marks]	小旱线上辅导	
		?(微信小程矛间名	
		矛回名)	
	Time taken (2 significant figures) = s	13	
	Turn over for the next question		







0 8	The thinking distance and braking distance for a car vary with the speed of the car.
0 8.1	Explain the effect of two other factors on the braking distance of a car. Do not refer to speed in your answer.
	[4 marks]
	·

Question 8 continues on the next page




0 8.2	Which equation links acceleration (a), mass (m) and resultant force (F). Tick (\checkmark) one box.		[1 mark]
	resultant force = mass × acceleration		
	resultant force = mass × acceleration ²		
	resultant force = $\frac{\text{mass}}{\text{acceleration}^2}$		
	resultant force = $\frac{\text{mass}}{\text{acceleration}}$		
0 8.3	The mean braking force on a car is 7200 No. The car has a mass of 1600 kg.	I.	
	Calculate the deceleration of the car.		[3 marks]
		Deceleration =	m/s²



0 8 . 4

Figure 18 shows how the thinking distance and braking distance for a car vary with the speed of the car.

Figure 18



D	etermine	the	stopping	distance	when t	he d	car is	travelling	at 80) km/h.
_			OLOPPING	aiotarioo	******		oai io	uavonni	at Ot	, ,,,,,,,,,

[2 marks]

Stopping distance = n


Question 8 continues on the next page



box

Figure 19 shows part of the braking system for a car.

Figure 19



0 8 . **5** Which equation links area of a surface (*A*), the force normal to that surface (*F*) and pressure (*p*)?

[1 mark]

Tick (✓) one box.

$$p = F \times A$$

$$p = F \times A^2$$


$$p = \frac{F}{A}$$

$$p = \frac{A}{F}$$



0 8 . 6	When the brake pedal is pressed, a force of 60 N is applied to the piston.		Do not write outside the box
	The pressure in the brake fluid is 120 000 Pa.		
	Calculate the surface area of the piston.		
	Give your answer in standard form.		
	Give the unit.	[5 marks]	
			Find
			Find Personal Tutor from www.wisesprout.co.uk
			lutor tro
			m www.v
			visesprou
			t.co.uk
			器
	Surface area (in standard form) = Unit		








0 9

Figure 20 shows a child on a playground toy.

Do not write outside the box





0 9 . 1	The springs have been elastically deformed.	
	Explain what is meant by 'elastically deformed'.	[2 marks]


Question 9 continues on the next page



A student investigated the relationship between the force applied to a spring and the extension of the spring.

Figure 21 shows the results.







0 9.2	Describe a method the student could use to obtain the results given in Figu	re 21.
	You should include a risk assessment for one hazard in the investigation.	
	Your answer may include a diagram.	[6 marks]
	Question 9 continues on the next page	



0 9.3		quation links one box.	extension	(e), force	(<i>F</i>) and sprii	ng constant	t (k).	[1 mark]
	force = s	pring consta	ınt × (exte	nsion)²				
	force = s	pring consta	ınt × exten	sion				
	force = -	extension pring consta	ant					
	force = -	spring consta extension	<u>ant</u>					
	Figure 2	21 is repeate		Figure 21				
	5.0						×	
	4.0							
Force in newtons	3.0							
	2.0							
	1.0							
	0.0	0.02	0.04	0.06 Extens	0.08 ion in metre	0.10	0.12	0.14




0 9.4	Determine the spring constant of the spring. Use Figure 21. [3 marks]
	Spring constant = N/m
0 9 . 5	The student concluded:
0,0,0	'The extension of the spring is directly proportional to the force applied to the spring.'
	Describe how Figure 21 supports the student's conclusion. [2 marks]
	Question 9 continues on the next page



0 9 . 6	The student repeated the investigation using a different spring with a spring constant of 13 N/m.
	Calculate the elastic potential energy of the spring when the extension of the spring was 20 cm.
	Use the Physics Equations Sheet. [3 marks]
	Elastic potential energy = J

END OF QUESTIONS







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



There are no questions printed on this page

DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.



